### MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from electronic originals (may include minor formatting differences from printed original)

# MAINE DEPARTMENT OF LABOR Labor Standards










Characteristics
of
Work-Related
Injuries and
Illnesses
in Maine
2003



### Characteristics of Work-Related Injuries and Illnesses in Maine, 2003, Highlights

In 2003, there was a 5.1% decrease in the annual total count of Workers' Compensation disabling *Employer's First Report of Occupational Injury or Disease* (first reports, reported cases in which the employee lost at least one day of work beyond the day of injury or illness), from 15,854 first reports in 2002 to 15,049. This continues a decline from a recent high of 17,263 in the year 2000.

- ✓ 22% of all first reports originated from the top five industries. In descending order, they were: elementary and secondary schools; grocery stores; department stores; general medical and surgical hospitals; and ship building and repairing. Of note, department store first reports more than doubled from 2002 to 2003, from 288 to 649 first reports.
- ✓ 21% of all first reports involved the top four occupations. In descending order, they were: truck drivers; nursing aides, orderlies, and attendants; nonconstruction laborers; and janitors and cleaners.
- √ 37% of first reports involved workers of age 45 or older.
- ✓ One-third of first reports involved workers with less than one year experience with their current employer. Employees with less than two years experience were involved in 46%. Of note, since 2002 there was a 25% increase in first reports involving workers with 15 to 19 years experience, from 724 to 903 first reports.
- ✓ 19% of all first reports identified bodily motion/position of injured worker as the source of the disabling injury or illness.
- ✓ 28% of all first reports listed overexertion of one type or another (lifting, pulling, pushing, etc.) as the event that accounted for the injury or illness.
- √ 31% of all first reports reported the nature of the injury or illness as sprains, strains, or tears.
- ✓ 21% of first reports indicated the back, including lumbar region, as the part of body affected.



# STATE OF MAINE DEPARTMENT OF LABOR BUREAU OF LABOR STANDARDS 45 STATE HOUSE STATION AUGUSTA, MAINE 04333-0045

LAURA A. FORTMAN
COMMISSIONER

WILLIAM A. PEABODY

Director

Characteristics
of
Work-related
Injuries and
Illnesses
in Maine
2003

Theodore E. Bradstreet, Planning and Research Associate Steven P. Laundrie, Statistician

April 2005

Augusta, Maine

Material in this publication is in the public domain and may, with appropriate credit, be reproduced without permission.

The Maine Department of Labor provides equal opportunity employment and programs. Auxiliary aids and services are available upon request to individuals with disabilities.

Telephone: (207) 624-6400 TTY: (207) 624-6003 Fax: (207) 624-6449

This publication is available at: <a href="www.maine.gov/labor/bls/charwork.htm">www.maine.gov/labor/bls/charwork.htm</a>

### **CONTENTS**

|   | Page |
|---|------|
| <b>Background and Definitions</b>                                   |      |
| Background  | 1    |
| Definitions   | 2    |
| Summary   | 4    |
| Section 1: Overall Trend of First Reports                           | 7    |
| Section 2: The Most Frequently Reported Characteristics of Work-rel |      |
| Illnesses   | · ·  |
| Overview  | 8    |
| Industry  | 8    |
| Occupation of Injured Worker  |      |
| Nature of Injury or Illness   |      |
| Event or Exposure   |      |
| Source of Injury or Illness   |      |
| Part of Body Affected   |      |
| Age of Injured Worker   |      |
| Length of Service of Injured Worker                                 |      |
| Section 3: The Top Five Industries                                  |      |
| Overview  | 17   |
| Elementary and Secondary Schools (SIC 8211)                         | 20   |
| Grocery Stores (SIC 5411)   |      |
| Department Stores (SIC 5311)  |      |
| General Medical and Surgical Hospitals (SIC 8062)                   |      |
| Ship Building and Repairing (SIC 3731)                              |      |
| Section 4: The Top Five Occupations                                 |      |
| Overview  | 31   |
| Truck Drivers   | 34   |
| Nursing Aides, Orderlies, and Attendants                            | 36   |
| Nonconstruction laborers  |      |
| Janitors and Cleaners   | 40   |
| Stock Handlers and Baggers  | 42   |
| Section 5: The Top Five Natures                                     |      |
| Overview  | 45   |
| Sprains, Strains, and Tears   | 48   |
| Nonback Soreness, Pain or Hurt                                      |      |
| Back Pain or Hurt Back  |      |
| Bruises, Contusions   | 54   |
| Traumatic Injuries and Disorders, Unspecified                       | 56   |
| Section 6: The Top Five Events or Exposures                         |      |
| Overview  | 59   |
| Overexertion in Lifting   |      |
| Fall to Floor, Walkway, or Other Surface                            |      |
| Overexertion in Pulling/Pushing Objects                             |      |

|      | Overexertion, Unspecified   | 68 |
|------|---|----|
|      | Nonclassifiable   | 70 |
| Sect | ion 7: The Top Five Sources of Injury or Illness  |    |
|      | Overview  | 73 |
|      | Bodily Motion/Position of Injured Worker  |    |
|      | Nonclassifiable   |    |
|      | Health Care Patient/Resident of Health Care Facility                                    | 80 |
|      | Floor of Building   |    |
|      | Floors, Walkways, Ground Surfaces, Unspecified  | 84 |
| Sect | ion 8: Statistical Services Available   |    |
|      | Overview  | 86 |
|      | Sample Profile  | 88 |
|      |   |    |
|      | TABLES  |    |
|      |   |    |
|      | Top Ten Industries of Injured Worker  |    |
|      | Top Ten Occupations of Injured Worker   |    |
|      | Top Ten Natures of Injury or Illness  |    |
|      | Top Ten Events or Exposures   |    |
|      | Top Ten Sources of Injury or Illness  |    |
|      | Top Ten Parts of Body Affected  |    |
|      | Ten Age Categories  |    |
|      | Eight Length-of-Service Categories  |    |
|      | Cross Tabulations of the Top Five Industries and the Characteristics of Injuries Within |    |
|      | These Industries  |    |
|      | Characteristics of Injuries and Illnesses in Elementary and Secondary Schools           |    |
|      | Characteristics of Injuries and Illnesses in Grocery Stores                             |    |
|      | Characteristics of Injuries and Illnesses in Department Stores                          |    |
|      | Characteristics of Injuries and Illnesses in General Medical and Surgical Hospitals     |    |
|      | Characteristics of Injuries and Illnesses in Ship Building and Repairing                |    |
| 4-1: | Cross Tabulations of the Top Five Occupations and the Characteristics of Injuries W     |    |
|      | These Occupations   |    |
|      | Characteristics of Injuries and Illnesses of Truck Drivers                              |    |
|      | Characteristics of Injuries and Illnesses of Nursing Aides, Orderlies, and Attendants   |    |
|      | Characteristics of Injuries and Illnesses of Nonconstruction laborers                   |    |
|      | Characteristics of Injuries and Illnesses of Janitors and Cleaners                      |    |
|      | Characteristics of Injuries and Illnesses of Stock Handlers and Baggers                 | 42 |
|      | Cross Tabulations of the Top Five Natures and the Characteristics of Injuries Within    |    |
|      | These Natures   |    |
|      | Characteristics of Sprains, Strains, and Tears  |    |
|      | Characteristics of Nonback Soreness, Pain or Hurt                                       |    |
|      | Characteristics of Back Pain or Hurt Back   |    |
|      | Characteristics of Bruises, Contusions  |    |
| 5-6: | Characteristics of Traumatic Injuries and Disorders, Unspecified                        | 56 |

|      | Cross Tabulations of the Top Five Events and the Characteristics of Injuries Within The  |       |
|------|--|-------|
|      | Events   |       |
|      | Characteristics of Injuries and Illnesses Due to Overexertion in Lifting                 | 62    |
|      | Characteristics of Injuries and Illnesses Due to Fall to Floor, Walkway, or Other        | - 1   |
|      | Surface  |       |
|      | Characteristics of Injuries and Illnesses Due to Overexertion in Pulling/Pushing Objects |       |
|      | Characteristics of Injuries and Illnesses Due to Overexertion, Unspecified               |       |
|      | Characteristics of Injuries and Illnesses Due to Nonclassifiable Events                  | /(    |
|      | Cross Tabulations of the Top Five Sources and the Characteristics of Injuries Within     | 71    |
|      | These Sources  | /4    |
|      | Worker   | 76    |
|      | Characteristics of Injuries and Illnesses Due to Nonclassifiable Sources                 |       |
|      | Characteristics of Injuries and Illnesses Due to Health Care Patient/Resident of Health  | . / C |
|      | Care Facility  | 80    |
|      | Characteristics of Injuries and illnesses Due to Floor of Building                       |       |
|      | Characteristics of Injuries and Illnesses Due to Floors, Walkways, Ground Surfaces,      | .02   |
|      | Unspecified  | .84   |
|      | Janitors and Cleaners in Schools in Cumberland County – Age                              |       |
|      | Janitors and Cleaners in Schools in Cumberland County – Nature of Injury                 |       |
|      | Janitors and Cleaners in Schools in Cumberland County – Part of Body                     |       |
|      | Janitors and Cleaners in Schools in Cumberland County – Source of Injury                 |       |
|      | Janitors and Cleaners in Schools in Cumberland County – Event Leading to Injury          |       |
|      | Janitors and Cleaners in Schools in Cumberland County - Length of Service of Injured     |       |
|      | Worker   | 94    |
| 8-7: | Janitors and Cleaners in Schools in Cumberland County - Day of the Week of Injury        | 94    |
| 8-8: | Janitors and Cleaners in Schools in Cumberland County – Month of Injury                  | 95    |
|      |  |       |
|      | FIGURE   |       |
|      | FIGURES  |       |
| 1-1: | Twenty-Year Comparison of First Reports Annual Totals                                    | 7     |
| 3-1: | Occupations – Elementary and Secondary Schools (688 First Reports)                       | 21    |
|      | Occupations – Grocery Stores (680 First Reports)   |       |
|      | Occupations – Department Stores (649 First Reports)                                      |       |
|      | Occupations – General Medical and Surgical Hospitals (643 First Reports)                 |       |
| 3-5: | Occupations – Ship Building and Repairing (618 First Reports)                            | 29    |
| 4-1: | Events – Truck Drivers (902 First Reports)   | 35    |
| 4-2: | Events – Nursing Aides, Orderlies, and Attendants (877 First Reports)                    | 37    |
| 4-3: | Events – Nonconstruction laborers (805 First Reports)                                    | 39    |
|      | Events – Janitors and Cleaners (595 First Reports)                                       |       |
|      | Events – Stock Handlers and Baggers (382 First Reports)                                  |       |
|      | Occupations – Sprains, Strains, and Tears (4,624 First Reports)                          |       |
|      | Occupations – Nonback Soreness, Pain or Hurt (2,512 First Reports)                       |       |
|      | Occupations – Back Pain or Hurt Back (1,352 First Reports)                               |       |
| 5-4: | Occupations – Bruises, Contusions (1,045 First Reports)                                  | 55    |

| 5-5: | Occupations – Traumatic Injuries and Disorders, UNS (841 First Reports)          | 57 |
|------|--|----|
| 6-1: | Occupations – Overexertion in Lifting (2,312 First Reports)                      | 63 |
| 6-2: | Occupations – Fall to Floor, Walkway, or Other Surface (1,470 First Reports)     | 65 |
| 6-3: | Occupations – Overexertion in Pulling/Pushing Objects (760 First Reports)        | 67 |
| 6-4: | Occupations – Overexertion, UNS (715 First Reports)                              | 69 |
| 6-5: | Occupations – Nonclassifiable Events (656 First Reports)                         | 71 |
| 7-1: | Occupations – Bodily Motion/Position of Injured Worker (2,797 First Reports)     | 77 |
| 7-2: | Occupations – Nonclassifiable Sources (1,237 First Reports)                      | 79 |
| 7-3: | Occupations – Health Care Patient/Resident of Health Care Facility               |    |
|      | (717 First Reports)  | 81 |
| 7-4: | Occupations – Floor of Building (705 First Reports)                              | 83 |
| 7-5: | Occupations - Floors, Walkways, Ground Surfaces, Unspecified (628 First Reports) | 85 |
|      |  |    |

### **BACKGROUND AND DEFINITIONS**

### **Background**

Under the authority of Title 26 MRSA § 42-A, the Maine Department of Labor Research and Statistics Unit collects and compiles data on workplace injuries and illnesses. An important source of this information are the Maine Workers' Compensation Board (WCB) *Employer's First Report of Occupational Injury or Disease* (first reports) and related paperwork as submitted by employers or their insurers to the WCB to process claims and meet the requirements of the Workers' Compensation Law. These documents capture a broad range of information about any reported work-related injury or illness. The Research and Statistics Unit codes WCB data about each case of injury or illness resulting in at least one day away from work beyond the day of injury (a disabling case) directly onto the WCB database via on-line connection. At least once a month, WCB data are downloaded to a data warehouse where they are available to respond to specific queries, generally by cross-tabulation with other related information.

This report examines the WCB disabling-case data for the year 2003 in terms of the following eight characteristics of injury or illness: (1) industry, (2) occupation of injured worker, (3) nature of injury or illness, (4) event or exposure, (5) source of injury or illness, (6) part of body affected, (7) age of the injured worker and (8) length of service of the injured worker (all as defined below). The reasons for examining these characteristics are as follows:

- 1) The analysis provides insights as to the "where" (industry), "who" (occupation, age, and length of service of the injured worker), "how" (event or exposure and source of injury or illness), and "what" (nature of injury or illness and part of body affected) questions about occupational injuries and illnesses sustained by Maine workers in 2003.
- 2) This report is meant to serve as an example of queries possible with this data source. Each WCB file contains detailed data about the employee, the employer, the incident and the associated Workers' Compensation claim beyond what is used here. General information is in the public domain but the release of employee-specific information must be approved by the WCB. This means that case characteristic information can be generated for an individual company, or groups of companies or of cases, rather than the statewide approach of this report. This report is intended to encourage requests for specific inquiries using the WCB data to improve occupational safety and health in Maine workplaces.

There are certain limitations to such inquiry, including this report, as follows:

- 1) The WCB data are not comparable to data generated by the federal Bureau of Labor Statistics *Survey of Occupational Injuries and Illnesses* (SOII) because:
  - a. The definitions of "recordable case" under OSHA (used by SOII) and the WCB are different from one another. Injuries or illnesses that are recordable by WCB standards may not be recordable by OSHA standards and *vice versa*.

- b. Annual average numbers of employees and total hours worked per employer are not collected by the WCB. This means that incidence rates cannot be produced for the WCB data.
- 2) Workers' Compensation laws vary from state to state, making comparisons among states difficult.
- 3) The consistency of the coding is subject to the individual coder's interpretation.
- 4) Perhaps most importantly, the quality of the data is subject to the quality of answers provided on the first reports. These reports are to be filed within 7 days of an employer learning about a case, and complete information is not always available at that point. Completion/correction is possible, and in some cases required, but the WCB has no systematic means of verifying compliance.
- 5) Lastly, since 1993, only disabling cases have been coded. This means that cases with job transfer or job restriction but no lost time cannot be examined at this time.

### **Definitions**

The following is an alphabetical list of definitions of terms and abbreviations used in this report.

**Age of injured worker:** the age of the injured worker at the time of injury, calculated from the worker's date of birth and the date of injury.

**Disabling:** resulting in at least one day away from work beyond the day of injury or illness.

**Event or exposure:** the manner in which the injury or illness was produced or inflicted by the Source of the injury or illness.

*First report(s): Employer's First Report of Occupational Injury or Disease*, the standard form on which an employer or employer's representative makes initial report to the WCB of an occupational injury or illness affecting one of its workers. **For the purposes of this report, this includes reports of disabling cases only.** 

FROI: Employer's First Report of Occupational Injury or Disease, see first reports above.

*Industry:* the business in which the injured worker was actually employed at the time of injury or illness.

**Length of service of the injured worker:** the injured worker's length of service with the employer at the time of injury or illness, calculated from date of hire and date of injury or illness. Date of hire is not always available.

*Maine Occupational Research Agenda (MORA):* An occupational safety and health research agenda modeled on the National Occupational Research Agenda (NORA) and managed by the MORA Steering Committee.

*Nature of injury or illness:* the principal physical characteristic(s) of the injury or illness.

Nonclassifiable: insufficient data to allow classification.

Not elsewhere classifiable (NEC): not classifiable among other standard classifications.

*Occupation of injured worker:* the occupation in which the injured worker was actually engaged at the time of injury or illness (this may not be the worker's regular occupation or job class).

**Part of body affected:** the part(s) of the injured worker's body directly affected by the nature of the injury or illness.

*SIC:* Standard Industrial Classification code. A four-digit code assigned to an employer to classify the establishment by the type of activity in which it is engaged.

**Source of injury or illness:** the object, substance, bodily motion, or work environment that directly produced or inflicted the injury or illness.

Unspecified (UNS): insufficient data for more detailed classification.

**WCB:** Maine Workers' Compensation Board.

### **SUMMARY**

Reports of work-related injuries and illnesses that cost the worker time away from work declined slightly in 2003, from 15,854 first reports in 2002 to 15,049, a 5.1% decrease. This continues a decline from a recent high of 17,263 in the year 2000.

As to where Maine workers were injured, the five industries that recorded the highest frequencies of disabling-case first reports in 2003 accounted for 21.8% (3,278 cases) of all 2003 first reports. They were, in descending order: elementary and secondary schools (SIC 8211); grocery stores (SIC 5411); department stores (SIC 5311); general medical and surgical hospitals (SIC 8062); and ship building and repairing (SIC 3731). Four of these five are service or retail industries. Of note, the first reports originating in department stores more than doubled from 2002 to 2003, from 288 to 649 first reports.

Workers injured were examined in terms of three characteristics, occupation, age, and length of service of the injured worker. The four occupations that filed the highest numbers of first reports in 2003 were, in descending order: truck drivers; nursing aides, orderlies, and attendants; nonconstruction laborers; and janitors and cleaners. These four occupations accounted for 21.1% (3,179 cases) of all 2003 first reports. Janitors and cleaners were a particularly high proportion of reported injured workers in elementary and secondary schools (28.2%, 193 cases), indicating a need for further study of that occupation within that industry. Of concern also is the rise in the number of reported disabling injuries to stock handlers and baggers from 2002 to 2003, from 297 first reports to 382, a 29% increase.

While the top ranking age group varied somewhat with occupation, overall the 35-44 years group produced the most first reports, with 27.4% (4,123 cases) of all 2003 first reports. Of note is the fact that the 45-54 years group ranked second and workers over 45 years of age filed 36.6% (5,506) of all first reports. This proportion is up slightly from the 35.3% of all first reports in 2002 and up substantially from the 27.1% in 1995. Of interest, 40.4% of all truck driver first reports, 32.1% of all nursing aides, orderlies, and attendants first reports, and 54.8% of all janitors and cleaners first reports involved workers of age 45 or older. In comparison, workers under 35 years of age filed 36.0% of all first reports (5,420 cases). The proportion of first reports originating with older workers therefore seems high.

By far the leading length-of-service group was under one year. However, from 2002 to 2003, there was a 25% increase in the number of first reports involving workers with 5 through 14 years experience.

The mechanism of worker injury or illness was examined through two characteristics, source of injury or illness, and event or exposure. Overall, the leading source by far was the bodily motion or position of the injured worker. This source was identified in 18.6% of all 2003 first reports. It produced 2,797 first reports; more than double the second-ranking source and four to six times the frequencies shown by most of the top ten sources. There were important exceptions by occupation, however, notably among nursing aides, orderlies, and attendants. Health care patient or resident of health care facility was the source of 50.9% (446 cases) of disabling injuries and illnesses reported from that occupation. Of injuries and illnesses from

this source, 42.5% (305 cases) affected the back. The top-ranking age group impacted by this source was 25-34 years.

The two highest-ranking events or exposures stood out well above all others. Overexertion in lifting, the first ranked, appeared in 15.4% of all 2003 first reports (2,312 cases), and had nearly double the frequency of first reports of the second-ranked, fall to floor, walkway, or other surface. Four of the top ten events involved overexertion and, taken together, accounted for 28.4% of all 2003 first reports (4,267 cases). Events of this type are known to produce a high frequency of musculoskeletal injuries.

The kinds of injuries and illnesses reported by Maine workers are described through two characteristics, nature of injury or illness, and part of body affected. The highest-ranking nature, sprains, strains, and tears, was reported in 4,624 first reports in 2003, more than any other characteristic examined here. By itself, it accounted for 30.7% of all 2003 first reports. The top three natures -- sprains, strains, and tears; nonback soreness, pain, or hurt; and back pain or hurt back – are all musculoskeletal. This makes it clear that musculoskeletal injuries dominated 2003 workplace injuries and illnesses in Maine.

The part of body affected varied considerably. Of note however is the fact that first-ranked lumbar region and third-ranked back, including spine, spinal cord, unspecified, when combined accounted for 21.3% of all reported disabling cases (3,200 first reports). This outcome suggests a connection between back injuries and overexertion in lifting discussed under "Event."

Areas that could bear further study are:

- Injuries and illnesses of truck drivers.
- Causes of injury to janitors and cleaners in elementary and secondary schools.
- The age distribution of injuries and illnesses of janitors and cleaners in general.
- Why "new hires" appear to be at much higher risk of injury or illness.
- Reducing the number of injuries and illnesses with the source identified as bodily motion/position of injured worker.
- Reducing the number of injuries to nursing aides, orderlies and attendants due to health care patients or resident of health of care facilities.
- Reducing the frequency of overexertion-in-lifting incidents.
- Causes and preventative measures for musculoskeletal disorders.
- Injuries and illnesses of workers age 45 and older.

- Injuries and illnesses of department store workers.
- Injuries and illnesses of stock handlers and baggers.

### **SECTION 1: OVERALL TREND OF FIRST REPORTS**

There were 15,049 first reports filed in 2003, a 5.1% decrease from the 15,854 in 2002, as shown in Figure 1-1. This change is a continuation of a decline from a recent high point of 17,263 first reports in calendar year 2000. Figure 1-1 below shows the annual totals of disabling work-related injuries and illness for the last 20 years as reported on Workers' Compensation Board *Employer's First Report of Occupational Injury or Disease* (first reports).

26.0 Disabling FROI (thousands) 

FIGURE 1-1: Twenty-Year Comparison of First Reports Annual Totals

### SECTION 2: THE MOST FREQUENTLY REPORTED CHARACTERISTICS OF WORK-RELATED INJURIES AND ILLNESSES

### Overview

This section provides a broad view of the most-reported characteristics of work-related injury and illness for 2003. It details information about six standard characteristics of occupational injury or illness, industry, occupation, nature of injury or illness, event or exposure, source of injury or illness, and part of body affected (Tables 2-1 through 2-6). Within each characteristic, this section examines the ten categories that recorded the highest frequencies of disabling case *Employer's First Report of Occupational Injury or Disease* (first reports) in 2003. The categories are listed in descending order under each characteristic. The top five categories for each characteristic will be examined in detail in later sections of this report. Age of the injured worker and length of service are also examined here. For all characteristics, the total number of first reports for 2003 was 15,049.

### **Industry**

Industry describes the kind of business in which the injured worker's employer was engaged. Table 2-1 presents the ten industries (characterized by four-digit Standard Industrial Classification, or SIC, code) reporting the highest frequency of first reports for 2003. Together, these ten industries accounted for 34.9% of the total first reports filed in 2003. Among the ten industries were one manufacturing and one construction industry, the remaining eight being service or retail industries. Of note, the reported number of first reports in department stores more than doubled from 2002 to 2003, from 288 first reports to 649.

**TABLE 2-1: Top Ten Industries of Injured Worker** 

| Rank | Industry of Injured Worker             | FROI |
|------|--|------|
| 1    | Elementary and secondary schools       | 688  |
| 2    | Grocery stores                         | 680  |
| 3    | Department stores                      | 649  |
| 4    | General medical and surgical hospitals | 643  |
| 5    | Ship building and repairing            | 618  |
| 6    | Eating places                          | 585  |
| 7    | Skilled nursing care facilities        | 557  |
| 8    | Residential care                       | 302  |
| 9    | Single-family house construction       | 274  |
| 10   | Individual and family social services  | 260  |

### Occupation of Injured Worker

Occupation describes the type of job held by the worker at the time of the injury or illness. The ten occupations that recorded the highest frequencies of first reports in 2003 are presented in Table 2-2. These ten occupations taken together accounted for 34.5% of year 2003 first reports. The top four occupations each produced considerably higher first reports counts than any of the lower six and are therefore expected to be important in the detailed analysis to follow. Also of interest, the number of first reports involving stock handlers and baggers increased almost 30%, from 297 first reports in 2002 to 382 in 2003.

TABLE 2-2: Top Ten Occupations of Injured Worker

| Rank | Occupation of Injured Worker             | FROI |
|------|--|------|
| 1    | Truck drivers                            | 902  |
| 2    | Nursing aides, orderlies, and attendants | 877  |
| 3    | Laborers-except construction             | 805  |
| 4    | Janitors and cleaners                    | 595  |
| 5    | Stock handlers and baggers               | 382  |
| 6    | Cashiers                                 | 351  |
| 7    | Construction laborers                    | 346  |
| 8    | Carpenters                               | 327  |
| 9    | Kitchen workers, food preparation        | 323  |
| 10   | Freight/stock/material handlers, NEC     | 288  |

*NEC* = *Not Elsewhere Classifiable, not fitting available classifications.* 

### **Nature of Injury or Illness**

Nature of injury or illness identifies the principal physical characteristic(s) of the injury or illness. The top ten natures listed in Table 2-3 were involved in 82.5% of all first reports reported in 2003. The number one nature (sprains, strains, and tears) accounted for 30.7% by itself and had nearly double the first reports of the second ranked nature (nonback soreness, pain, or hurt). The second ranked nature, in turn, had nearly double the frequency of the third ranked. Thereafter, the decline in frequencies was less steep. Because the top three natures are all musculoskeletal, it is clear that musculoskeletal injuries dominate workplace injuries and illnesses.

**TABLE 2-3: Top Ten Natures of Injury or Illness** 

| Rank | Nature of Injury/Illness                    | FROI  |
|------|---|-------|
| 1    | Sprains, strains, tears                     | 4,624 |
| 2    | Soreness, pain, hurt, except the back       | 2,362 |
| 3    | Back pain, hurt back                        | 1,352 |
| 4    | Bruises, contusions                         | 1,045 |
| 5    | Traumatic injuries & disorders, unspecified | 841   |
| 6    | Cuts, lacerations                           | 745   |
| 7    | Fractures                                   | 687   |
| 8    | Neurotic reaction to stress                 | 293   |
| 9    | Nonclassifiable                             | 275   |
| 10   | Carpal tunnel syndrome                      | 190   |

### **Event or Exposure**

Event or exposure describes the manner in which the injury or illness was produced or inflicted by the source of injury or illness. While the top ten events taken together represent 55.3% of all 2003 first reports, the first ranked, overexertion in lifting, accounted for 15.4% by itself. Three more of the top ten events involved overexertion and all four overexertion events taken together totaled 4,267 claims, or 28.4% of all first reports. Events of this type have been shown elsewhere to produce a high frequency of musculoskeletal injuries. Also of note, the second ranked event (fall to floor, walkway or other surface) accounted for nearly twice the frequency of the third highest event.

**TABLE 2-4: Top Ten Events or Exposures** 

| Event of Injury/Illness                     | FROI  |
|---|---|
| Overexertion in lifting                     | 2,312   |
| Fall to floor, walkway or other surface     | 1,470   |
| Overexertion in pulling/pushing objects     | 760   |
| Overexertion, unspecified                   | 715   |
| Nonclassifiable                             | 656   |
| Slip, trip, loss of balance-without fall    | 521   |
| Bending/climbing/crawling/reaching/twisting | 501   |
| Bodily conditions, NEC                      | 484   |
| Overexertn holdg, carryg, turng, wieldg obj | 480   |
| Repetitive motion, unspecified              | 428   |
|   | Bodily conditions, NEC<br>Overexertn holdg, carryg, turng, wieldg obj |

*NEC* = *Not Elsewhere Classifiable, not fitting available classifications.* 

### **Source of Injury or Illness**

Source of injury or illness identifies the object, substance, bodily motion, or work environment which directly produced or inflicted the injury or illness. Table 2-5 lists the top ten sources of occupational injuries and illnesses from 2003 first reports. These ten sources accounted for 54.6% of first reports. The leading source of injury or illness, bodily motion/position of injured worker, accounted for 18.6% of all first reports for 2003. This was almost three times as high as the second ranked source, nonclassifiable.

**TABLE 2-5: Top Ten Sources of Injury or Illness** 

| Rank | Source of Injury/Illness                             | FROI  |
|------|--|-------|
| 1    | Bodily motion/position of injured worker             | 2,797 |
| 2    | Nonclassifiable                                      | 1,237 |
| 3    | Health care patient/resident of health care facility | 717   |
| 4    | Floor of building                                    | 705   |
| 5    | Floors, walkways, ground surfaces, unspecified       | 628   |
| 6    | Boxes, crates, cartons                               | 593   |
| 7    | Ground   | 518   |
| 8    | Bodily conditions of injured, ill worker             | 496   |
| 9    | Other sources, NEC                                   | 330   |
| 10   | Doors  | 201   |

*NEC* = *Not Elsewhere Classifiable, not fitting available classifications.* 

### Part of Body Affected

Part of body affected identifies the part of the body directly affected by the nature of injury or illness. Just about two thirds of all 2003 first reports fell into these top ten part categories. Of note, lumbar region, together with back, including spine, spinal cord, unspecified, accounted for over 20% of all first reports. These data suggest a possible connection between back injuries and the high frequency of overexertion in lifting discussed under "Event."

TABLE 2-6: Top Ten Parts of Body Affected

| Rank | Part of Body                            | FROI  |
|------|---|-------|
| 1    | Lumbar region                           | 1,785 |
| 2    | Multiple body parts                     | 1,555 |
| 3    | Back, including spine, spinal cord, UNS | 1,415 |
| 4    | Knee(s)                                 | 1,154 |
| 5    | Shoulder, including clavicle, scapula   | 973   |
| 6    | Finger(s), fingernail(s)                | 884   |
| 7    | Wrist(s)                                | 741   |
| 8    | Ankle(s)                                | 643   |
| 9    | Body Systems                            | 579   |
| 10   | Hand(s), except finger(s)               | 442   |

*UNS* = *Unspecified*, *insufficient data for detailed classification*.

### Age of Injured Worker

For the purpose of this analysis, the ages of the workers reporting disabling injuries and illnesses in 2003 were broken down into ten inclusive age categories, ranked according to the first reports generated by each (Table 2-7). The 40-44 year age group ranked highest, with 14.4% of all year 2003 first reports, but four of the top five age groups, covering the range from 30 to 49 years, were close to one another in frequencies of first reports and together accounted for 52.4% of all first reports. In fourth place, however, was the 19-24 years age group with 12.4% of the total and widely separated from the under 19 and 25-29 year groups. Of note, 5,506 first reports (36.6% of all 2003 first reports) involved employees of age 45 years or older. Workplace injuries and illnesses in an aging workforce are a research priority identified by MORA.

TABLE 2-7: Ten Age Categories.

| Rank | Age          | FROI  |
|------|--------------|-------|
| 1    | 40-44        | 2,173 |
| 2    | 45-49        | 1,987 |
| 3    | 35-39        | 1,950 |
| 4    | 19-24        | 1,871 |
| 5    | 30-34        | 1,784 |
| 6    | 50-54        | 1,565 |
| 7    | 25-29        | 1,444 |
| 8    | 55-59        | 1,118 |
| 9    | 60 and above | 836   |
| 10   | Under 19     | 321   |

### Length of Service of Injured Worker

Length of service of the injured worker represents the time in service with the particular employer by whom the worker was employed at the time of injury or illness. It does not necessarily represent the total experience of a worker in the occupation in which the worker was injured. Length of service of the injured worker was divided into eight inclusive length-of-service categories. Workers with two or less years of service with their employer accounted for 45.7% of all first reports in 2003, whereas workers with ten or more years of service with their employer accounted for 21.2%. Of note, first reports involving workers with 15 through 19 years service increased by 25% from 2002 to 2003, from 724 first reports to 903. Length of service was not available for 425 cases in 2003 because the date of hire was not reported on the first reports.

**TABLE 2-8: Eight Length-of-Service Categories** 

| Rank | Length of Service  | FROI  |
|------|--------------------|-------|
| 1    | Under 1 Year       | 5,016 |
| 2    | 1 year to 2 years  | 1,868 |
| 3    | 5-9 years          | 1,774 |
| 4    | 3-4 years          | 1,613 |
| 5    | 10-14 years        | 1,343 |
| 6    | 2 years to 3 years | 1,170 |
| 7    | 20 years and above | 937   |
| 8    | 15-19 years        | 903   |

### **SECTION 3: THE TOP FIVE INDUSTRIES**

### Overview.

The first characteristic to be discussed in detail is industries in which disabling cases were reported to have occurred. Specifically, this section will present information on the five industries with the highest reported frequencies of disabling case Maine Workers' Compensation Board *Employer's First Report of Occupational Injury or Disease* (first reports). Together, these five industries accounted for 21.8% of all first reports for 2003. Table 3-1 lists the top five industries in descending order by frequency of first reports for 2003. The industries are categorized at the four-digit level of SIC coding. One manufacturing industry is listed, ship building and repairing (SIC 3731), in fifth place. Elementary and secondary schools (SIC 8211) had the highest frequency of first reports, followed by grocery stores (SIC 5411).

For each industry, the top five each of occupation of the injured or ill worker, nature of the injury or illness, part of the body affected, source of the injury or illness, and event of the injury or illness are tabulated by the first reports count and percentage for that industry. **The tabulated characteristics refer to that industry as a whole, not to the other tabulated characteristics.** For example, the 27.6% of nature of injury or illness (sprains, strains, and tears) in the first row of the third column of Table 3-1 are NOT injuries and illnesses reported by janitors and cleaners only but by ALL occupations within elementary and secondary schools, including those occupations not listed.

While differences in characteristics of injuries and illnesses between these top five Industries were considerable, there were elements shared in common.

- Sprains, strains, and tears was by far the number one reported nature of injury or illness for all top five industries, averaging 36.9% of first reports. Nonback soreness, pain, or hurt was also common to all five industries under nature and averaged 14.7%.
- As to the source of injury or illness, bodily motion/position of injured worker averaged 19.5% and ranked first in three of the top five industries and second in the other two. Floor of building was also common to all five industries, generally ranking fourth or fifth.
- Under part of body affected, either lumbar region or back, unspecified always ranked at least second, and the two combined averaged 20.6%.
- Overexertion in lifting ranked first or second in all five industries, averaging 17.8% of first reports. Events classified as "overexertion" and "repetitive motion" accounted for between 16% and 40% of each of the top five Industries' first reports. Research has shown that these events are significant factors contributing to such musculoskeletal disorders as sprains, strains and tears, soreness, back pains, tendonitis, carpal tunnel syndrome, *etc*.

TABLE 3-1: Cross Tabulations of the Top Five Industries and the Characteristics of Injuries Within These Industries

| INDUSTRY                   | OCCUPATION*  | FROI    | %         | NATURE*                                 | FROI .   | %    | PART OF BODY*                                 | FROI | %    |
|----------------------------|--|---------|-----------|---|----------|------|---|------|------|
|                            | Janitors and cleaners  | 193     | 28.2      | Sprains, strains, tears                 | 190 27   | 27.6 | Multiple body parts                           | 66   | 14.4 |
| ELEMENTARYAND              | Elementary school teachers                                     | 92      | 13.4      | Soreness, pain, hurt, except the back   | 92 13    | 13.4 | Lumbar region                                 | 8    | 13.1 |
| SECONDARY                  | Bus drivers  | 65      | 9.5       | Bruises, contusions                     | .6 99    | 9.6  | Body Systems                                  | 99   | 8.1  |
| SCHOOLS                    | Special education teachers                                     | 55      | 8.0       | Back pain, hurt back                    | 65 9.    | 9.4  | Knee(s)                                       | 54   | 7.8  |
| (688 FROI)                 | Secondary school teachers                                      | 39      | 5.7       | Traumatic injuries & disorders, UNS     | 61 8.    | 8.9  | Back, including spine, spinal cord, UNS       | 39   | 5.7  |
|                            | Stock handlers and baggers                                     | 159     | 23.4      | Sprains, strains, tears                 | 228 33   | 33.5 | Lumbar region                                 | 96   | 14.1 |
|                            | Laborers, except construction                                  | 109     | 16.1      | Soreness, pain, hurt, except the back   | 123 18   | 18.1 | Multiple body parts                           | 69   | 10.1 |
| GROCERY STORES             | Kitchen workers, food preparation                              | 86      | 14.4      | Back pain, hurt back                    | 8 09     | 8.8  | Shoulder, including clavicle, scapula         | 28   | 8.5  |
| (680 FROI)                 | Cashiers   | 68      | 13.1      | Traumatic injuries & disorders, UNS     | 48 7.    | 7.1  | Finger(s), fingernail(s)                      | 27   | 8.3  |
|                            | Supervisors/proprietors-sales occupation                       | 09      | 8.8       | Cuts, lacerations                       | 48 7.    | 7.1  | Knee(s)                                       | 48   | 7.1  |
|                            | Stock handlers and baggers                                     | 149     | 23.0      | Sprains, strains, tears                 | 322 49   | 9.6  | Back, including spine, spinal cord, UNS       | 88   | 13.6 |
| DEPARTMENT                 | Cashiers   | 107     | 16.5      | Bruises, contusions                     | 106 16   | 16.3 | Finger(s), fingernail(s)                      | 59   | 9.1  |
| STORES                     | Sales workers, other commodities                               | 70      | 10.8      | Cuts, lacerations                       | 56 8.    | 9.8  | Shoulder, including clavicle, scapula         | 46   | 7.6  |
| (649 FROI)                 | Freight/stock/material handlers, NEC                           | 28      | 8.9       | Soreness, pain, hurt, except the back   | 27 4.    | 4.2  | Lumbar region                                 | 49   | 9.7  |
|                            | Sales counter clerks   | 51      | 7.9       | Back pain, hurt back                    | 15 2.    | 2.3  | Wrist(s)                                      | 37   | 5.7  |
|                            | Registered nurses  | 146     | 22.8      | Sprains, strains, tears                 | 338 52   | 52.6 | Back, including spine, spinal cord, UNS 1     | 137  | 21.3 |
| GENERAL MEDICAL            | GENERAL MEDICAL Nursing aides, orderlies, and attendants       | 96      | 15.0      | Soreness, pain, hurt, except the back   | 62 9.    | 9.6  | Lumbar region                                 | 69   | 10.7 |
| AND SURGICAL               | Janitors and cleaners  | 29      | 10.5      | Bruises, contusions                     | 44 6.    | 8.9  | Knee(s)                                       | 09   | 9.3  |
| HOSPITALS                  | Health aides, except nursing                                   | 34      | 5.3       | Back pain, hurt back                    | 27 4.    | 4.2  | Multiple body parts                           | 20   | 7.8  |
| (643 FROI)                 | Health technologists/technicians, NEC                          | 32      | 5.0       | Neurotic reaction to stress             | 21 3.    | 3.3  | Body systems                                  | 4    | 8.9  |
|                            | Lay-out workers  | 95      | 15.4      | Soreness, pain, hurt, except the back   | 173 28   | 28.0 | Back, including spine, spinal cord, UNS 1     | 103  | 16.7 |
| SHIP BUILDING              | Welders and cutters  | 98      | 13.9      | Sprains, strains, tears                 | 130 21   | 21.0 | Knee(s)                                       | 81   | 13.1 |
| AND REPAIRING              | Miscellaneous precision metal workers                          | 62      | 12.8      | Back pain, hurt back                    | 72 11    | 11.7 | Multiple body parts                           | 9    | 10.5 |
| (618 FROI)                 | Plumber, pipefitter, and steamfitter                           | 54      | 8.7       | Bruises, contusions                     | 30 4.    | 4.9  | Shoulder, including clavicle, scapula         | 43   | 7.0  |
|                            | Electricians   | 50      | 8.1       | Symptoms inv nervous/musculoskel        | 30 4.    | 4.9  | Eye(s)  | 29   | 4.7  |
| Those columns water to the | To waste of tou batacibui sutaribui alt of notae amunita anall | Jumiloo | intere no | - IOOA summiles essent within seintmens | Emmlono. | E:   | Employen's First Donout of Occupational Inium | 20   |      |

Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = These columns refer to the industry indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or insufficient data for classification Continued next page.

TABLE 3-1, continued

| INDUSTRY        | SOURCE OF<br>INJURY/ILLNESS*                         | FROI %   | EVENT OF INJURY/ILLNESS*                              | FROI       | %    |
|-----------------|--|----------|---|------------|------|
|                 | Bodily motion/position of injured worker             | 128 18.6 | Fall to floor, walkway or other surface               | 127        | 18.5 |
| ELEMENTARYAND   | Floor of building                                    | 57 8.3   | Overexertion in lifting                               | 91         | 13.2 |
| SECONDARY       | Personother than injured/ill worker, NEC             | 51 7.4   | Bodily conditions, NEC                                | 32         | 4.7  |
| SCHOOLS         | Nonclassifiable                                      | 47 6.8   | Overexertion, NEC                                     | 30         | 4.4  |
| (688 FROI)      | Bodily conditions of injured, ill worker             | 34 4.9   | Slip, trip, loss of balance-without fall              | 28         | 4 1  |
|                 | Bodily motion/position of injured worker             | 158 23.2 | Overexertion in lifting                               | 149        | 21.9 |
|                 | Boxes, crates, cartons                               | 111 16.3 | Overexertion, unspecified                             | 52         | 7.6  |
| GROCERY STORES  | Nonclassifiable                                      | 5.8 8.5  | Fall to floor, walkway or other surface               | 41         | 6.0  |
| (680 FROI)      | Floor of building                                    | 35 5.1   | Overexertion in pulling/pushing objects               | 40         | 5.9  |
|                 | Other sources, NEC                                   | 32 4.7   | Bending/climbing/crawling/reaching/twisting           | 35         | 5.1  |
|                 | Boxes, crates, cartons                               | 104 16.0 | Overexertion in lifting                               | 142        | 21.9 |
| DEPARTMENT      | Bodily motion/position of injured worker             | 75 11.6  | Struck by falling object                              | 47         | 7.2  |
| STORES          | Nonclassifiable                                      | 47 7.2   | Overexertion in pulling/pushing objects               | 46         | 7.1  |
| (649 FROI)      | Other sources, NEC                                   | 40 6.2   | Fall to floor, walkway or other surface               | 35         | 5.4  |
|                 | Floor of building                                    | 30 4.6   | Overexertion, unspecified                             | 35         | 5.4  |
|                 | Health care patient/resident of health care facility | 149 23.2 | Overexertion in lifting                               | 135        | 21.0 |
| GENERAL MEDICAL | Bodily motion/position of injured worker             | 122 19.0 | Fall to floor, walkway or other surface               | 89         | 10.6 |
| AND SURGICAL    | Nonclassifiable                                      | 53 8.2   | Overexertion in pulling/pushing objects               | 48         | 7.5  |
| HOSPITALS       | Floor of building                                    | 35 5.4   | Overexertion, unspecified                             | 40         | 6.2  |
| (643 FROI)      | Bodily conditions of injured, ill worker             | 26 4.0   | Overexertion holding/carrying/turning/wielding object | 29         | 4.5  |
|                 | Bodily motion/position of injured worker             | 156 25.2 | Overexertion in lifting                               | <i>L</i> 9 | 10.8 |
| SHIP BUILDING   | Nonclassifiable                                      | 79 12.8  | Nonclassifiable                                       | 51         | 8.3  |
| AND REPAIRING   | Floors, walkways, ground surfaces, UNS               | 38 6.1   | Bending/climbing/crawling/reaching/twisting           | 36         | 5.8  |
| (618 FROI)      | Other sources, NEC                                   | 25 4.0   | Repetitive use of tools                               | 34         | 5.5  |
|                 | Floor of building                                    | 24 3.9   | Struck against stationary object                      | 33         | 5.3  |
|                 |  |          |   |            |      |

These columns refer to the industry indicated, not to other columns or entries within those columns. **FROI** = *Employer's First Report of Occupational Injury or Disease.* UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification

Elementary and Secondary Schools (SIC 8211).

TABLE 3-2: Characteristics of Injuries and Illnesses in Elementary and Secondary Schools

| OCCUPATION                 | FROI | %    |
|----------------------------|------|------|
| Janitors and cleaners      | 193  | 28.2 |
| Elementary school teachers | 92   | 13.4 |
| Bus drivers                | 65   | 9.5  |
| Special education teachers | 55   | 8.0  |
| Secondary school teachers  | 39   | 5.7  |

### **NATURE**

| Sprains, strains, tears                       | 190 | 27.6 |
|---|-----|------|
| Soreness, pain, hurt, except the back         | 92  | 13.4 |
| Bruises, contusions                           | 66  | 9.6  |
| Back pain, hurt back                          | 65  | 9.4  |
| Traumatic injuries and disorders, unspecified | 61  | 8.9  |

### **INDUSTRY**

## ELEMENTARY AND SECONDARY SCHOOLS (688 FROI)

### **PART OF BODY**

| Multiple body parts                             | 99 | 14.4 |
|---|----|------|
| Lumbar region                                   | 90 | 13.1 |
| Body Systems                                    | 56 | 8.1  |
| Knee(s)   | 54 | 7.8  |
| Back, including spine, spinal cord, unspecified | 39 | 5.7  |

### SOURCE OF INJURY/ILLNESS

| 2001101 01 11 (00111 / 1111 / 1112                              |     |      |
|---|-----|------|
| Bodily motion/position of injured worker                        | 128 | 18.6 |
| Floor of building   | 57  | 8.3  |
| Personother than injured/ill worker, not elsewhere classifiable | 51  | 7.4  |
| Nonclassifiable   | 47  | 6.8  |
| Bodily conditions of injured, ill worker                        | 34  | 4.9  |


### **EVENT OF INJURY/ILLNESS**

| Z / Zi / T OI II (O CITI / IZZI (ZZZ          |     |      |
|---|-----|------|
| Fall to floor, walkway or other surface       | 127 | 18.5 |
| Overexertion in lifting                       | 91  | 13.2 |
| Bodily conditions, not elsewhere classifiable | 32  | 4.7  |
| Overexertion, not elsewhere classifiable      | 30  | 4.4  |
| Slip, trip, loss of balance-without fall      | 28  | 4.1  |

FROI = Employer's First Report of Occupational Injury or Disease

Figure 3-1 presents the five occupations reporting the highest frequency of 2003 first reports within the elementary and secondary schools industry (SIC 8211).

FIGURE 3-1: Occupations - Elementary and Secondary Schools (688 First Reports)



As can be seen in Figure 3-1, the highest proportion of first reports was for janitors and cleaners. As to how workers were injured, Table 3-2 shows that the number one source of injury or illness for all workers in schools was bodily motion/position of injured worker and the top reported event was a fall to the floor, walkway or other surface. The most often reported body part for all workers was multiple body parts. These data indicate a need for further research into the sources of injury for janitors and cleaners specifically.

### **Grocery Stores (SIC 5411)**

TABLE 3-3: Characteristics of Injuries and Illnesses in Grocery Stores

| OCCUPATION                               | FROI | %    |
|--|------|------|
| Stock handlers and baggers               | 159  | 23.4 |
| Laborers, except construction            | 109  | 16.1 |
| Kitchen workers, food preparation        | 98   | 14.4 |
| Cashiers                                 | 89   | 13.1 |
| Supervisors/proprietors-sales occupation | 60   | 8.8  |

### **NATURE**

| Sprains, strains, tears                     | 228 | 33.5 |
|---|-----|------|
| Soreness, pain, hurt, except the back       | 123 | 18.1 |
| Back pain, hurt back                        | 60  | 8.8  |
| Traumatic injuries & disorders, unspecified | 48  | 7.1  |
| Cuts, lacerations                           | 48  | 7.1  |

### **INDUSTRY**

### GROCERY STORES (680 FROI)

### **PART OF BODY**

| 11111 01 2021                         |    |      |
|---------------------------------------|----|------|
| Lumbar region                         | 96 | 14.1 |
| Multiple body parts                   | 69 | 10.1 |
| Shoulder, including clavicle, scapula | 58 | 8.5  |
| Finger(s), fingernail(s)              | 57 | 8.3  |
| Knee(s)                               | 48 | 7.1  |

### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker | 158 | 23.2 |
|--|-----|------|
| Boxes, crates, cartons                   | 111 | 16.3 |
| Nonclassifiable                          | 58  | 8.5  |
| Floor of building                        | 35  | 5.1  |
| Other sources, NEC                       | 32  | 4.7  |

### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                     | 149 | 21.9 |
|---|-----|------|
| Overexertion, unspecified                   | 52  | 7.6  |
| Fall to floor, walkway or other surface     | 41  | 6.0  |
| Overexertion in pulling/pushing objects     | 40  | 5.9  |
| Bending/climbing/crawling/reaching/twisting | 35  | 5.1  |

FROI = Employer's First Report of Occupational Injury or Disease

The top five occupations, in terms of first reports made in 2003, for the grocery stores industry (SIC 5411) are shown in Figure 3-3.




FIGURE 3-2: Occupations - Grocery Stores (680 First Reports)

Stock handlers and baggers accounted for nearly one quarter of the first reports in this industry as shown in Figure 3-2. Bodily motion/position of injured worker was the first ranked source of injury or illness for all workers. As to event, overexertion in general totaled 35.4% of reported injuries and illnesses. The number one part of body affected was lumbar region for all workers in this industry, as seen in Table 3-3.

### **Department Stores (SIC 5311).**

TABLE 3-4: Characteristics of Injuries and Illnesses in Department Stores

| OCCUPATION  | FROI | %    |
|---|------|------|
| Stock handlers and baggers                                  | 149  | 23.0 |
| Cashiers  | 107  | 16.5 |
| Sales workers, other commodities                            | 70   | 10.8 |
| Freight/stock/material handlers, not elsewhere classifiable | 58   | 8.9  |
| Sales counter clerks  | 51   | 7.9  |

### **NATURE**

| Sprains, strains, tears               | 322 | 49.6 |
|---------------------------------------|-----|------|
| Bruises, contusions                   | 106 | 16.3 |
| Cuts, lacerations                     | 56  | 8.6  |
| Soreness, pain, hurt, except the back | 27  | 4.2  |
| Back pain, hurt back                  | 15  | 2.3  |

### **INDUSTRY**

### DEPARTMENT STORES (649 FROI)

### **PART OF BODY**

| Back, including spine, spinal cord, unspecified | 88 | 13.6 |
|---|----|------|
| Finger(s), fingernail(s)                        | 59 | 9.1  |
| Shoulder, including clavicle, scapula           | 49 | 7.6  |
| Lumbar region                                   | 49 | 7.6  |
| Wrist(s)  | 37 | 5.7  |

### SOURCE OF INJURY/ILLNESS

| Boxes, crates, cartons                    | 104 | 16.0 |
|---|-----|------|
| Bodily motion/position of injured worker  | 75  | 11.6 |
| Nonclassifiable                           | 47  | 7.2  |
| Other sources, not elsewhere classifiable | 40  | 6.2  |
| Floor of building                         | 30  | 4.6  |


### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                 | 142 | 21.9 |
|---|-----|------|
| Struck by falling object                | 47  | 7.2  |
| Overexertion in pulling/pushing objects | 46  | 7.1  |
| Fall to floor, walkway or other surface | 35  | 5.4  |
| Overexertion, unspecified               | 35  | 5.4  |

FROI = Employer's First Report of Occupational Injury and Disease

Figure 3-3 below shows the five occupations with the greatest number of first reports in the department stores industry (SIC 5311) for 2003.

FIGURE 3-3: Occupations - Department Stores (649 First Reports)



As pointed out earlier, the total first reports for this industry more than doubled from 2002 to 2003, from 288 first reports to 649. This is a significant change. In terms of occupations within this industry, as diagrammed in Figure 3-3, stock handlers and baggers ranked first. Boxes, crates, cartons was the most commonly reported source of injury or illness for all workers in this industry in Table 3-4. Overexertion in lifting ranked first among the events contributing to the frequency of first reports and overexertion in general accounted for 34.4% of first reports from department stores. The back was the body part affected in the highest frequency of first reports.

### General Medical and Surgical Hospitals (SIC 8062).

TABLE 3-5: Characteristics of Injuries and Illnesses in General Medical and Surgical Hospitals

| OCCUPATION   | FROI | %    |
|--|------|------|
| Registered nurses  | 146  | 22.8 |
| Nursing aides, orderlies, and attendants                     | 96   | 15.0 |
| Janitors and cleaners  | 67   | 10.5 |
| Health aides, except nursing                                 | 34   | 5.3  |
| Health technologists/technicians, not elsewhere classifiable | 32   | 5.0  |

### **NATURE**

| Sprains, strains, tears               | 338 | 52.6 |
|---------------------------------------|-----|------|
| Soreness, pain, hurt, except the back | 62  | 9.6  |
| Bruises, contusions                   | 44  | 6.8  |
| Back pain, hurt back                  | 27  | 4.2  |
| Neurotic reaction to stress           | 21  | 3.3  |

### **INDUSTRY**

GENERAL MEDICAL
AND SURGICAL
HOSPITALS
(643 FROI)

### **PART OF BODY**

| Back, including spine, spinal cord, unspecified | 137 | 21.3 |
|---|-----|------|
| Lumbar region                                   | 69  | 10.7 |
| Knee(s)   | 60  | 9.3  |
| Multiple body parts                             | 50  | 7.8  |
| Body systems                                    | 44  | 6.8  |

### SOURCE OF INJURY/ILLNESS

| Health care patient/resident of health care facility | 149 | 23.2 |
|--|-----|------|
| Bodily motion/position of injured worker             | 122 | 19.0 |
| Nonclassifiable                                      | 53  | 8.2  |
| Floor of building                                    | 35  | 5.4  |
| Bodily conditions of injured, ill worker             | 26  | 4.0  |


### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 135 | 21.0 |
|---|-----|------|
| Fall to floor, walkway or other surface               | 68  | 10.6 |
| Overexertion in pulling/pushing objects               | 48  | 7.5  |
| Overexertion, unspecified                             | 40  | 6.2  |
| Overexertion holding/carrying/turning/wielding object | 29  | 4.5  |

FROI = Employer's First Report of Occupational Injury and Disease

Figure 3-4 below shows the five occupations with the greatest number of first reports in the general medical and surgical hospital industry (SIC 8062) for 2003.

FIGURE 3-4: Occupations - General Medical and Surgical Hospitals (643 First Reports)



In terms of occupation, registered nurses ranked first and, when taken together with nursing aides, orderlies and attendants, accounted for 37.6% of first reports in this industry according to Figure 3-4. Table 3-5 shows that the top source of injury or illness for all hospital workers was the health care patient/resident of health care facility. Four of the top five entries under event involved overexertion with overexertion in lifting ranked first. The back was the body part involved in the most first reports for all workers in this industry and the back, including the lumbar region, accounted for 32% of first reports.

### Ship Building and Repairing (SIC 3731)

TABLE 3-6: Characteristics of Injuries and Illnesses in Ship Building and Repairing

| OCCUPATION                            | FROI | %    |
|---------------------------------------|------|------|
| Lay-out workers                       | 95   | 15.4 |
| Welders and cutters                   | 86   | 13.9 |
| Miscellaneous precision metal workers | 79   | 12.8 |
| Plumber, pipefitter, and steamfitter  | 54   | 8.7  |
| Electricians                          | 50   | 8.1  |

### **NATURE**

| Soreness, pain, hurt, except the back                    | 173 | 28.0 |
|--|-----|------|
|  | 1,0 |      |
| Sprains, strains, tears                                  | 130 | 21.0 |
| Back pain, hurt back                                     | 72  | 11.7 |
| Bruises, contusions                                      | 30  | 4.9  |
| Symptoms involuntary nervous/musculoskeletal system, NEC | 30  | 4.9  |

### **INDUSTRY**

### SHIPBUILDING AND REPAIRING (618 FROI)

### **PART OF BODY**

| Back, including spine, spinal cord, unspecified | 103 | 16.7 |
|---|-----|------|
| Knee(s)   | 81  | 13.1 |
| Multiple body parts                             | 65  | 10.5 |
| Shoulder, including clavicle, scapula           | 43  | 7.0  |
| Eye(s)  | 29  | 4.7  |

### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker       | 156 | 25.2 |
|--|-----|------|
| Nonclassifiable                                | 79  | 12.8 |
| Floors, walkways, ground surfaces, unspecified | 38  | 6.1  |
| Other sources, not elsewhere classifiable      | 25  | 4.0  |
| Floor of building                              | 24  | 3.9  |

### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                     | 67 | 10.8 |
|---|----|------|
| Nonclassifiable                             | 51 | 8.3  |
| Bending/climbing/crawling/reaching/twisting | 36 | 5.8  |
| Repetitive use of tools                     | 34 | 5.5  |
| Struck against stationary object            | 33 | 5.3  |

FROI = Employer's First Report of Occupational Injury of Disease

Figure 3-5 shows the five occupations with the highest counts of first reports within the ship building and repairing industry (SIC 3731) in the year 2003.




FIGURE 3-5: Occupations - Ship Building and Repairing (618 First Reports)

In terms of occupations within this industry, as diagrammed in Figure 3-5, lay-out workers ranked first, but other occupations contributed significantly to the total 2003 first reports for this industry. Bodily motion/position of injured worker was the most commonly reported source of injury or illness for all workers in this industry in Table 3-6. While overexertion in lifting ranked first among the classifiable, a wide variety of events contributed to the frequency of first reports. The back was the body part producing the highest frequency of first reports among workers in shipyards. Of note, the leading nature of injury for this industry, nonback soreness, pain, or hurt, showed a 36% increase in first reports from 2002, from 127 to 173 first reports.

#### **SECTION 4: THE TOP FIVE OCCUPATIONS**

#### Overview

This section presents information on the five occupations with the highest reported frequencies of first reports for 2003. Table 4-1 below lists the top five occupations in descending order by frequency of first reports. Together, these five occupations accounted for 23.7% of all first reports for 2003. Truck drivers fell in first place, followed by nursing aides, orderlies, and attendants in second place.

For each occupation, the top five each of nature of the injury or illness, event of the injury or illness, source of the injury or illness, and part of the body affected are tabulated by the first reports frequency and percentage for that occupation. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, **the tabulated characteristics refer to the occupation as a whole, not to the other tabulated characteristics.** For example, the 14.0% of event (overexertion in lifting) in the first row of the third column of Table 4-1 are NOT injuries and illnesses reported as sprains, strains, and tears only but ALL natures within truck drivers, including those not listed.

While there were differences in characteristics of injuries and illnesses between these top five occupations, a number of elements were shared in common.

- For all occupations, the top ranking length-of-service group was employees with less than one year of experience. This group averaged 40.2% of first reports.
- Sprains, strains, and tears was the number one reported nature for all top five occupations, averaging 37.4%. Soreness, pain, hurt, except for back ranked second or third for all occupations at an average proportion of 14.7%.
- Under part, lumbar region ranked first for all top five occupations, and back, including spine, spinal cord, unspecified was also common to all. Combined, these two, or the back in general, averaged 25.8% of first reports.
- Overexertion in lifting ranked first in the event column for all of the top five occupations at an average proportion of 21.9% of first reports. A variety of events classified as "overexertion" accounted for between 22.8% and 49.0% of each of the top five occupations' first reports. Fall to floor, walkway, or other surface ranked second or third in all five occupations, averaging 9.0%.
- Bodily motion/position of injured worker ranked first or second under source of injury or illness for all five occupations, averaging 13.2%.

TABLE 4-1: Cross Tabulations of the Top Five Occupations and the Characteristics of Injuries Within These Occupations

| OCCUPATION     | NATURE*                                   | FROI     | EVENT OF INJURY/ILLNESS*                           | FROI | %    | SOURCE OF INJURY/<br>ILLNESS*                          | FROI | %    |
|----------------|---|----------|--|------|------|--|------|------|
|                | Sprains, strains, tears                   | 320 35.5 | Overexertion in lifting                            | 126  | 14.0 | Bodily motion/position of injured worker               | 125  | 13.9 |
|                | Soreness, pain, hurt, except the back 132 | 32 14.6  | Fall to floor, walkway or other surface            | 112  | 12.4 | Ground   | 95   | 10.5 |
| TRUCK DRIVERS  | Back pain, hurt back                      | 83 92    | Overexertion in pulling/pushing objects            | 62   | 8.8  | Floors, walkways, ground surfaces, unspecified         | 72   | 8.0  |
| (902 FROI)     | Fractures                                 | 7.1 7.9  | Fall from nonmoving vehicle                        | 61   | 8.9  | Nonclassifiable  | 51   | 5.7  |
|                | Bruises, contusions                       | 70 7.8   | Slip, trip, loss of balance – without fall         | 40   | 4.4  | Semi trailer/ tractor trailer / trailer truck          | 46   | 5.1  |
|                | Sprains, strains, tears                   | 368 42.0 | Overexertion in lifting                            | 253  | 28.8 | Health care patient/resident of health care facility 4 | 446  | 50.9 |
| NURSES AIDES,  | Soreness, pain, hurt, except the back 131 | 31 14.9  | Fall to floor, walkway or other surface            | 78   | 8.9  | Bodily motion/position of injured worker               | 68   | 10.1 |
| ORDERLIES, AND | Back pain, hurt back                      | 106 12.1 | Overexertion holding/carrying/turning/wielding obj | 77   | 8.8  | Nonclassifiable  | 99   | 7.5  |
| ATTENDANTS     | Traumatic injuries & disorders, UNS 70    | 70 8.0   | Overexertion, unspecified                          | 99   | 6.4  | Floor of building                                      | 45   | 5.1  |
| (877 FROI)     | Bruises, contusions                       | 51 5.8   | Overexertion in pulling/pushing objects            | 44   | 5.0  | Infectious and parasitic agents, NEC                   | 18   | 2.1  |
|                | Sprains, strains, tears                   | 246 30.6 | Overexertion in lifting                            | 167  | 20.7 | Bodily motion/position of injured worker               | 107  | 13.3 |
| LABORERS,      | Soreness, pain, hurt, except the back 146 | 46 18.1  | Overexertion, unspecified                          | 61   | 7.6  | Nonclassifiable  | 85   | 10.6 |
| EXCEPT         | Back pain, hurt back                      | 90 11.2  | Fall to floor, walkway or other surface            | 57   | 7.1  | Boxes, crates, cartons                                 | 70   | 8.7  |
| CONSTRUCTION   | Bruises, contusions                       | 56 7.0   | Overexertion in pulling/pushing objects            | 55   | 8.9  | Other sources, not elsewhere classifiable              | 28   | 3.5  |
| (805 FROI)     | Fractures                                 | 38 4.7   | Nonclassifiable                                    | 43   | 5.3  | Floors, walkways, ground surfaces, unspecified         | 27   | 3.4  |
|                | Sprains, strains, tears                   | 214 36.0 | Overexertion in lifting                            | 129  | 21.7 | Bodily motion/position of injured worker               | 95   | 16.0 |
| JANITORS       | Soreness, pain, hurt, except the back 102 | 02 17.1  | Fall to floor, walkway or other surface            | 62   | 10.4 | Nonclassifiable  | 45   | 7.6  |
| AND            | Back pain, hurt back                      | 78 13.1  | Overexertion in pulling/pushing objects            | 49   | 8.2  | Bags, sacks, totes                                     | 32   | 5.4  |
| CLEANERS       | Traumatic injuries & disorders, UNS 35    | 35 59    | Overexertion, unspecified                          | 41   | 6.9  | Floors, walkways, ground surfaces, unspecified         | 28   | 4.7  |
| (595 FROI)     | Bruises, contusions                       | 31 52    | Overexertion holding/carrying/turning/wielding obj | 29   | 4.9  | Floor of building                                      | 28   | 4.7  |
|                | Sprains, strains, tears                   | 164 42.9 | Overexertion in lifting                            | 93   | 24.3 | Boxes, crates, cartons                                 | 63   | 16.5 |
| STOCK HANDLERS | Bruises, contusions                       | 44 11.5  | Overexertion in pulling/pushing objects            | 42   | 11.0 | Bodily motion/position of injured worker               | 49   | 12.8 |
| AND BAGGERS    | Soreness, pain, hurt, except the back     | 34 8.9   | Fall to floor, walkway or other surface            | 24   | 6.3  | Other sources, not elsewhere classifiable              | 31   | 8.1  |
| (382 FROI)     | Traumatic injuries & disorders, UNS 27    | 27 71    | Struck by object, not elsewhere classifiable       | 21   | 5.5  | Cart, dolly, handtruck                                 | 30   | 7.9  |
|                | Cuts, lacerations                         | 25 6.5   | Struck by falling object                           | 17   | 4.5  | Floor of building                                      | 24   | 6.3  |

\*These columns refer to the occupation indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification. Continued next page.

TABLE 4-1, continued

| OCCLIPATION    | PART OF BODY*                           | FROI     | AGE OF INJURED WORKER* | FROI  | %    | LENGTH OF SERVICE * | FROI | %    |
|----------------|---|----------|------------------------|-------|------|---------------------|------|------|
|                | Lumbar region                           | 139 15.4 | 35-44                  | 300 3 | 33.3 | Under 1 year        | 311  | 35.6 |
|                | Multiple body parts                     | 119 13.2 | 2 45-54                | 221 2 | 24.5 | 5-14 years          | 194  | 22.2 |
| TRUCK DRIVERS  | Back, including spine, spinal cord, UNS | 77 8.5   | 25-34                  | 190 2 | 21.1 | 2-4 years           | 192  | 22.0 |
| (902 FROI)     | Knee(s)                                 | 9.7 69   | 55 and older           | 143 1 | 15.9 | 1 year to 2 years   | 113  | 12.9 |
|                | Ankle(s)                                | 68 7.5   | Under 25               | 48 5  | 5.3  | 15 years and above  | 63   | 7.2  |
|                | Lumbar region                           | 156 17.8 | 3 25-34                | 231 2 | 26.3 | Under 1 year        | 362  | 43.2 |
| NURSES AIDES,  | Multiple body parts                     | 123 14.0 | 35-44                  | 215 2 | 24.5 | 2-4 years           | 152  | 18.1 |
| ORDERLIES, AND | Back, including spine, spinal cord, UNS | 112 12.8 | 3 45-54                | 187 2 | 21.3 | 1 year to 2 years   | 147  | 17.5 |
| ATTENDANTS     | Shoulder, including clavicle, scapula   | 70 8.0   | Under 25               | 149 1 | 17.0 | 5-14 years          | 134  | 16.0 |
| (877 FROI)     | Knee(s)                                 | 56 6.4   | 55 and older           | 95 1  | 10.8 | 15 years and above  | 43   | 5.1  |
|                | Lumbar region                           | 103 12.8 | Under 25               | 221 2 | 27.5 | Under 1 year        | 401  | 51.3 |
| LABORERS,      | Back, including spine, spinal cord, UNS | 83 10.3  | 3 25-34                | 212 2 | 26.3 | 5-14 years          | 127  | 16.2 |
| EXCEPT         | Multiple body parts                     | 68 8.4   | 35-44                  | 198 2 | 24.6 | 2-4 years           | 121  | 15.5 |
| CONSTRUCTION   | Knee(s)                                 | 65 8.1   | 45-54                  | 118 1 | 14.7 | 1 year to 2 years   | 24   | 12.4 |
| (805 FROI)     | Shoulder, including clavicle, scapula   | 54 6.7   | 55 and older           | 56 7  | 7.0  | 15 years and above  | 36   | 4.6  |
|                | Lumbar region                           | 81 13.7  | 7 45-54                | 181 3 | 30.4 | Under 1 year        | 148  | 26.2 |
| JANITORS       | Back, including spine, spinal cord, UNS | 75 13.4  | 1 35-44                | 155 2 | 26.1 | 5-14 years          | 122  | 21.6 |
| AND            | Multiple body parts                     | 56 8.6   | 55 and older           | 145 2 | 24.4 | 2-4 years           | 120  | 21.2 |
| CLEANERS       | Knee(s)                                 | 54 8.3   | 25-34                  | 80 1  | 13.4 | 15 years and above  | 91   | 16.1 |
| (595 FROI)     | Shoulder, including clavicle, scapula   | 44 7.4   | Under 25               | 34 5  | 5.7  | 1 year to 2 years   | 84   | 14.9 |
|                | Lumbar region                           | 57 14.9  | Under 25               | 109   | 28.5 | Under 1 year        | 168  | 44.8 |
| STOCK HANDLERS | Shoulder, including clavicle, scapula   | 36 9.4   | 35-44                  | 83 2  | 21.7 | 2-4 years           | 72   | 19.2 |
| AND BAGGERS    | Back, including spine, spinal cord, UNS | 36 9.4   | 25-34                  | 81 2  | 21.2 | 5-14 years          | 63   | 16.8 |
| (382 FROI)     | Finger(s), fingernail(s)                | 29 7.6   | 45-54                  | 56 1  | 14.7 | 1 year to 2 years   | 48   | 12.8 |
|                | Ankle(s)                                | 24 6.3   | 55 and older           | 53 1  | 13.9 | 15 years and above  | 24   | 6.4  |

These columns refer to the occupation indicated, not to other columns or entries within those columns. **FROI** = *Employer's First Report of Occupational Injury or Disease.* UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification.

## **Truck Drivers**

TABLE 4-2: Characteristics of Injuries and Illnesses of Truck Drivers

| NATURE                                | FROI | %    |
|---------------------------------------|------|------|
| Sprains, strains, tears               | 320  | 35.5 |
| Soreness, pain, hurt, except the back | 132  | 14.6 |
| Back pain, hurt back                  | 83   | 92   |
| Fractures                             | 71   | 7.9  |
| Bruises, contusions                   | 70   | 7.8  |

## **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                    | 12 | 26 14 | .0 |
|--|----|-------|----|
| Fall to floor, walkway or other surface    | 1: | 12 12 | .4 |
| Overexertion in pulling/pushing objects    | 7  | 9 8.  | 8  |
| Fall from nonmoving vehicle                | 6  | 6.    | 8  |
| Slip, trip, loss of balance – without fall | 4  | 0 4.  | .4 |

# **OCCUPATION**

TRUCK DRIVERS

(902 FROI)

## SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker       | 125 | 13.9 |
|--|-----|------|
| Ground   | 95  | 10.5 |
| Floors, walkways, ground surfaces, unspecified | 72  | 8.0  |
| Nonclassifiable                                | 51  | 5.7  |
| Semi trailer/ tractor trailer / trailer truck  | 46  | 5.1  |

## **PART OF BODY**

| Lumbar region                           | 139 | 15.4 |
|---|-----|------|
| Multiple body parts                     | 119 | 13.2 |
| Back, including spine, spinal cord, UNS | 77  | 8.5  |
| Knee(s)                                 | 69  | 7.6  |
| Ankle(s)                                | 68  | 7 5  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 4-2, continued

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 300  | 33.3 |
| 45-54                 | 221  | 24.5 |
| 25-34                 | 190  | 21.1 |
| 55 and older          | 143  | 15.9 |
| Under 25              | 48   | 5.3  |

#### OCCUPATION

TRUCK DRIVERS (902 FROI)


#### LENGTH OF SERVICE

| Under 1 year       | 311 | 35.6 |
|--------------------|-----|------|
| 5-14 years         | 194 | 22.2 |
| 2-4 years          | 192 | 22.0 |
| 1 year to 2 years  | 113 | 12.9 |
| 15 years and above | 63  | 7.2  |

FROI = Employer's First Report of Occupational Injury or Disease.

The top five events, in terms of first reports recorded in 2003, for the truck drivers occupation are shown in Figure 4-1.

FIGURE 4-1: Events - Truck Drivers (902 First Reports)



From Table 4-2, the top-ranked nature of injury or illness for truck drivers was sprains, strains, and tears. As seen in Figure 4-1, the number one event was overexertion in lifting, with overexertion in pulling/pushing objects also appearing (the two overexertion events totaled 22.8%). A variety of events produced first reports. The highest-ranking source was bodily motion/position of injured worker and the part of body involved in the most first reports was lumbar region. The age group most often involved in a First Report was 35-44 years and the top length-of-service category was under one year.

# Nursing Aides, Orderlies, and Attendants

TABLE 4-3: Characteristics of Injuries and Illnesses of Nursing Aides, Orderlies, and Attendants.

| NATURE                                | FROI | %    |
|---------------------------------------|------|------|
| Sprains, strains, tears               | 368  | 42.0 |
| Soreness, pain, hurt, except the back | 131  | 14.9 |
| Back pain, hurt back                  | 106  | 12.1 |
| Traumatic injuries & disorders, UNS   | 70   | 8.0  |
| Bruises, contusions                   | 51   | 5.8  |

## **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 253 | 28.8 |
|---|-----|------|
| Fall to floor, walkway or other surface               | 78  | 8.9  |
| Overexertion holding/carrying/turning/wielding object | 77  | 8.8  |
| Overexertion, unspecified                             | 56  | 6.4  |
| Overexertion in pulling/pushing objects               | 44  | 5.0  |

# **OCCUPATION**

NURSING AIDES,
ORDERLIES, AND
ATTENDANTS
(877 FROI)

# SOURCE OF INJURY/ILLNESS

| Health care patient/resident of health care facility | 446 | 50.9 |
|--|-----|------|
| Bodily motion/position of injured worker             | 89  | 10.1 |
| Nonclassifiable                                      | 66  | 7.5  |
| Floor of building                                    | 45  | 5.1  |
| Infectious and parasitic agents, NEC                 | 18  | 2.1  |

#### **PART OF BODY**

| Lumbar region                           | 156 | 17.8 |
|---|-----|------|
| Multiple body parts                     | 123 | 14.0 |
| Back, including spine, spinal cord, UNS | 112 | 12.8 |
| Shoulder, including clavicle, scapula   | 70  | 8.0  |
| Knee(s)                                 | 56  | 6.4  |

FROI = Employer's First Report of Occupational Injury or Disease Continued next page.

#### TABLE 4-3, continued

#### OCCUPATION

NURSING AIDES, ORDERLIES, AND ATTENDANTS (877 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 25-34                 | 231  | 26.3 |
| 35-44                 | 215  | 24.5 |
| 45-54                 | 187  | 21.3 |
| Under 25              | 149  | 17.0 |
| 55 and older          | 95   | 10.8 |


#### LENGTH OF SERVICE

| Under 1 year       | 362 | 43.2 |
|--------------------|-----|------|
| 2-4 years          | 152 | 18.1 |
| 1 year to 2 years  | 147 | 17.5 |
| 5-14 years         | 134 | 16.0 |
| 15 years and above | 43  | 5.1  |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 4-2 shows the five events contributing the most first reports within the nurses' aides, orderlies, and attendants occupation for 2003.

FIGURE 4-2: Events - Nursing Aides, Orderlies, and Attendants (877 First Reports)



From Table 4-3, the nature of injury or illness that produced the most first reports involving nursing aides, orderlies, and attendants was sprains, strains, and tears. The top event was overexertion in lifting as shown in Figure 4-2. Overexertion figured in four of the top five events, or at least 49% of reported cases and a 40% increase from 2002 (306 to 430 first reports). The top source of injury or illness was the health care patient/resident of health facility. The lumbar region ranked first as part of body affected, but with a 34% decrease in first reports from 2002. The top-ranked age group was 25-34 years and the highest-ranking length-of-service group was under one year.

#### **Nonconstruction Laborers**

TABLE 4-4: Characteristics of Injuries and Illnesses of Nonconstruction Laborers

| NATURE                                | FROI | %    |
|---------------------------------------|------|------|
| Sprains, strains, tears               | 246  | 30.6 |
| Soreness, pain, hurt, except the back | 146  | 18.1 |
| Back pain, hurt back                  | 90   | 11.2 |
| Bruises, contusions                   | 56   | 7.0  |
| Fractures                             | 38   | 4.7  |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                 | 167 | 20.7 |
|---|-----|------|
| Overexertion, unspecified               | 61  | 7.6  |
| Fall to floor, walkway or other surface | 57  | 7.1  |
| Overexertion in pulling/pushing objects | 55  | 6.8  |
| Nonclassifiable                         | 43  | 5.3  |

# SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker       | 107 | 13.3 |
|--|-----|------|
| Nonclassifiable                                | 85  | 10.6 |
| Boxes, crates, cartons                         | 70  | 8.7  |
| Other sources, not elsewhere classifiable      | 28  | 3.5  |
| Floors, walkways, ground surfaces, unspecified | 27  | 3.4  |

#### PART OF BODY

| Lumbar region                           | 103 | 12.8 |
|---|-----|------|
| Back, including spine, spinal cord, UNS | 83  | 10.3 |
| Multiple body parts                     | 68  | 8.4  |
| Knee(s)                                 | 65  | 8.1  |
| Shoulder, including clavicle, scapula   | 54  | 6.7  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

# **OCCUPATION**

LABORERS, EXCEPT

CONSTRUCTION

(805 FROI)

#### TABLE 4-4, continued

# OCCUPATION

LABORERS, EXCEPT CONSTRUCTION (805 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| Under 25              | 221  | 27.5 |
| 25-34                 | 212  | 26.3 |
| 35-44                 | 198  | 24.6 |
| 45-54                 | 118  | 14.7 |
| 55 and older          | 56   | 7.0  |


#### LENGTH OF SERVICE

| Under 1 year       | 401 | 51.3 |
|--------------------|-----|------|
| 5-14 years         | 127 | 16.2 |
| 2-4 years          | 121 | 15.5 |
| 1 year to 2 years  | 97  | 12.4 |
| 15 years and above | 36  | 4.6  |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 4-3 presents the five events reporting the highest frequency of 2003 first reports within the nonconstruction laborers occupation.

FIGURE 4-3: Events - Nonconstruction Laborers (805 First Reports)



According to Table 4-4, the most frequently reported nature of injury or illness for this occupation was sprains, strains, and tears. From Figure 4-3, the top event was overexertion in lifting and overexertion events were three of the top five, totaling 35.1%. The top source of injury was bodily motion/position of injured worker and the part of body most often reported was lumbar region. The age group generating the most first reports was under 25 years and the most frequently reported length-of-service category was less than one year.

## **Janitors and Cleaners**

TABLE 4-5: Characteristics of Injuries and Illnesses of Janitors and Cleaners

| NATURE                                | FROI | %    |
|---------------------------------------|------|------|
| Sprains, strains, tears               | 214  | 36.0 |
| Soreness, pain, hurt, except the back | 102  | 17.1 |
| Back pain, hurt back                  | 78   | 13.1 |
| Traumatic injuries & disorders, UNS   | 35   | 5.9  |
| Bruises, contusions                   | 31   | 5.2  |

## **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                            | 129 | 21.7 |
|--|-----|------|
| Fall to floor, walkway or other surface            | 62  | 10.4 |
| Overexertion in pulling/pushing objects            | 49  | 8.2  |
| Overexertion, unspecified                          | 41  | 6.9  |
| Overexertion holding/carrying/turning/wielding obj | 29  | 4.9  |

## **SOURCE OF INJURY/ILLNESS**

| Bodily motion/position of injured worker       | 95 | 16.0 |
|--|----|------|
| Nonclassifiable                                | 45 | 7.6  |
| Bags, sacks, totes                             | 32 | 5.4  |
| Floors, walkways, ground surfaces, unspecified | 28 | 4.7  |
| Floor of building                              | 28 | 4.7  |

## **PART OF BODY**

| Lumbar region                           | 81 | 13.7 |
|---|----|------|
| Back, including spine, spinal cord, UNS | 75 | 13.4 |
| Multiple body parts                     | 56 | 8.6  |
| Knee(s)                                 | 54 | 8.3  |
| Shoulder, including clavicle, scapula   | 44 | 7.4  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

# **OCCUPATION**

JANITORS AND CLEANERS

(595 FROI)

#### TABLE 4-5, continued

# OCCUPATION

JANITORS
AND
CLEANERS
(595 FROD

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 45-54                 | 181  | 30.4 |
| 35-44                 | 155  | 26.1 |
| 55 and older          | 145  | 24.4 |
| 25-34                 | 80   | 13.4 |
| Under 25              | 34   | 5.7  |

#### LENGTH OF SERVICE

| Under 1 year       | 148 | 26.2 |
|--------------------|-----|------|
| 5-14 years         | 122 | 21.6 |
| 2-4 years          | 120 | 21.2 |
| 15 years and above | 91  | 16.1 |
| 1 year to 2 years  | 84  | 14.9 |

FROI = Employer's First Report of Occupational Injury or Disease.

In Figure 4-4, the top five events, in terms of first reports in 2003, for the janitors and cleaners occupation are shown.

FIGURE 4-4: Events - Janitors & Cleaners (595 First Reports)




Table 4-5 shows sprains, strains, and tears as the leading nature of injury or illness. Figure 4-4 has overexertion in four event positions (41.7%) with overexertion in lifting the top event reported. The top source of injury or illness was bodily motion/position of injured worker. The lumbar region ranked first as part of body affected with the back a close second. The top-ranked age group was 45-54 years and the length-of-service group involved in the most first reports was under one year. Of note, first reports involving the 5-14 year length-of-service group declined 28%, from 169 in 2002 to 122. Almost 55% of first reports in this occupation involved workers of age 45 or older, a point that could bear further investigation.

# **Stock Handlers and Baggers**

TABLE 4-6: Characteristics of Injuries and Illnesses of Stock Handlers and Baggers

| NATURE                                | FROI | %    |
|---------------------------------------|------|------|
| Sprains, strains, tears               | 164  | 42.9 |
| Bruises, contusions                   | 44   | 11.5 |
| Soreness, pain, hurt, except the back | 34   | 8.9  |
| Traumatic injuries & disorders, UNS   | 27   | 7.1  |
| Cuts, lacerations                     | 25   | 6.5  |

## **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                      | 93 | 24.3 |
|--|----|------|
| Overexertion in pulling/pushing objects      | 42 | 11.0 |
| Fall to floor, walkway or other surface      | 24 | 6.3  |
| Struck by object, not elsewhere classifiable | 21 | 5.5  |
| Struck by falling object                     | 17 | 4.5  |

## **OCCUPATION**

STOCK HANDLERS
AND BAGGERS

(382 FROI)

# SOURCE OF INJURY/ILLNESS

| Boxes, crates, cartons                    | 63 | 16.5 |
|---|----|------|
| Bodily motion/position of injured worker  | 49 | 12.8 |
| Other sources, not elsewhere classifiable | 31 | 8.1  |
| Cart, dolly, handtruck                    | 30 | 7.9  |
| Floor of building                         | 24 | 6.3  |

## **PART OF BODY**

| Lumbar region                           | 57 | 14.9 |
|---|----|------|
| Shoulder, including clavicle, scapula   | 36 | 9.4  |
| Back, including spine, spinal cord, UNS | 36 | 9.4  |
| Finger(s), fingernail(s)                | 29 | 7.6  |
| Ankle(s)                                | 24 | 6.3  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 4-6, continued

#### FROI % AGE OF INJURED WORKER Under 25 109 28.5 35-44 83 21.7 25-34 21.2 81 45-54 56 14.7 55 and older 53 13.9

#### OCCUPATION

STOCK HANDLERS AND BAGGERS

(382 FROI)

#### LENGTH OF SERVICE

| Under 1 year       | 168 | 44.8 |
|--------------------|-----|------|
| 2-4 years          | 72  | 19.2 |
| 5-14 years         | 63  | 16.8 |
| 1 year to 2 years  | 48  | 12.8 |
| 15 years and above | 24  | 6.4  |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 4-5 shows the five events with the most reported first reports for the stock handlers and baggers occupation in 2003.

FIGURE 4-5: Events - Stock Handlers and Baggers (382 First Reports)




Table 4-6 shows that, for stock handlers and baggers, the most reported nature of injury or illness was sprains, strains, and tears. As to how workers were injured, Figure 4-5 shows that the number one event was overexertion in lifting, and the two overexertion events in the top five total 35.3%. The top reported source of injury or illness was boxes, crates, cartons and the most often reported body part for all workers was lumbar region. The top age group was under 25 years and the top length-of-service category was under one year.

#### SECTION 5: THE TOP FIVE NATURES OF INJURY OR ILLNESS

#### Overview

This section presents information on the five natures of injury or illness reported in the highest numbers of first reports for 2003. Table 5-1 below lists the top five natures in descending order. Together, these five natures accounted for 67.9% of all first reports for 2003. Sprains, strains, and tears was the number one reported nature, accounting for 30.7%. It was followed by nonback soreness, pain, or hurt, and then by back pain or hurt back, all musculoskeletal categories.

For each nature, the top five each of occupation of the injured worker, event of the injury or illness, source of the injury or illness, and part of the body affected are tabulated by the First Report frequency and percentage for that nature. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, **the tabulated characteristics refer to the nature as a whole, not to the other tabulated characteristics.** For example, the 28.3% of event (overexertion in lifting) in the first row of the third column of Table 5-1 are NOT injuries and illnesses reported by nursing aides, orderlies, and attendants but by ALL occupations within sprains, strains, and tears, including those occupations not listed.

While there were differences in characteristics of injuries and illnesses between these top five natures, a number of elements were shared in common.

- For these top five natures, an average of 34.7% of first reports involved employees with a length of service of less than 1 year.
- Under the age of the injured worker, the 35-44 group ranked first for each of the top five natures, averaging 27.5%.
- Except for the bruises, contusions nature of injury or illness, overexertion in lifting ranked first or second in the event column and events classified as "overexertion" accounted for an average of 33.6% of each of the non-bruise natures' first reports.
- As to source of injury or illness, bodily motion/position of injured worker ranked first in the four natures other than bruises, contusions, averaging 22.2% of first reports.
- Three occupations were affected by all five natures. Nursing aides, orderlies, and attendants averaged 6.9% of first reports per nature. Nonconstruction laborers; and truck drivers were the other occupations in common

TABLE 5-1: Cross Tabulations of the Top Five Natures and the Characteristics of Injuries for Each Nature. NATURE OF

| INJURY/           | FROI   | * EVENT OF OIL   | %<br>IOM:  |  | ROI        |
|-------------------|--|--|------------|--|------------|
| ILLINESS          | OCCUPATION* H                                    | INJUKY/ILLINESS*   | ,          | SOURCE OF INJURY/ILLINESS                            | I          |
|                   | Nursing aides, orderlies, and attendants 368 8   | 8.0 Overexertion in lifting 1,3                            | 1,310 28.3 | Bodily motion/position of injured worker             | 1,113 24.1 |
| SPRAINS, STRAINS, | Truck drivers 320 6.9                            | Overexertion in pulling/pushing objects                    | 456 9.9    | Health care patient/resident of health care facility | 384 8.3    |
| TEARS             | Laborers, except construction 246 5              | 5.3 Fall to floor, walkway or other surface 34             | 345 7.5    | Boxes, crates, cartons                               | 298 6.4    |
| (4,624 FROI)      | Janitors and cleaners 214 4.6                    | Overexertion, unspecified                                  | 318 6.9    | Nonclassifiable                                      | 287 6.2    |
|                   | Stock handlers and baggers 164 3                 | 3.6 Slip, trip, loss of balance - without fall 30          | 306 6.6    | Floors, walkways, ground surfaces, unspecified       | 162 3.5    |
|                   | Laborers, except construction 146 6.2            | 2 Overexertion in lifting 258                              | 88 10.9    | Bodily motion/position of injured worker             | 709 30.0   |
| SORENESS, PAIN,   | Truck drivers 132 5                              | 5.6 Fall to floor, walkway or other surface 234            | 9.6        | Nonclassifiable                                      | 320 13.5   |
| HURT, EXCEPT      | Nursing aides, orderlies, and attendants 131 5   | 5.6 Nonclassifiable 201                                    | 1 8.5      | Floor of building                                    | 118 5.0    |
| THE BACK          | Janitors and cleaners 102 4                      | 4.3 Overexertion, unspecified 16                           | 164 6.9    | Floors, walkways, ground surfaces, unspecified       | 107 4.5    |
| (2,362 FROI)      | Carpenters 54 2                                  | 2.3 Repetitive motion, unspecified 14                      | 149 6.3    | Health care patient/resident of health care facility | 105 4.4    |
|                   | Nursing aides, orderlies, and attendants 106 7.9 | 9 Overexertion in lifting 451                              | 33.4       | Bodily motion/position of injured worker             | 247 18.3   |
| BACK PAIN,        | Laborers, except construction 90 6               | 6.7 Overexertion, unspecified 12                           | 123 9.1    | Nonclassifiable                                      | 156 11.5   |
| HURT BACK         | Truck drivers 83 6                               | 6.2 Bending/climbing/crawling/reaching/twisting 11         | 110 8.1    | Health care patient/resident of health care facility | 105 7.8    |
| (1,352 FROI)      | Janitors and cleaners 78 5                       | 5.8 Overexertion holding/carrying/turning/wielding obj 100 | 7.4        | Boxes, crates, cartons                               | 88 6.5     |
|                   | Carpenters 40 3                                  | 3.0 Overexertion in pulling/pushing objects 91             | 1 6.7      | Other sources, not elsewhere classifiable            | 56 4.1     |
|                   | Truck drivers 70 6                               | 6.7 Fall to floor, walkway or other surface 252            | 52 24.1    | Floor of building                                    | 121 11.6   |
| BRUISES,          | Laborers, except construction 56 5               | 5.4 Struck by falling object 11                            | 110 10.5   | Floors, walkways, ground surfaces, unspecified       | 91 8.7     |
| CONTUSIONS        | Nursing aides, orderlies, and attendants 51 4    | 4.9 Struck by object, not elsewhere classifiable 94        | 4 9.0      | Ground   | 7.7 7.4    |
| (1,045 FROI)      | Stock handlers and baggers 44 4                  | 4.2 Struck against stationary object 88                    | 8 8.4      | Boxes, crates, cartons                               | 43 4.1     |
|                   | Cashiers 32 3                                    | 3.1 Fall onto or against objects 46                        | 6 4.4      | Parking lots   | 36 3.4     |
|                   | Nursing aides, orderlies, and attendants 70 8    | 8.3 Fall to floor, walkway or other surface 13             | 132 15.7   | Bodily motion/position of injured worker             | 139 16.5   |
| TRAUMATIC         | Truck drivers 56 6                               | 6.7 Overexertion in lifting 87                             | 7 10.3     | Floor of building                                    | 68 8.1     |
| INJURIES AND      | Laborers, except construction 36 4               | 4.3 Nonclassifiable 49                                     | 9 5.8      | Nonclassifiable                                      | 68 8.1     |
| DISORDERS, UNS    | Janitors and cleaners 35 4                       | 4.2 Overexertion, unspecified 37                           | 4.4        | Ground   | 61 7.3     |
| (841 FROI)        | Stock handlers and baggers 27 3                  | 3.2 Slip, trip, loss of balance – without fall 31          | 1 3.7      | Health care patient/resident of health care facility | 47 5.6     |
|                   |  |  |            |  |            |

Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification. Continued next page. \* These columns refer to the nature indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or

TABLE 5-1, continued

| NATURE OF<br>INJURY/<br>ILLNESS | PART OF BODY*                                | FROI  | %    | AGE OF INJURED<br>WORKER* | FROI  | %    | LENGTH OF<br>SERVICE * | FROI  | %    |
|---------------------------------|--|-------|------|---------------------------|-------|------|------------------------|-------|------|
|                                 | Lumbar region                                | 1,052 | 22.8 | 35-44                     | 1,341 | 29.0 | Under 1 year           | 1,534 | 34.2 |
| SPRAINS, STRAINS,               | Back, including spine, spinal cord, UNS      | 591   | 12.8 | 45-54                     | 1,043 | 22.6 | 5-14 years             | 947   | 21.1 |
| TEARS                           | Knee(s)                                      | 467   | 10.1 | 25-34                     | 1,034 | 22.4 | 2-4 years              | 841   | 18.8 |
| (4,624 FROI)                    | Shoulder, including clavicle, scapula        | 466   | 10.1 | Under 25                  | 889   | 14.9 | 1 year to 2 years      | 614   | 13.7 |
|                                 | Ankle(s)                                     | 412   | 6.8  | 55 and older              | 518   | 11.2 | 15 years and above     | 547   | 12.2 |
|                                 | Multiple body parts                          | 522   | 22.0 | 35-44                     | 651   | 27.6 | Under 1 year           | 752   | 32.3 |
| SORENESS, PAIN,                 | Knee(s)                                      | 337   | 14.3 | 45-54                     | 634   | 8.92 | 5-14 years             | 555   | 23.8 |
| HURT, EXCEPT                    | Shoulder, including clavicle, scapula        | 310   | 13.1 | 25-34                     | 463   | 19.6 | 2-4 years              | 429   | 18.4 |
| THE BACK                        | Wrist(s)                                     | 139   | 59   | 55 and older              | 357   | 15.1 | 15 years and above     | 322   | 13.8 |
| (2,362 FROI)                    | Chest, exc internal locn of disease/disorder | 82    | 3.5  | Under 25                  | 257   | 10.9 | 1 year to 2 years      | 270   | 11.6 |
|                                 | Back, including spine, spinal cord, UNS      | : 289 | 8.03 | 35-44                     | 403   | 8.62 | Under 1 year           | 489   | 36.8 |
| BACK PAIN,                      | Lumbar region                                | , 949 | 40.4 | 25-34                     | 322   | 23.8 | 5-14 years             | 260   | 19.5 |
| HURT BACK                       | Multiple back regions                        | 49    | 3.6  | 45-54                     | 313   | 23.2 | 2-4 years              | 250   | 18.8 |
| (1,352 FROI)                    | Thoracic region                              | 44    | 33   | Under 25                  | 190   | 14.1 | 1 year to 2 years      | 180   | 13.5 |
|                                 | Back, including spine, spinal cord, NEC      | 13    | 1.0  | 55 and older              | 124   | 9.2  | 15 years and above     | 151   | 11.4 |
|                                 | Multiple body parts                          | 178   | 17.0 | 35-44                     | 250   | 23.9 | Under 1 year           | 394   | 38.6 |
| BRUISES,                        | Knee(s)                                      | 128   | 12.2 | 25-34                     | 234   | 22.4 | 2-4 years              | 201   | 19.7 |
| CONTUSIONS                      | Foot(feet), except toe(s), unspecified       | 75    | 72   | 45-54                     | 226   | 21.6 | 5-14 years             | 194   | 19.0 |
| (1,045 FROI)                    | Hand(s), except finger(s)                    | 64    | 6 1  | Under 25                  | 177   | 16.9 | 1 year to 2 years      | 128   | 12.5 |
|                                 | Chest, exc internal locn of disease/disorder | 51    | 4.9  | 55 and older              | 158   | 15.1 | 15 years and above     | 105   | 10.3 |
|                                 | Multiple body parts                          | 163   | 19.4 | 35-44                     | 228   | 27.1 | Under 1 year           | 254   | 31.8 |
| TRAUMATIC                       | Lumbar region                                | 68    | 9.01 | 45-54                     | 187   | 22.2 | 2-4 years              | 177   | 22.2 |
| INJURIES AND                    | Knee(s)                                      | 68    | 10.6 | 25-34                     | 171   | 20.3 | 5-14 years             | 143   | 17.9 |
| DISORDERS, UNS                  | Shoulder, including clavicle, scapula        | 28    | 6.9  | 55 and older              | 131   | 15.6 | 1 year to 2 years      | 118   | 14.8 |
| (841 FROI)                      | Back, including spine, spinal cord, UNS      | 48    | 5.7  | Under 25                  | 124   | 14.7 | 15 years and above     | 107   | 13.4 |
| T'1                             | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -      |       |      | I Cui                     | 1     | , C  | D                      |       |      |

**Disease.** UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable insufficient data for classification. These columns refer to the nature indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or

# Sprains, Strains, and Tears

TABLE 5-2: Characteristics of Sprains, Strains, and Tears

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Nursing aides, orderlies, and attendants | 368  | 8.0 |
| Truck drivers                            | 320  | 6.9 |
| Laborers, except construction            | 246  | 5.3 |
| Janitors and cleaners                    | 214  | 4.6 |
| Stock handlers and baggers               | 164  | 3.6 |

## **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                    | 1,310 | 28.3 |
|--|-------|------|
| Overexertion in pulling/pushing objects    | 456   | 9.9  |
| Fall to floor, walkway or other surface    | 345   | 7.5  |
| Overexertion, unspecified                  | 318   | 6.9  |
| Slip, trip, loss of balance - without fall | 306   | 6.6  |

# NATURE OF INJURY/ ILLNESS

SPRAINS, STRAINS, TEARS

(4,624 FROI)

# SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 1,113 | 24.1 |
|--|-------|------|
| Health care patient/resident of health care facility | 384   | 8.3  |
| Boxes, crates, cartons                               | 298   | 6.4  |
| Nonclassifiable                                      | 287   | 6.2  |
| Floors, walkways, ground surfaces, unspecified       | 162   | 3.5  |

#### PART OF BODY

| Lumbar region                           | 1,052 | 22.8 |
|---|-------|------|
| Back, including spine, spinal cord, UNS | 591   | 12.8 |
| Knee(s)                                 | 467   | 10.1 |
| Shoulder, including clavicle, scapula   | 466   | 10.1 |
| Ankle(s)                                | 412   | 8.9  |

FROI = Employer's First Report of Occupational Injury or Disease Continued next page.

#### TABLE 5-2, continued

| NATURE | OF  | INJURY/ |
|--------|-----|---------|
| П      | LNI | ESS     |

SPRAINS, STRAINS, TEARS (4,624 FROI)

| AGE OF INJURED WORKER | FROI  | %    |
|-----------------------|-------|------|
| 35-44                 | 1,341 | 29.0 |
| 45-54                 | 1,043 | 22.6 |
| 25-34                 | 1,034 | 22.4 |
| Under 25              | 688   | 14.9 |
| 55 and older          | 518   | 11.2 |


#### LENGTH OF SERVICE

| Under 1 year       | 1,534 | 34.2 |
|--------------------|-------|------|
| 5-14 years         | 947   | 21.1 |
| 2-4 years          | 841   | 18.8 |
| 1 year to 2 years  | 614   | 13.7 |
| 15 years and above | 547   | 12.2 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 5-1 shows the five occupations with the most first reports for the sprains, strains, and tears nature for 2003.

FIGURE 5-1: Occupations - Sprains, Strains, and Tears (4,624 First Reports)



As shown in Figure 5-1, the occupation most often affected by sprains, strains, and tears in 2003 was nursing aides, orderlies, and attendants. In Table 5-2, the top source of sprains, strains, and tears was bodily motion/position of injured worker and the top event was overexertion in lifting. The part of body affected in the most 2003 first reports involving sprains, strains, and tears was the lumbar region. The top-ranked age group was 35-44 years and the length-of-service category in the most first reports was under one year.

# Nonback soreness, pain or hurt

TABLE 5-3: Characteristics of Nonback soreness, pain or hurt

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Laborers, except construction            | 146  | 6.2 |
| Truck drivers                            | 132  | 5.6 |
| Nursing aides, orderlies, and attendants | 131  | 5.6 |
| Janitors and cleaners                    | 102  | 4.3 |
| Carpenters                               | 54   | 2.3 |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                 | 258 | 10.9 |
|---|-----|------|
| Fall to floor, walkway or other surface | 234 | 9.9  |
| Nonclassifiable                         | 201 | 8.5  |
| Overexertion, unspecified               | 164 | 6.9  |
| Repetitive motion, unspecified          | 149 | 6.3  |

# NATURE OF INJURY/ ILLNESS

SORENESS, PAIN,
HURT, EXCEPT
THE BACK
(2,362 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 709 | 30.0 |
|--|-----|------|
| Nonclassifiable                                      | 320 | 13.5 |
| Floor of building                                    | 118 | 5.0  |
| Floors, walkways, ground surfaces, unspecified       | 107 | 4.5  |
| Health care patient/resident of health care facility | 105 | 4.4  |

#### **PART OF BODY**

| Multiple body parts                                 | 522 | 22.0 |
|---|-----|------|
| Knee(s)   | 337 | 14.3 |
| Shoulder, including clavicle, scapula               | 310 | 13.1 |
| Wrist(s)  | 139 | 5.9  |
| Chest, except internal location of disease/disorder | 82  | 3.5  |

 $\label{eq:FROI} \textbf{FROI} = \textit{Employer's First Report of Occupational Injury or Disease}.$ 

Continued next page.

#### TABLE 5-3, continued

# NATURE OF INJURY/ ILLNESS

SORENESS, PAIN, HURT, EXCEPT THE BACK (2.362 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 651  | 27.6 |
| 45-54                 | 634  | 26.8 |
| 25-34                 | 463  | 19.6 |
| 55 and older          | 357  | 15.1 |
| Under 25              | 257  | 10.9 |


#### LENGTH OF SERVICE

| Under 1 year       | 752 | 32.3 |
|--------------------|-----|------|
| 5-14 years         | 555 | 23.8 |
| 2-4 years          | 429 | 18.4 |
| 15 years and above | 322 | 13.8 |
| 1 year to 2 years  | 270 | 11.6 |

FROI = Employer's First Report of Occupational Injury or Disease.

The top five occupations, in terms of first reports in 2003, for the nonback soreness, pain or hurt nature of injury or illness are shown in Figure 5-2.

FIGURE 5-2: Occupations - Nonback Soreness, Pain, or Hurt (2,362 First Reports)



As shown in Figure 5-2, other occupations contributed many 2003 first reports of this nature although nonconstruction laborers was the top occupation. From Table 5-3, the number one source of injury or illness was bodily motion/position of injured worker and the highest-ranking event was overexertion in lifting. The part of body most affected was multiple body parts. The age group most often involved in a report was 35-44 years and the length-of-service category most often reported was less than one year.

## **Back Pain or Hurt Back**

**TABLE 5-4: Characteristics of Back Pain or Hurt Back** 

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Nursing aides, orderlies, and attendants | 106  | 7.9 |
| Laborers, except construction            | 90   | 6.7 |
| Truck drivers                            | 83   | 6.2 |
| Janitors and cleaners                    | 78   | 5.8 |
| Carpenters                               | 40   | 3.0 |

## **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                            | 451 | 33.4 |
|--|-----|------|
| Overexertion, unspecified                          | 123 | 9.1  |
| Bending/climbing/crawling/reaching/twisting        | 110 | 8.1  |
| Overexertion holding/carrying/turning/wielding obj | 100 | 7.4  |
| Overexertion in pulling/pushing objects            | 91  | 6.7  |

# NATURE OF INJURY/ IILLNESS

BACK PAIN, HURT BACK

(1,352 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 247 | 18.3 |
|--|-----|------|
| Nonclassifiable                                      | 156 | 11.5 |
| Health care patient/resident of health care facility | 105 | 7.8  |
| Boxes, crates, cartons                               | 88  | 6.5  |
| Other sources, not elsewhere classifiable            | 56  | 4.1  |

#### **PART OF BODY**

| Back, including spine, spinal cord, UNS | 687 | 50.8 |
|---|-----|------|
| Lumbar region                           | 546 | 40.4 |
| Multiple back regions                   | 49  | 3.6  |
| Thoracic region                         | 44  | 3.3  |
| Back, including spine, spinal cord, NEC | 13  | 1.0  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

## TABLE 5-4, continued

# NATURE OF INJURY/ IILLNESS

BACK PAIN, HURT BACK

(1,352 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 403  | 29.8 |
| 25-34                 | 322  | 23.8 |
| 45-54                 | 313  | 23.2 |
| Under 25              | 190  | 14.1 |
| 55 and older          | 124  | 9.2  |

#### LENGTH OF SERVICE

| Under 1 year       | 489 | 36.8 |
|--------------------|-----|------|
| 5-14 years         | 260 | 19.5 |
| 2-4 years          | 250 | 18.8 |
| 1 year to 2 years  | 180 | 13.5 |
| 15 years and above | 151 | 11.4 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 5-3 presents the five occupations reporting the highest frequency of 2003 first reports within the back pain or hurt back nature.

FIGURE 5-3: Occupations - Back Pain or Hurt Back (1,352 First Reports)




Figure 5-3 shows that the occupation involved in the most first reports involving back pain or hurt back was nursing aides, orderlies, and attendants. According to Table 5-4, the top source of injury or illness was bodily motion/position of injured worker and the top event was overexertion in lifting. The part of body affected most often reported was back, as might be expected. The age group generating the most reports was 35-44 years and the length-of-service category was under one year.

# **Bruises, Contusions**

# **TABLE 5-5: Characteristics of Bruises, Contusions**

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Truck drivers                            | 70   | 6.7 |
| Laborers, except construction            | 56   | 5.4 |
| Nursing aides, orderlies, and attendants | 51   | 4.9 |
| Stock handlers and baggers               | 44   | 4.2 |
| Cashiers                                 | 32   | 3.1 |

## **EVENT OF INJURY/ILLNESS**

| Fall to floor, walkway or other surface      | 252 | 24.1 |
|--|-----|------|
| Struck by falling object                     | 110 | 10.5 |
| Struck by object, not elsewhere classifiable | 94  | 9.0  |
| Struck against stationary object             | 88  | 8.4  |
| Fall onto or against objects                 | 46  | 4.4  |

# NATURE OF INJURY/ IILLNESS

BRUISES,
CONTUSIONS

(1,045 FROI)

## SOURCE OF INJURY/ILLNESS

| Floor of building                              | 121 | 11.6 |
|--|-----|------|
| Floors, walkways, ground surfaces, unspecified | 91  | 8.7  |
| Ground   | 77  | 7.4  |
| Boxes, crates, cartons                         | 43  | 4.1  |
| Parking lots                                   | 36  | 3.4  |

## **PART OF BODY**

| Multiple body parts                          | 178 | 17.0 |
|--|-----|------|
| Knee(s)                                      | 128 | 12.2 |
| Foot(feet), except toe(s), unspecified       | 75  | 7.2  |
| Hand(s), except finger(s)                    | 64  | 6.1  |
| Chest, exc internal locn of disease/disorder | 51  | 4.9  |

 ${\sf FROI} = {\it Employer's \ First \ Report \ of \ Occupational \ Injury \ or \ Disease}.$ 

Continued next page.

## TABLE 5-5, continued

# NATURE OF INJURY/ **ILLNESS**

BRUISES. CONTUSIONS

| _ | 0.1 |    | _   | ~-  | _  | ÷ | 7 |
|---|-----|----|-----|-----|----|---|---|
|   | (1  | 04 | 5 1 | FRO | OT | 1 |   |

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 250  | 23.9 |
| 25-34                 | 234  | 22.4 |
| 45-54                 | 226  | 21.6 |
| Under 25              | 177  | 16.9 |
| 55 and older          | 158  | 15.1 |


#### LENGTH OF SERVICE

| Under 1 year       | 394 | 38.6 |
|--------------------|-----|------|
| 2-4 years          | 201 | 19.7 |
| 5-14 years         | 194 | 19.0 |
| 1 year to 2 years  | 128 | 12.5 |
| 15 years and above | 105 | 10.3 |

FROI = Employer's First Report of Occupational Injury or Disease.

In Figure 5-4, the top five occupations, in terms of first reports recorded in 2003, for the bruises, contusions nature are shown.

FIGURE 5-4: Occupations - Bruises, Contusions (1,045 First Reports)



The occupation in the most first reports involving bruises, contusion was truck drivers, as seen in Figure 5-4. Table 5-5 shows the top source of injury or illness was floor of building. Walking surfaces combined for 31.1% of the first reports of this nature. It follows that fall to floor, walkway, or other surface was the top event. Multiple body parts ranked first as part of body affected. The top-ranked age group was 35-44 years and the highest-ranked length-ofservice category was under one year.

# Traumatic Injuries and Disorders, Unspecified

TABLE 5-6: Characteristics of Traumatic Injuries and Disorders, Unspecified

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Nursing aides, orderlies, and attendants | 70   | 8.3 |
| Truck drivers                            | 56   | 6.7 |
| Laborers, except construction            | 36   | 4 3 |
| Janitors and cleaners                    | 35   | 4 2 |
| Stock handlers and baggers               | 27   | 3 2 |

#### **EVENT OF INJURY/ILLNESS**

| Fall to floor, walkway or other surface    | 132 | 15.7 |
|--|-----|------|
| Overexertion in lifting                    | 87  | 10.3 |
| Nonclassifiable                            | 49  | 5.8  |
| Overexertion, unspecified                  | 37  | 4.4  |
| Slip, trip, loss of balance – without fall | 31  | 3.7  |

# NATURE OF INJURY/ IILLNESS

TRAUMATIC
INJURIES AND
DISORDERS, UNS
(841 FROI)

## SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 139 | 16.5 |
|--|-----|------|
| Floor of building                                    | 68  | 8.1  |
| Nonclassifiable                                      | 68  | 8 1  |
| Ground   | 61  | 7.3  |
| Health care patient/resident of health care facility | 47  | 5.6  |

# **PART OF BODY**

| Multiple body parts                     | 163 | 19.4 |
|---|-----|------|
| Lumbar region                           | 89  | 10.6 |
| Knee(s)                                 | 89  | 10.6 |
| Shoulder, including clavicle, scapula   | 58  | 69   |
| Back, including spine, spinal cord, UNS | 48  | 5.7  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 5-6, continued

# NATURE OF INJURY/ ILLNESS

TRAUMATIC INJURIES AND DISORDERS, UNS (841 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 228  | 27.1 |
| 45-54                 | 187  | 22.2 |
| 25-34                 | 171  | 20.3 |
| 55 and older          | 131  | 15.6 |
| Under 25              | 124  | 14.7 |


#### LENGTH OF SERVICE

| Under 1 year       | 254 | 31.8 |
|--------------------|-----|------|
| 2-4 years          | 177 | 22.2 |
| 5-14 years         | 143 | 17.9 |
| 1 year to 2 years  | 118 | 14.8 |
| 15 years and above | 107 | 13.4 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 5-5 shows the five occupations with the most first reports for the traumatic injuries and disorders, unspecified nature for 2003.

FIGURE 5-5: Occupations - Traumatic Injuries and Disorders, UNS (841 First Reports)



From Figure 5-5, the occupation for this nature filing the most first reports in 2003 was nursing aides, orderlies, and attendants, but other occupations contributed many first reports. As to how workers were injured, Table 5-6 shows that the number one source of injury or illness was bodily motion/position of injured worker and the top reported event was fall to floor, walkway, or other surface. The most often reported body part for all workers was multiple body parts. The top age group was 35 to 44 and the most reported length-of-service category was under one year.

#### **SECTION 6: THE TOP FIVE EVENTS OR EXPOSURES**

#### Overview.

Events or exposures, defined as the manner in which injuries and illnesses are inflicted or produced, are dealt with in this section. Table 6-1 below lists the top five events or exposures in descending order by frequency of first reports for 2003. Together, these five events accounted for 39.3% of all first reports for 2003. Overexertion in lifting was by far the number one reported event followed by fall to floor, walkway, or other surface. These two events accounted for 25.1% of all 2003 first reports.

For each event, the top five each of occupation of the injured worker, nature of the injury or illness, source of the injury or illness, and part of the body affected are tabulated by the first reports frequency and percentage for that event. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, **the tabulated characteristics refer to the event as a whole, not to the other tabulated characteristics.** For example, the 56.7% of nature (sprains, strains, and tears) in the first row of the third column of Table 6-1 are NOT injuries and illnesses reported by nursing aides, orderlies, and attendants only but by ALL occupations within overexertion in lifting, including those not listed.

These top five events shared a number of elements in common, although there were differences in characteristics of injuries and illnesses between them.

- Sprains, strains, and tears ranked first in the nature column for all of the top five events, averaging 39.8%. Nonback soreness, pain, or hurt also appeared under all five events, emphasizing the prevalence of musculoskeletal disorders.
- The top length-of-service group affected by all events was under one year. The average proportion was 32.6%.
- Injuries to the lumbar region and to the back, including spine, spinal cord unspecified accounted for an average of 30.4% of first reports for the these top five events.
- The same three occupations that appeared under all top five natures in Section 5 again appear here as affected by all top five events. Nursing aides, orderlies, and attendants averaged 7.3% of first reports. Nonconstruction laborers averaged 6.7%, truck drivers 6.5%. Janitors and cleaners also appeared under all top five events. These four occupations are the four top ranking occupations in terms of general first reports in 2003, as seen in Tables 2-2 and 4-1.

TABLE 6-1: Cross Tabulations of the Top Five Events and the Characteristics of Injuries for Each Event

| EVENT                                   | OCCUPATION*                              | %<br>%   | NATURE OF INJURY/ILLNESS*             | FROI     |                             | SOURCE OF INJURY/ILLNESS*                            | FROI | %    |
|---|--|----------|---------------------------------------|----------|-----------------------------|--|------|------|
|   | Nursing aides, orderlies, and attendants | 253 11.0 | Sprains, strains, tears               | 1,310 56 | 56.7 Boxes, crates, cartons | tons   | 406  | 17.6 |
| OVEREXERTION                            | Laborers, except construction            | 167 7.3  | Back pain, hurt back                  | 451 19   | 19.5 Health care patier     | Health care patient/resident of health care facility | 374  | 16.2 |
| IN LIFTING                              | Janitors and cleaners                    | 129 5.6  | Soreness, pain, hurt, except the back | 258 11   | Bags, sacks, totes          |  | 125  | 5.4  |
| (2,312 FROI)                            | Truck Drivers                            | 126 5.5  | Traumatic injuries & disorders, UNS   | 87 3     | 3.8 Other sources, no       | Other sources, not elsewhere classifiable            | 1119 | 5.1  |
|   | Freight/stock/ material handlers, NEC    | 97 4.2   | Hernia, not elsewhere classifiable    | 48 2.1   | 1 Nonclassifiable           |  | 85   | 3.7  |
|   | Truck Drivers                            | 112 7.6  | Sprains, strains, tears               | 345 23   | 23.5 Floor of building      |  | 498  | 33.9 |
| FALL TO FLOOR,                          | Nursing aides, orderlies, and attendants | 78 5.3   | Bruises, contusions                   | 252 17   | 17.1 Floors, walkways       | Floors, walkways, ground surfaces, unspecified       | 362  | 24.6 |
| WALKWAY, OR                             | Janitors and cleaners                    | 62 4.2   | Soreness, pain, hurt, except the back | 234 15   | 15.9 Ground                 |  | 313  | 21.3 |
| OTHER SURFACE                           | Laborers, except construction            | 57 3.9   | Fractures                             | 220 15   | 15.0 Parking lots           |  | 145  | 6.6  |
| (1,470 FROI)                            | Kitchen workers, food preparation        | 41 2.8   | Traumatic injuries & disorders, UNS   | 132 9    | 9.0 Sidewalks, paths,       | Sidewalks, paths, outdoor walkways                   | 52   | 3.5  |
|   | Truck Drivers                            | 79 10.4  | Sprains, strains, tears               | 456 60   | 60.0 Cart, dolly, handtruck | ruck   | 96   | 12.6 |
| OVEREXERTION IN                         | Laborers, except construction            | 55 7.3   | Soreness, pain, hurt, except the back | 127 16   | 16.7 Boxes, crates, cartons | tons   | 33   | 4.3  |
| PULLING/PUSHING                         | Janitors and cleaners                    | 49 6.5   | Back pain, hurt back                  | 91 12    | 12.0 Health care patier     | Health care patient/resident of health care facility | 33   | 4.3  |
| OBJECTS                                 | Nursing aides, orderlies, and attendants | 44 5.8   | Traumatic injuries & disorders, UNS   | 29 3     | 3.8 Doors                   |  | 27   | 3.6  |
| (760 FROI)                              | Stock handlers and baggers               | 42 5.5   | Hernia, not elsewhere classifiable    | 15 2     | 2.0 Hoses                   |  | 25   | 3.3  |
|   | Laborers, except construction            | 61 8.5   | Sprains, strains, tears               | 318 4    | 44.5 Nonclassifiable        |  | 299  | 41.8 |
| OVEREXERTION,                           | Nursing aides, orderlies, and attendants | 56 7.8   | Soreness, pain, hurt, except the back | 164 22   | Other sources, no           | Other sources, not elsewhere classifiable            | 152  | 21.3 |
| UNSPECIFIED                             | Janitors and cleaners                    | 41 5.7   | Back pain, hurt back                  | 123 17   | 17.2 Health care patier     | Health care patient/resident of health care facility | 47   | 9.9  |
| (715 FROI)                              | Truck Drivers                            | 32 4.5   | Traumatic injuries & disorders, UNS   | 37 5     | 5.2 Tires, except bike      |  | 6    | 1.3  |
|   | Maids and housemen                       | 20 2.8   | Tendonitis                            | 12 1     | 1.7 Tools, instrument       | Tools, instruments and equipment, unspecified        | 8    | 1.1  |
|   | Nursing aides, orderlies, and attendants | 43 6.6   | Soreness, pain, hurt, except the back | 201 30   | 30.6 Nonclassifiable        |  | 629  | 626  |
|   | Laborers, except construction            | 43 6.6   | Sprains, strains, tears               | 93 12    | 14.2 Health care patier     | Health care patient/resident of health care facility | 3    | 0.5  |
| NONCLASSIFIABLE                         | Truck Drivers                            | 28 4.3   | Back pain, hurt back                  | 78 11    | 11.9 Hand grinders powered  | powered  | 2    | 0.3  |
| (656 FROI)                              | Janitors and cleaners                    | 21 3.2   | Nonclassifiable                       | 70 10    | 10.7 Ladders, unspecified   | ied  | 7    | 0.3  |
|   | Kitchen workers, food preparation        | 18 2.8   | Traumatic injuries & disorders, UNS   | 49 7     | 7.5 Bottles, jugs, flasks   | ks   | -    | 0.2  |
| 1 | 1 1 1 1 1 1 1 1                          | •        | י ויייי                               |          | , a, .;                     |  |      | ]    |

UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data These columns refer to the event indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. for classification. Continued next page.

TABLE 6-1, continued

| EVENT           | PART OF BODY*                           | FROI  | %    | AGE OF INJURED<br>WORKER* | FROI | %    | LENGTH OF SERVICE * |     | %    |
|-----------------|---|-------|------|---------------------------|------|------|---------------------|-----|------|
|                 | Lumbar region                           | 701 3 | 30.3 | 35-44                     | 653  | 28.2 | Under 1 year        | 814 | 36.0 |
| OVEREXERTION    | Back, including spine, spinal cord, UNS | 489 2 | 21.2 | 25-34                     | 524  | 22.7 | 5-14 years          | 469 | 20.8 |
| IN LIFTING      | Shoulder, including clavicle, scapula   | 229   | 9.6  | 45-54                     | 513  | 22.2 | 2-4 years           | 401 | 17.8 |
| (2,312 FROI)    | Multiple body parts                     | 119   | 5.1  | Under 25                  | 373  | 16.1 | 1 year to 2 years   | 341 | 15.1 |
|                 | Thoracic region                         | 92    | 3.3  | 55 and older              | 249  | 10.8 | 15 years and above  | 233 | 10.3 |
|                 | Multiple body parts                     | 321 2 | 21.8 | 45-54                     | 384  | 26.1 | Under 1 year        | 464 | 32.3 |
| FALL TO FLOOR,  | Knee(s)                                 | 197   | 13.4 | 55 and older              | 325  | 22.1 | 5-14 years          | 324 | 22.6 |
| WALKWAY, OR     | Ankle(s)                                | 119   | 8.1  | 35-44                     | 317  | 21.6 | 2-4 years           | 284 | 19.8 |
| OTHER SURFACE   | Shoulder, including clavicle, scapula   | 95    | 6.5  | 25-34                     | 284  | 19.3 | 1 year to 2 years   | 182 | 12.7 |
| (1,470 FROI)    | Lumbar region                           | 68    | 6.1  | Under 25                  | 160  | 10.9 | 15 years and above  | 182 | 12.7 |
|                 | Lumbar region                           | 162 2 | 21.3 | 35-44                     | 240  | 31.6 | Under 1 year        | 236 | 31.9 |
| OVEREXERTION IN | Shoulder, including clavicle, scapula   | 107   | 14.1 | 45-54                     | 176  | 23.2 | 5-14 years          | 162 | 21.9 |
| PULLING/PUSHING | Back, including spine, spinal cord, UNS | 105   | 13.8 | 25-34                     | 153  | 20.1 | 2-4 years           | 147 | 19.9 |
| OBJECTS         | Multiple body parts                     | 50    | 9.9  | 55 and older              | 104  | 13.7 | 1 year to 2 years   | 102 | 13.8 |
| (760 FROI)      | Knee(s)                                 | 46    | 6.1  | Under 25                  | 87   | 11.4 | 15 years and above  | 93  | 12.6 |
|                 | Lumbar region                           | 140 1 | 9.61 | 35-44                     | 238  | 33.3 | Under 1 year        | 222 | 32.0 |
| OVEREXERTION,   | Back, including spine, spinal cord, UNS | 118 1 | 16.5 | 45-54                     | 176  | 24.6 | 5-14 years          | 150 | 21.6 |
| UNSPECIFIED     | Shoulder, including clavicle, scapula   | 96 1  | 13.4 | 25-34                     | 142  | 19.9 | 2-4 years           | 137 | 19.7 |
| (715 FROI)      | Multiple body parts                     | 99    | 9.2  | Under 25                  | 06   | 12.6 | 15 years and above  | 76  | 14.0 |
|                 | Knee(s)                                 | 36    | 5.5  | 55 and older              | 69   | 9.7  | 1 year to 2 years   | 88  | 12.7 |
|                 | Back, including spine, spinal cord, UNS | 91 1  | 13.9 | 35-44                     | 190  | 29.0 | Under 1 year        | 195 | 30.7 |
|                 | Multiple body parts                     | 92    | 6.6  | 45-54                     | 179  | 27.3 | 5-14 years          | 150 | 23.6 |
| NONCLASSIFIABLE | Lumbar region                           | 62    | 9.5  | 25-34                     | 125  | 19.1 | 2-4 years           | 120 | 18.9 |
| (656 FROI)      | Knee(s)                                 | 54    | 8.2  | 55 and older              | 68   | 13.6 | 15 years and above  | 95  | 14.9 |
|                 | Shoulder, including clavicle, scapula   | 50    | 7.6  | Under 25                  | 73   | 11.1 | 1 year to 2 years   | 92  | 11.9 |
|                 |   |       |      | 10 dd                     | ,    | į    |                     | ,   |      |

\*These columns refer to the event indicated, not to other columns or entries within those columns. **FROI** = *Employer's First Report of Occupational Injury or Disease*. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification

# **Overexertion in Lifting**

TABLE 6-2: Characteristics of Injuries and Illnesses Due to Overexertion in Lifting

| OCCUPATION                               | FROI | %    |
|--|------|------|
| Nursing aides, orderlies, and attendants | 253  | 11.0 |
| Laborers, except construction            | 167  | 7.3  |
| Janitors and cleaners                    | 129  | 5.6  |
| Truck Drivers                            | 126  | 5.5  |
| Freight/stock/ material handlers, NEC    | 97   | 4.2  |

## NATURE OF INJURY/ILLNESS

| Sprains, strains, tears               | 1,310 | 56.7 |
|---------------------------------------|-------|------|
| Back pain, hurt back                  | 451   | 19.5 |
| Soreness, pain, hurt, except the back | 258   | 11.2 |
| Traumatic injuries & disorders, UNS   | 87    | 3.8  |
| Hernia, not elsewhere classifiable    | 48    | 2.1  |

## SOURCE OF INJURY/ILLNESS

| Boxes, crates, cartons                               | 406 | 17.6 |
|--|-----|------|
| Health care patient/resident of health care facility | 374 | 16.2 |
| Bags, sacks, totes                                   | 125 | 5.4  |
| Other sources, not elsewhere classifiable            | 119 | 5.1  |
| Nonclassifiable                                      | 85  | 3.7  |

#### **PART OF BODY**

| E                                       |     |      |
|---|-----|------|
| Lumbar region                           | 701 | 30.3 |
| Back, including spine, spinal cord, UNS | 489 | 21.2 |
| Shoulder, including clavicle, scapula   | 229 | 9.9  |
| Multiple body parts                     | 119 | 5.1  |
| Thoracic region                         | 76  | 3.3  |

FROI = Employer's First Report of Occupational Injury or Disease Continued next page.

## **EVENT**

# OVEREXERTION IN LIFTING

(2,312 FROI)

#### TABLE 6-2, continued

| AGE OF INJURED WORKER | FRO | %    |
|-----------------------|-----|------|
| 35-44                 | 653 | 28.2 |
| 25-34                 | 524 | 22.7 |
| 45-54                 | 513 | 22.2 |
| Under 25              | 373 | 16.1 |
| 55 and older          | 249 | 10.8 |

#### **EVENT**

OVEREXERTION IN LIFTING

(2,312 FROI)


#### LENGTH OF SERVICE

| TT 1 1             | 014 | 260  |
|--------------------|-----|------|
| Under 1 year       | 814 | 36.0 |
| 5-14 years         | 469 | 20.8 |
| 2-4 years          | 401 | 17.8 |
| 1 year to 2 years  | 341 | 15.1 |
| 15 years and above | 233 | 10.3 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 6-1 shows the top five occupations reporting overexertion in lifting as the event leading to an injury in 2003.

FIGURE 6-1: Occupations - Overexertion in Lifting (2,312 First Reports)



As shown in Figure 6-1, the occupation involved in the most first reports resulting from overexertion in lifting in 2003 was nursing aides, orderlies, and attendants. In Table 6-2, the top nature of injury or illness was sprains, strains, and tears and the top source of injuries and illnesses connected with this event was boxes, crates, cartons. The part of body most affected in 2003 first reports involving overexertion in lifting was the lumbar region. The top-ranked age group was 35-44 years and the top length-of-service group was under one year.

# Fall to Floor, Walkway, or Other Surface

TABLE 6-3: Characteristics of Injuries and Illnesses Due to Fall to Floor, Walkway, or Other Surface.

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Truck Drivers                            | 112  | 7.6 |
| Nursing aides, orderlies, and attendants | 78   | 5.3 |
| Janitors and cleaners                    | 62   | 4.2 |
| Laborers, except construction            | 57   | 3.9 |
| Kitchen workers, food preparation        | 41   | 2.8 |

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears               | 345 | 23.5 |
|---------------------------------------|-----|------|
| Bruises, contusions                   | 252 | 17.1 |
| Soreness, pain, hurt, except the back | 234 | 15.9 |
| Fractures                             | 220 | 15.0 |
| Traumatic injuries & disorders, UNS   | 132 | 9.0  |

# SOURCE OF INJURY/ILLNESS

| Floor of building                              | 498 | 33.9 |
|--|-----|------|
| Floors, walkways, ground surfaces, unspecified | 362 | 24.6 |
| Ground   | 313 | 21.3 |
| Parking lots                                   | 145 | 9.9  |
| Sidewalks, paths, outdoor walkways             | 52  | 3.5  |

#### **PART OF BODY**

| Multiple body parts                   | 321 | 21.8 |
|---------------------------------------|-----|------|
| Knee(s)                               | 197 | 13.4 |
| Ankle(s)                              | 119 | 8.1  |
| Shoulder, including clavicle, scapula | 95  | 6.5  |
| Lumbar region                         | 89  | 6.1  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

## **EVENT**

FALL TO FLOOR, WALKWAY, OR OTHER SURFACE (1,470 FROI)

#### TABLE 6-3, continued

# **EVENT**

FALL TO FLOOR, WALKWAY, OR OTHER SURFACE (1.470 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 45-54                 | 384  | 26.1 |
| 55 and older          | 325  | 22.1 |
| 35-44                 | 317  | 21.6 |
| 25-34                 | 284  | 19.3 |
| Under 25              | 160  | 10.9 |


#### LENGTH OF SERVICE

| Under 1 year       | 464 | 32.3 |
|--------------------|-----|------|
| 5-14 years         | 324 | 22.6 |
| 2-4 years          | 284 | 19.8 |
| 1 year to 2 years  | 182 | 12.7 |
| 15 years and above | 182 | 12.7 |

FROI = Employer's First Report of Occupational Injury or Disease.

The top five occupations, in terms of first reports recorded in 2003, for the fall to floor, walkway, or other surface event or exposure are shown in Figure 6-2.

FIGURE 6-2: Occupations - Fall to Floor, Walkway, or Other Surface (1,470 First Reports)



As shown in Figure 6-2, under this event, truck drivers was the top occupation. From Table 6-3, the highest-ranking nature was sprains, strains, and tears and the number one source was floor of building. The part of body involved in the most first reports was multiple body parts. The age group most often involved in a first report was 45-54 years and the length-of-service category was under one year.

# **Overexertion in Pulling/Pushing Objects**

TABLE 6-4: Characteristics of Injuries and Illnesses Due to Overexertion in Pulling/ Pushing Objects

| OCCUPATION                               | FROI | %    |
|--|------|------|
| Truck Drivers                            | 79   | 10.4 |
| Laborers, except construction            | 55   | 7.3  |
| Janitors and cleaners                    | 49   | 6.5  |
| Nursing aides, orderlies, and attendants | 44   | 5.8  |
| Stock handlers and baggers               | 42   | 5.5  |

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears               | 456 | 60.0 |
|---------------------------------------|-----|------|
| Soreness, pain, hurt, except the back | 127 | 16.7 |
| Back pain, hurt back                  | 91  | 12.0 |
| Traumatic injuries & disorders, UNS   | 29  | 3.8  |
| Hernia, not elsewhere classifiable    | 15  | 2.0  |

## SOURCE OF INJURY/ILLNESS

| Cart, dolly, handtruck                               | 96 | 12.6 |
|--|----|------|
| Boxes, crates, cartons                               | 33 | 4.3  |
| Health care patient/resident of health care facility | 33 | 4.3  |
| Doors  | 27 | 3.6  |
| Hoses  | 25 | 3.3  |

#### **PART OF BODY**

| Lumbar region                           | 140 | 19.6 |
|---|-----|------|
| Back, including spine, spinal cord, UNS | 118 | 16.5 |
| Shoulder, including clavicle, scapula   | 96  | 13.4 |
| Multiple body parts                     | 66  | 9.2  |
| Knee(s)                                 | 39  | 5.5  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

## **EVENT**

OVEREXERTION IN
PULLING/PUSHING
OBJECTS
(760 FROI)

#### TABLE 6-4, continued

# EVENT

OVEREXERTION IN PULLING/PUSHING OBJECTS (760 FROD

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 240  | 31.6 |
| 45-54                 | 176  | 23.2 |
| 25-34                 | 153  | 20.1 |
| 55 and older          | 104  | 13.7 |
| Under 25              | 87   | 11.4 |


#### LENGTH OF SERVICE

| Under 1 year       | 236 | 31.9 |
|--------------------|-----|------|
| 5-14 years         | 162 | 21.9 |
| 2-4 years          | 147 | 19.9 |
| 1 year to 2 years  | 102 | 13.8 |
| 15 years and above | 93  | 12.6 |

FROI = Employer's First Report of Occupational Injury or Disease.

In Figure 6-4, the top five occupations, in terms of first reports recorded in 2003, for the overexertion in pulling/pushing objects event are shown.

FIGURE 6-3: Occupations - Overexertion in Pulling/Pushing Objects (760 First Reports)



The occupation involved in the most first reports originating with this event was truck drivers, as seen in Figure 6-3. Table 6-4 shows sprains, strains, and tears was the top ranking nature. The top source of injury or illness was cart, dolly, or handtruck. Lumbar region was the first ranked part of body affected. The top-ranked age group was 35-44 years. Of note, there was a 33% increase in first reports (78 to 104) from 2002 to 2003 affecting workers age 55 and older. The most-reported length-of-service category was under one year.

#### Overexertion, Unspecified

TABLE 6-5: Characteristics of Injuries and Illnesses Due to Overexertion, Unspecified

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Laborers, except construction            | 61   | 8.5 |
| Nursing aides, orderlies, and attendants | 56   | 7.8 |
| Janitors and cleaners                    | 41   | 5.7 |
| Truck Drivers                            | 32   | 4.5 |
| Maids and housemen                       | 20   | 2.8 |

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears               | 318 | 44.5 |
|---------------------------------------|-----|------|
| Soreness, pain, hurt, except the back | 164 | 22.9 |
| Back pain, hurt back                  | 123 | 17.2 |
| Traumatic injuries & disorders, UNS   | 37  | 5.2  |
| Tendonitis                            | 12  | 1.7  |

#### **EVENT**

#### OVEREXERTION, UNSPECIFIED\*

(715 FROI)

#### SOURCE OF INJURY/ILLNESS

| Nonclassifiable                                      | 299 | 41.8 |
|--|-----|------|
| Other sources, not elsewhere classifiable            | 152 | 21.3 |
| Health care patient/resident of health care facility | 47  | 6.6  |
| Tires, except bike                                   | 9   | 1.3  |
| Tools, instruments and equipment, unspecified        | 8   | 1.1  |

#### PART OF BODY

| Lumbar region                                   | 149 | 19.2 |
|---|-----|------|
| Back, including spine, spinal cord, unspecified | 117 | 15.1 |
| Shoulder, including clavicle, scapula           | 99  | 12.8 |
| Multiple body parts                             | 88  | 11.3 |
| Knee(s)   | 41  | 5.3  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

<sup>\*</sup> Unspecified denotes insufficient data for more detailed classification

#### TABLE 6-5, continued

## OVEREXERTION, UNSPECIFIED (715 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 238  | 33.3 |
| 45-54                 | 176  | 24.6 |
| 25-34                 | 142  | 19.9 |
| Under 25              | 90   | 12.6 |
| 55 and older          | 69   | 9.7  |

### LENGTH OF SERVICE OF INJURED WORKER

| Under 1 year       | 222 | 32.0 |
|--------------------|-----|------|
| 5-14 years         | 150 | 21.6 |
| 2-4 years          | 137 | 19.7 |
| 15 years and above | 97  | 14.0 |
| 1 year to 2 years  | 88  | 12.7 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 6-4 presents the five occupations reporting the highest frequency of 2003 first reports within the overexertion, unspecified event.

FIGURE 6-4: Occupations - Overexertion, Unspecified (715 First Reports)




Figure 6-4 shows that the occupation producing the most first reports involving overexertion, unspecified was nonconstruction laborers. A wide variety of occupations contributed to the 2003 first reports for this event. According to Table 6-5, the top nature was sprains, strains ,tears and the top source of injury or illness was other nonclassifiable – that is, sources inadequately described for the standard coding classifications. The part of body affected most often reported was lumbar region. The age group generating the most first reports was 35-44 years and the highest-ranking length-of-service category was under one year.

#### Nonclassifiable

TABLE 6-6: Characteristics of Injuries and Illnesses Due to Nonclassifiable Events

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Nursing aides, orderlies, and attendants | 43   | 6.6 |
| Laborers, except construction            | 43   | 6.6 |
| Truck Drivers                            | 28   | 4.3 |
| Janitors and cleaners                    | 21   | 3.2 |
| Kitchen workers, food preparation        | 18   | 2.8 |

#### NATURE OF INJURY/ILLNESS

| Soreness, pain, hurt, except the back | 201 | 30.6 |
|---------------------------------------|-----|------|
| Sprains, strains, tears               | 93  | 14.2 |
| Back pain, hurt back                  | 78  | 11.9 |
| Nonclassifiable                       | 70  | 10.7 |
| Traumatic injuries & disorders, UNS   | 49  | 7.5  |

#### **EVENT**

NONCLASSIFIABLE

(656 FROI)

#### **SOURCE OF INJURY/ILLNESS**

| Nonclassifiable                                      | 629 | 95.9 |
|--|-----|------|
| Health care patient/resident of health care facility | 3   | 0.5  |
| Hand grinders powered                                | 2   | 0.3  |
| Ladders, unspecified                                 | 2   | 0.3  |
| Bottles, jugs, flasks                                | 1   | 0.2  |

#### **PART OF BODY**

| Back, including spine, spinal cord, UNS | 91 | 13.9 |
|---|----|------|
| Multiple body parts                     | 65 | 9.9  |
| Lumbar region                           | 62 | 9.5  |
| Knee(s)                                 | 54 | 8.2  |
| Shoulder, including clavicle, scapula   | 50 | 7.6  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 6-6, continued

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 190  | 29.0 |
| 45-54                 | 179  | 27.3 |
| 25-34                 | 125  | 19.1 |
| 55 and older          | 89   | 13.6 |
| Under 25              | 73   | 11.1 |

# NONCLASSIFIABLE (656 FROI)


#### LENGTH OF SERVICE

| Under 1 year       | 195 | 30.7 |
|--------------------|-----|------|
| 5-14 years         | 150 | 23.6 |
| 2-4 years          | 120 | 18.9 |
| 15 years and above | 95  | 14.9 |
| 1 year to 2 years  | 76  | 11.9 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 6-5 shows the five occupations with the most first reports for the nonclassifiable event for 2003.

FIGURE 6-5: Occupations -Nonclassifiable Events (656 First Reports)



From Figure 6-5, the tied occupations for this event filing the most first reports in 2003 were nursing aides, orderlies, and attendants and nonconstruction laborers, but all of the top five are close. Table 6-6 shows that the top reported nature of injury or illness was nonback soreness, pain, or hurt. As to how workers were injured, almost the only source of injury or illness was nonclassifiable. The back was the most often reported body part. The top age group was 35 to 44 and the most reported length-of-service category was under one year.

#### SECTION 7: THE TOP FIVE SOURCES OF INJURY OR ILLNESS

#### Overview

Source of injury or illness identifies the object, substance, bodily motion, or work environment that directly produced or inflicted the injury or illness. Taken together with event (Section 6), source provides a picture of how workers are being injured on the job. Information on the five sources with the highest frequencies of first reports for 2003 is presented in this section. Table 7-1 below lists the top five sources in descending order. Together, these five sources accounted for 40.4% of all first reports for 2003. Bodily motion/ position of injured worker fell in first place, itself accounting for 18.6% of the 2003 total.

For each source, the top five each of occupation, nature of the injury or illness, and part of the body affected are tabulated by the first reports frequency and percentage for that occupation. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, **the tabulated characteristics refer to the source as a whole, not to the other tabulated characteristics.** For example, the 39.8% of nature (sprains, strains, and tears) in the first row of the third column of Table 7-1 are NOT injuries and illnesses reported by truck drivers only but by ALL occupations within bodily motion/position of injured worker, including those occupations not listed.

While there were considerable differences in characteristics of injuries and illnesses between these top five sources, a few elements were shared in common

- Sprains, strains, and tears was the first or second place reported nature for all top five sources, averaging 32.8% of first reports.
- As in Sections 4 through 6, the top length-of-service group was under one year, averaging 34.2% of first reports for the top five sources of injury or illness. This evidence strongly suggests that intervention efforts should be directed toward new hires.
- Multiple body parts was a part of body common to all five sources, averaging 14.7% of first reports. Lumbar region also appeared in all five, averaging 11.6% but ranging from 5.0% to 23.4%.

TABLE 7-1: Cross Tabulations of the Top Five Sources and the Characteristics of Injuries for Each Source

| SOURCE           | OCCUPATION*                              | FROI<br>% | NATURE OF INJURY/ILLNESS*                   | FROI       | PART OF BODY*                           | FROI | %    |
|------------------|--|-----------|---|------------|---|------|------|
|                  | Truck Drivers                            | 125 4.5   | Sprains, strains, tears                     | 1,113 39.8 | Knee(s)                                 | 382  | 13.7 |
| BODILY MOTION/   | Laborers, except construction            | 107 3.8   | Soreness, pain, hurt, except the back       | 709 25.3   | Wrist(s)                                | 344  | 12.3 |
| POSITION OF      | Cashiers                                 | 95 3.4    | Back pain, hurt back                        | 247 8.8    | Lumbar region                           | 303  | 10.8 |
| INJURED WORKER   | Janitors and cleaners                    | 95 3.4    | Carpal tunnel syndrome                      | 179 6.4    | Ankle(s)                                | 265  | 9.5  |
| (2,797 FROI)     | Nursing aides, orderlies, and attendants | 89 3.2    | Traumatic injuries & disorders, unspecified | 139 5.0    | Multiple body parts                     | 238  | 8.5  |
|                  | Laborers, except construction            | 6.9 6.9   | Soreness, pain, hurt, except the back       | 328 25.9   | Back, including spine, spinal cord, UNS | 179  | 14.5 |
|                  | Nursing aides, orderlies, and attendants | 66 5.4    | Sprains, strains, tears                     | 287 23.2   | Lumbar region                           | 134  | 10.8 |
| NONCLASSIFIABLE  | Truck Drivers                            | 51 4.1    | Back pain, hurt back                        | 156 12.6   | Multiple body parts                     | 109  | 8.8  |
| (1,237 FROI)     | Janitors and cleaners                    | 45 3.7    | Nonclassifiable                             | 75 6.1     | Shoulder, including clavicle, scapula   | 104  | 8.4  |
|                  | Freight/stock/material handlers, NEC     | 33 2.7    | Traumatic injuries & disorders, unspecified | 68 5.5     | Knee(s)                                 | 85   | 6.9  |
| HEALTH CARE      | Nursing aides, orderlies, and attendants | 446 62.5  | Sprains, strains, tears                     | 384 53.6   | Lumbar region                           | 168  | 23.4 |
| PATIENT/RESIDENT | Registered nurses                        | 96 13.4   | Back pain, hurt back                        | 105 14.6   | Back, including spine, spinal cord, UNS | 137  | 19.1 |
| OF HEALTH CARE   | Health aides, excluding nursing          | 62 8.7    | Soreness, pain, hurt, except the back       | 105 14.6   | Multiple body parts                     | 90   | 12.6 |
| FACILITY         | Health technologists/technicians, NEC    | 17 2.4    | Traumatic injuries & disorders, unspecified | 47 6.6     | Shoulder, including clavicle, scapula   | 59   | 8.2  |
| (717 FROI)       | Licensed practical nurses                | 14 2.0    | Bruises, contusions                         | 21 2.9     | Wrist(s)                                | 27   | 3.8  |
|                  | Nursing aides, orderlies, and attendants | 45 6.4    | Sprains, strains, tears                     | 151 21.4   | Multiple body parts                     | 174  | 24.7 |
| FLOOR OF         | Kitchen workers, food preparation        | 29 4.1    | Bruises, contusions                         | 121 17.2   | Knee(s)                                 | 126  | 17.9 |
| BUILDING         | Janitors and cleaners                    | 28 4.0    | Soreness, pain, hurt, except the back       | 118 16.7   | Ankle(s)                                | 48   | 8.9  |
| (705 FROI)       | Cooks                                    | 27 3.8    | Fractures                                   | 101 14.3   | Lumbar region                           | 35   | 5.0  |
|                  | Stock handlers and baggers               | 24 3.4    | Traumatic injuries & disorders, unspecified | 9.6 89     | Wrist(s)                                | 35   | 5.0  |
| FLOORS,          | Truck Drivers                            | 72 11.6   | Sprains, strains, tears                     | 162 25.8   | Multiple body parts                     | 119  | 18.9 |
| WALKWAYS,        | Carpenters                               | 35 5.6    | Soreness, pain, hurt, except the back       | 107 17.0   | Knee(s)                                 | 77   | 12.3 |
| GROUND SURFACES  | Janitors and cleaners                    | 28 4.5    | Fractures                                   | 96 15.3    | Ankle(s)                                | 65   | 10.4 |
| UNSPECIFIED      | Laborers, except construction            | 27 4.3    | Bruises, contusions                         | 91 14.5    | Lumbar region                           | 49   | 7.8  |
| (628 FROI)       | Construction laborers                    | 23 3.7    | Traumatic injuries & disorders, unspecified | 41 6.5     | Shoulder, including clavicle, scapula   | 43   | 8.9  |
|                  |  |           |   |            |   |      |      |

**Disease.** UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification. **Continued next page.** \* These columns refer to the source indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or

TABLE 7-1, continued

| SOURCE           | AGE OF INJURED<br>WORKER* | FROI | %    | LENGTH OF SERVICE * | FROI | %    |
|------------------|---------------------------|------|------|---------------------|------|------|
|                  | 35-44                     | 799  | 28.6 | Under 1 year        | 714  | 26.1 |
| BODILY MOTION/   | 45-54                     | 774  | 27.7 | 5-14 years          | 661  | 24.2 |
| POSITION OF      | 25-34                     | 530  | 18.9 | 2-4 years           | 538  | 19.7 |
| INJURED WORKER   | 55 and older              | 400  | 14.3 | 15 years and above  | 496  | 18.1 |
| (2,797 FROI)     | Under 25                  | 294  | 10.5 | 1 year to 2 years   | 326  | 11.9 |
|                  | 35-44                     | 361  | 29.2 | Under 1 year        | 363  | 30.5 |
|                  | 45-54                     | 317  | 25.6 | 5-14 years          | 272  | 22.8 |
| NONCLASSIFIABLE  | 25-34                     | 249  | 20.1 | 2-4 years           | 231  | 19.4 |
| (1,237 FROI)     | 55 and older              | 156  | 12.6 | 15 years and above  | 173  | 14.5 |
|                  | Under 25                  | 154  | 12.4 | 1 year to 2 years   | 153  | 12.8 |
| HEALTH CARE      | 25-34                     | 208  | 29.0 | Under 1 year        | 313  | 44.9 |
| PATIENT/RESIDENT | 35-44                     | 186  | 25.9 | 1 year to 2 years   | 124  | 17.8 |
| OF HEALTH CARE   | 45-54                     | 153  | 21.3 | 2-4 years           | 116  | 16.6 |
| FACILITY         | Under 25                  | 108  | 15.1 | 5-14 years          | 113  | 16.2 |
| (717 FROI)       | 55 and older              | 62   | 8.6  | 15 years and above  | 31   | 4.4  |
|                  | 45-54                     | 169  | 24.0 | Under 1 year        | 239  | 35.1 |
| FLOOR OF         | 35-44                     | 167  | 23.7 | 5-14 years          | 134  | 19.7 |
| BUILDING         | 55 and older              | 161  | 22.8 | 2-4 years           | 116  | 17.1 |
| (705 FROI)       | 25-34                     | 122  | 17.3 | 15 years and above  | 111  | 16.3 |
|                  | Under 25                  | 98   | 12.2 | 1 year to 2 years   | 80   | 11.8 |
| FLOORS,          | 35-44                     | 162  | 25.8 | Under 1 year        | 210  | 34.5 |
| WALKWAYS,        | 45-54                     | 140  | 22.3 | 5-14 years          | 135  | 22.2 |
| GROUND SURFACES  | 25-34                     | 130  | 20.7 | 2-4 years           | 114  | 18.7 |
| UNSPECIFIED      | 55 and older              | 130  | 20.7 | 1 year to 2 years   | 80   | 13.1 |
| (628 FROI)       | Under 25                  | 99   | 10.5 | 15 years and above  | 70   | 11.5 |

\* These columns refer to the source indicated, not to other columns or entries within those columns. **FROI** = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification

#### **Bodily Motion/Position of Injured Worker**

TABLE 7-2: Characteristics of Injuries and Illnesses Due to Bodily Motion/Position of Injured Worker

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Truck Drivers                            | 125  | 4.5 |
| Laborers, except construction            | 107  | 3.8 |
| Cashiers                                 | 95   | 3.4 |
| Janitors and cleaners                    | 95   | 3.4 |
| Nursing aides, orderlies, and attendants | 89   | 3.2 |

#### NATURE OF INJURY OR ILLNESS

| Sprains, strains, tears                     | 1,113 | 39.8 |
|---|-------|------|
| Soreness, pain, hurt, except the back       | 709   | 25.3 |
| Back pain, hurt back                        | 247   | 8.8  |
| Carpal tunnel syndrome                      | 179   | 6.4  |
| Traumatic injuries & disorders, unspecified | 139   | 5.0  |

#### **SOURCE**

### BODILY MOTION/ POSITION OF INJURED WORKER (2,797 FROI)

#### **PART OF BODY**

| Knee(s)             | 382 | 13.7 |
|---------------------|-----|------|
| Wrist(s)            | 344 | 12.3 |
| Lumbar region       | 303 | 10.8 |
| Ankle(s)            | 265 | 9.5  |
| Multiple body parts | 238 | 8.5  |

#### AGE OF INJURED WORKER

| 35-44        | 799 | 28.6 |
|--------------|-----|------|
| 45-54        | 774 | 27.7 |
| 25-34        | 530 | 18.9 |
| 55 and older | 400 | 14.3 |
| Under 25     | 294 | 10.5 |


#### LENGTH OF SERVICE

| Under 1 year       | 714 | 26.1 |
|--------------------|-----|------|
| 5-14 years         | 661 | 24.2 |
| 2-4 years          | 538 | 19.7 |
| 15 years and above | 496 | 18.1 |
| 1 year to 2 years  | 326 | 11.9 |

FROI = Employer's First Report of Occupational Injury or Disease

Figure 7-1 presents the five occupations reporting the highest frequency of 2003 first reports within the bodily motion/position of injured worker source.

FIGURE 7-1: Occupations - Bodily Motion/Position of Injured Worker (2,797 First Reports)



As can be seen in Figure 7-1, truck drivers were involved in the highest proportion of first reports in 2003. Table 7-2 shows that the number one nature of injury or illness for this source was sprains, strains, and tears. The most often reported body part for all workers was knee(s). The top age group affected by this source of injury or illness was 35-44 years and the predominant length-of-service group was under one year.

#### Nonclassifiable

TABLE 7-3: Characteristics of Injuries and Illnesses Due to Nonclassifiable Sources

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Laborers, except construction                               | 85   | 6.9 |
| Nursing aides, orderlies, and attendants                    | 66   | 5.4 |
| Truck Drivers   | 51   | 4.1 |
| Janitors and cleaners                                       | 45   | 3.7 |
| Freight/stock/material handlers, not elsewhere classifiable | 33   | 2.7 |

#### **NATURE**

| Soreness, pain, hurt, except the back       | 328 | 25.9 |
|---|-----|------|
| Sprains, strains, tears                     | 287 | 23.2 |
| Back pain, hurt back                        | 156 | 12.6 |
| Nonclassifiable                             | 75  | 6.1  |
| Traumatic injuries & disorders, unspecified | 68  | 5.5  |

#### **SOURCE**

### NONCLASSIFIABLE (1,237 FROI)

#### **PART OF BODY**

| Back, including spine, spinal cord, UNS | 179 | 14.5 |
|---|-----|------|
| Lumbar region                           | 134 | 10.8 |
| Multiple body parts                     | 109 | 8.8  |
| Shoulder, including clavicle, scapula   | 104 | 8.4  |
| Knee(s)                                 | 85  | 6.9  |

#### AGE OF INJURED WORKER

| 35-44        | 361 | 29.2 |
|--------------|-----|------|
| 45-54        | 317 | 25.6 |
| 25-34        | 249 | 20.1 |
| 55 and older | 156 | 12.6 |
| Under 25     | 154 | 12.4 |


#### LENGTH OF SERVICE

| Under 1 year       | 363 | 30.5 |
|--------------------|-----|------|
| 5-14 years         | 272 | 22.8 |
| 2-4 years          | 231 | 19.4 |
| 15 years and above | 173 | 14.5 |
| 1 year to 2 years  | 153 | 12.8 |

FROI = Employer's First Report of Occupational Injury and Disease

Figure 7-2 below shows the five occupations with the greatest number of first reports under the nonclassifiable source for 2003.





In terms of occupation, nonconstruction laborers, ranked first according to Figure 7-2. Table 7-3 shows that the top nature of injury or illness was nonback soreness, pain, or hurt. The back was the body part involved in the most first reports. When combined with the second place part, lumbar region, it can be seen that the back in general produced 25.3% of the first reports from this source. The first ranked age group was again 35-44 years and the top length-of-service category was under one year.

#### **Health Care Patient/Resident of Health Care Facility**

TABLE 7-4: Characteristics of Injuries and Illnesses Due to Health Care Patient/ Resident of Health Care Facility

| OCCUPATION                               | FROI | %    |
|--|------|------|
| Nursing aides, orderlies, and attendants | 446  | 62.5 |
| Registered nurses                        | 96   | 13.4 |
| Health aides, excluding nursing          | 62   | 8.7  |
| Health technologists/technicians, NEC    | 17   | 2.4  |
| Licensed practical nurses                | 14   | 2.0  |

#### NATURE OF INJURY OR ILLNESS

| Sprains, strains, tears                     | 384 | 53.6 |
|---|-----|------|
| Back pain, hurt back                        | 105 | 14.6 |
| Soreness, pain, hurt, except the back       | 105 | 14.6 |
| Traumatic injuries & disorders, unspecified | 47  | 6.6  |
| Bruises, contusions                         | 21  | 2.9  |

#### **SOURCE**

### HEALTH CARE PATIENT/RESIDENT OF HEALTH CARE FACILITY (717 FROI)

#### **PART OF BODY**

| Lumbar region                           | 168 | 23.4 |
|---|-----|------|
| Back, including spine, spinal cord, UNS | 137 | 19.1 |
| Multiple body parts                     | 90  | 12.6 |
| Shoulder, including clavicle, scapula   | 59  | 8.2  |
| Wrist(s)                                | 27  | 3.8  |

#### AGE OF INJURED WORKER

| 25-34        | 208 | 29.0 |
|--------------|-----|------|
| 35-44        | 186 | 25.9 |
| 45-54        | 153 | 21.3 |
| Under 25     | 108 | 15.1 |
| 55 and older | 62  | 8.6  |

#### LENGTH OF SERVICE

| Under 1 year       | 313 | 44.9 |
|--------------------|-----|------|
| 1 year to 2 years  | 124 | 17.8 |
| 2-4 years          | 116 | 16.6 |
| 5-14 years         | 113 | 16.2 |
| 15 years and above | 31  | 4.4  |

FROI = Employer's First Report of Occupational Injury or Disease

Figure 7-3 presents the five occupations identified in the highest frequency of 2003 first reports due to the health care patient/resident of health care facility source.

FIGURE 7-3: Occupations - Health Care Patient/Resident of Health Care Facility (717 First Reports)




Figure 7-3 differs considerably in appearance from preceding occupation pie charts. Nursing aides, orderlies, and attendants, together with registered nurses, accounted for over 75% of first reports where the health care patient/resident of health care facility was identified as the source of the injury or illness. From Table 7-4, the top ranked nature of injury or illness was sprains, strains, and tears. Lumbar region was the most reported injured body part, and injuries to the back, also including back, including spine, spinal cord, unspecified, accounted for 42.5% of all first reports for this source. The top ranking age group was 25-34 years and the top length-of-service group was under one year.

#### Floor of Building

TABLE 7-5: Characteristics of Injuries and Illnesses Due to Floor of Building

| OCCUPATION                               | FROI | %   |
|--|------|-----|
| Nursing aides, orderlies, and attendants | 45   | 6.4 |
| Kitchen workers, food preparation        | 29   | 4.1 |
| Janitors and cleaners                    | 28   | 4.0 |
| Cooks                                    | 27   | 3.8 |
| Stock handlers and baggers               | 24   | 3.4 |

#### **NATURE**

| Sprains, strains, tears                     | 151 | 21.4 |
|---|-----|------|
| Bruises, contusions                         | 121 | 17.2 |
| Soreness, pain, hurt, except the back       | 118 | 16.7 |
| Fractures                                   | 101 | 14.3 |
| Traumatic injuries & disorders, unspecified | 68  | 9.6  |

#### **SOURCE**

FLOOR OF BUILDING (705 FROI)

#### PART OF BODY

| Multiple body parts | 174 | 24.7 |
|---------------------|-----|------|
| Knee(s)             | 126 | 17.9 |
| Ankle(s)            | 48  | 6.8  |
| Lumbar region       | 35  | 5.0  |
| Wrist(s)            | 35  | 5.0  |

#### AGE OF INJURED WORKER

| 45-54        | 169 | 24.0 |
|--------------|-----|------|
| 35-44        | 167 | 23.7 |
| 55 and older | 161 | 22.8 |
| 25-34        | 122 | 17.3 |
| Under 25     | 86  | 12.2 |

#### LENGTH OF SERVICE

| Under 1 year       | 239 | 35.1 |
|--------------------|-----|------|
| 5-14 years         | 134 | 19.7 |
| 2-4 years          | 116 | 17.1 |
| 15 years and above | 111 | 16.3 |
| 1 year to 2 years  | 80  | 11.8 |

FROI = Employer's First Report of Occupational Injury or Disease

The top five occupations, in terms of first reports in 2003, for the floor of building source are shown in Figure 7-4.




FIGURE 7-4: Occupations - Floor of Building (705 First Reports)

Nursing aides, orderlies, and attendants ranked first among occupations affected by this source, but, as shown in Figure 7-4, many other occupations reported injuries and illnesses due to floor of building. Sprains, strains, and tears was the top nature of injury or illness, as seen in Table 7-5. The number one part of body affected was multiple body parts. The top age group was 45-54 years. Of note, from 2002 to 2003 there was a 25% decrease (113 to 86) in first reports involving workers under age 25. The top length-of-service category was under one year.

#### Floors, Walkways, Ground Surfaces, Unspecified

TABLE 7-6: Characteristics of Injuries and Illnesses Due to Floors, Walkways, Ground Surfaces, Unspecified

| OCCUPATION                    | FROI | %    |
|-------------------------------|------|------|
| Truck Drivers                 | 72   | 11.6 |
| Carpenters                    | 35   | 5.6  |
| Janitors and cleaners         | 28   | 4.5  |
| Laborers, except construction | 27   | 4.3  |
| Construction laborers         | 23   | 3.7  |

#### **NATURE**

| Sprains, strains, tears                     | 162 | 25.8 |
|---|-----|------|
| Soreness, pain, hurt, except the back       | 107 | 17.0 |
| Fractures                                   | 96  | 15.3 |
| Bruises, contusions                         | 91  | 14.5 |
| Traumatic injuries & disorders, unspecified | 41  | 6.5  |

#### **SOURCE**

# FLOORS, WALKWAYS, GROUND SURFACES UNSPECIFIED (628 FROI)

#### **PART OF BODY**

| Multiple body parts                   | 119 | 18.9 |
|---------------------------------------|-----|------|
| Knee(s)                               | 77  | 12.3 |
| Ankle(s)                              | 65  | 10.4 |
| Lumbar region                         | 49  | 7.8  |
| Shoulder, including clavicle, scapula | 43  | 6.8  |

#### AGE OF INJURED WORKER

| 35-44        | 162 | 25.8 |
|--------------|-----|------|
| 45-54        | 140 | 22.3 |
| 25-34        | 130 | 20.7 |
| 55 and older | 130 | 20.7 |
| Under 25     | 66  | 10.5 |


#### LENGTH OF SERVICE

| Under 1 year       | 210 | 34.5 |
|--------------------|-----|------|
| 5-14 years         | 135 | 22.2 |
| 2-4 years          | 114 | 18.7 |
| 1 year to 2 years  | 80  | 13.1 |
| 15 years and above | 70  | 11.5 |

FROI = Employer's First Report of Occupational Injury of Disease

For the floors, walkways, ground surfaces, unspecified source in the year 2003, Figure 7-5 shows the five occupations with the highest frequency of first reports.

FIGURE 7-5: Occupations - Floors, Walkways, Ground Surfaces, Unspecified (628 First Reports)



In terms of occupations for this source, as diagrammed in Figure 7-5, truck drivers ranked first, but many occupations contributed to the overall first reports frequency. Sprains, strains, and tears was the most commonly reported nature of injury or illness in Table 7-6. Multiple body parts was the body part producing the highest frequency of reported injury or illness. The 35-44 year age and under one year length-of-service groupings appear at the top of their respective lists.

#### SECTION 8: STATISTICAL SERVICES AVAILABLE

#### Overview

Besides the information presented in this report, the Maine Department of Labor can produce detailed data by calendar year in a format called a *profile*, available by specific request and at no charge. A profile is a cross-tabulation of characteristics of reported cases resulting in at least one day away from work beyond the day of injury or illness for a given year or years. A profile typically consists of the counts (frequencies) of:

- 1. Nature of injury or illness
- 2. Part of body affected
- 3. Source of injury or illness
- 4. Event or exposure
- 5. Occupation of injured or ill worker
- 6. Industry of injured or ill worker

A profile usually also includes counts of other parameters such as demographics (age, gender, length of service, county of injury, *etc.*), as well as day of the week and month the injury or illness occurred.

Profiles can be requested by anyone who is interested in one or more specific criteria such as an Industry or a geographic area (one or more towns or counties). Also, requests can be made based on specific nature of injury or illness, part of body affected, source of injury or illness, event or exposure, and demographics. Examples of past profiles include:

First reports in the logging Industry

First reports in wholesale plumbing and heating supplies

**Amputations** 

First reports affecting older workers (age 45 and older)

First reports at a specific hospital

First reports occurring in Kennebec County

One can also request a tightly focused profile: *i.e.*, a profile given a narrower scope by crosstabulating multiple criteria. For example, one could request:

A profile of the back injuries occurring in paper mills (two criteria)

Profile of the retail sales injuries in Somerset County (two criteria)

A profile of injuries to truck drivers age 50 and older (two criteria)

A profile of back injuries occurring to women in the city of Westbrook (three criteria, a three-way cross-tabulation)

Besides the standard profiles available, the Department can respond to special requests on publicly available data in the WCB files: for example, cross-tabulations of nature by part, source by event, age group by length of service, and so forth. Special tables can be run on age groups other than those used in Table 8-1: *e.g.*, looking at workers aged 60-69 *vs.* 70-79.

Under Department policy, profiles of specific *companies* are issued only to confirmed officials of the company requested. Company data is available to others directly from the Maine Workers' Compensation Board (WCB) however. Access to data identifying specific *employees* is restricted and use or release of such information requires the written permission of the WCB. Once permission is granted the Department can fulfill the specific data request. For example, the Department used WCB data to generate an injury profile of recent graduates of a particular college in Maine.

A sample three-way cross-tabulation profile is provided beginning on the next page. It covers janitors and cleaners (occupation) in elementary and secondary schools (Industry) in Cumberland County (geographic location) for the years 2000-2002. The sample profile contains tables for the "standard" characteristics, nature, part, source, and event. Occupation and industry are part of the criteria of selection and are omitted. These tables list both count (frequency) and percent by year, with the years ordered by total number of first reports, rather than chronologically. Additional characteristics include age, length of service, day of the week, and month of injury or illness. The latter three are tabulated by year in chronological order, but age is given only as combined figures for the whole three-year period with columns for cumulative frequency and cumulative percent. This illustrates the variety of forms of presentation possible within a profile. Other characteristics, such as gender of the worker, could have been included or used as criteria.

The sample profile lists ALL disabling cases that meet the criteria, including single-instance examples, and ONLY those cases that meet the criteria. Its results therefore differ from the general results under janitors and cleaners in this report (Table 4-5). For example, fall down stairs or steps appears in the top five events in the year 2002 in the profile (Table 8-5) but not in Table 4-5 of the 2003 general report. In such differences lie the questions that can lead to a safer workplace for janitors and cleaners in primary and secondary schools in Cumberland County. A profile allows examination of a specific area of the available data in detail.

If you have further questions or would like to request a specific profile or special study, please contact Steve Laundrie at the Maine Department of Labor at (207) 624-6447 or e-mail steven.p.laundrie@maine.gov

#### **Sample Profile**

The following is a three-way cross tabulation, or three-criteria focused data profile, more-orless as the results would be presented to the requester. There would actually be three additional very brief tables showing that 100% of the 113 cases fit each of the criteria. Several interesting points emerge from this profile:

- The age group reporting the highest frequency of first reports for the time period was 55-59 years, followed closely by 60 and over. Additional research is required in order to determine if janitors and cleaners in schools in Cumberland County were generally older workers or if older workers were being disproportionately injured.
- Overall, and for all three years individually, the dominant nature of injury or illness was sprains, strains, and tears. This points up the importance of musculoskeletal injuries.
- Bodily motion/position of injured worker was the most important source of injury, consistent with the importance of musculoskeletal injuries.
- Overexertion in lifting was the primary event leading to injury, followed by fall to floor, walkway, or other surface. These are equal in frequencies of first reports in both 2000 and 2002.
- The length-of-service grouping reporting the highest frequency of first reports was 5-14 years, followed by under one year. Because under one year is more typically strongly dominant, this opens the question of why the more experienced workers are being injured at a higher rate.

**Table 8-1**2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

|       |           |         | Cumulative | Cumulative |
|-------|-----------|---------|------------|------------|
| AGE   | Frequency | Percent | Frequency  | Percent    |
| 19-24 | 2         | 1.8     | 2          | 1.8        |
| 25-29 | 3         | 2.7     | 5          | 4.4        |
| 30-34 | 6         | 5.3     | 11         | 9.7        |
| 35-39 | 16        | 14.2    | 27         | 23.9       |
| 40-44 | 14        | 12.4    | 41         | 36.3       |
| 45-49 | 16        | 14.2    | 57         | 50.4       |
| 50-54 | 16        | 14.2    | 73         | 64.6       |
| 55-59 | 21        | 18.6    | 94         | 83.2       |
| 60+   | 19        | 16.8    | 113        | 100.0      |

Table 8-2

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Nature of Injury                         |        |        |       | Disabling | Cases | Disabling Cases |       |  |  |  |  |
|--|--------|--------|-------|-----------|-------|-----------------|-------|--|--|--|--|
|  | Total  | 200    | 1     | 2002      | 2     | 2000            | )     |  |  |  |  |
|  | Number | Number | Pct   | Number    | Pct   | Number          | Pct   |  |  |  |  |
| Total                                    | 113    | 43     | 100.0 | 37        | 100.0 | 33              | 100.0 |  |  |  |  |
| *  |        |        |       |           |       |                 |       |  |  |  |  |
| Sprains, strains, tears                  | 40     | 13     | 30.2  | 12        | 32.4  | 15              | 45.5  |  |  |  |  |
| Soreness, pain, hurt, except the back    | 18     | 6      | 14.0  | 6         | 16.2  | 6               | 18.2  |  |  |  |  |
| Traumatic inj & disorders, UNS           | 13     | 6      | 14.0  | 5         | 13.5  | 2               | 6.1   |  |  |  |  |
| Back pain, hurt back                     | 12     | 5      | 11.6  | 3         | 8.1   | 4               | 12.1  |  |  |  |  |
| Bruises, contusions                      | 8      | 3      | 7.0   | 4         | 10.8  | 1               | 3.0   |  |  |  |  |
| Cuts, lacerations                        | 3      | 1      | 2.3   | 0         | 0     | 2               | 6.1   |  |  |  |  |
| Neurotic reaction to stress              | 3      | 1      | 2.3   | 0         | 0     | 2               | 6.1   |  |  |  |  |
| Punctures, except bites                  | 2      | 0      | 0     | 2         | 5.4   | 0               | 0     |  |  |  |  |
| Hiatal hernia                            | 1      | 0      | 0     | 0         | 0     | 1               | 3.0   |  |  |  |  |
| Hernia, NEC                              | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Dislocations                             | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Ganglion/cystic tumor                    | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Tendonitis                               | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| General symptoms, NEC                    | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Phlebitis                                | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Multiple traumatic inj. & disorders UNS  | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Surface wounds & bruises, UNS            | 1      | 1      | 2.3   | 0         | 0     | 0               | 0     |  |  |  |  |
| Myocardial infarction (heart attack)     | 1      | 0      | 0     | 1         | 2.7   | 0               | 0     |  |  |  |  |
| Loss of consciousness – not heat related | 1      | 0      | 0     | 1         | 2.7   | 0               | 0     |  |  |  |  |
| Symptoms, signs & ill-defined cond, UNS  | 1      | 0      | 0     | 1         | 2.7   | 0               | 0     |  |  |  |  |
| Fractures                                | 1      | 0      | 0     | 1         | 2.7   | 0               | 0     |  |  |  |  |
| Other disord of peripheral nerv sys NEC  | 1      | 0      | 0     | 1         | 2.7   | 0               | 0     |  |  |  |  |

NEC = Not Elsewhere Classifiable, not fitting available classifications.

 $\label{eq:UNS} Unspecified, insufficient data for detailed classification.$ 

Table 8-3

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Part of Body                             |        |        |       | Disabling | Cases |        |       |
|--|--------|--------|-------|-----------|-------|--------|-------|
|  | Total  | 200    | 1     | 200       | 2     | 200    | 0     |
|  | Number | Number | Pct   | Number    | Pct   | Number | Pct   |
| Total                                    | 113    | 43     | 100.0 | 37        | 100.0 | 33     | 100.0 |
| *  |        |        |       |           |       |        |       |
| Multiple body parts                      | 18     | 11     | 25.6  | 5         | 13.5  | 2      | 6.1   |
| Back, including spine, spinal cord, UNS  | 13     | 4      | 9.3   | 3         | 8.1   | 6      | 18.2  |
| Lumbar region                            | 10     | 3      | 7.0   | 3         | 8.1   | 4      | 12.1  |
| Shoulder, including clavicle, scapula    | 10     | 2      | 4.7   | 3         | 8.1   | 5      | 15.2  |
| Multiple trunk locations                 | 5      | 2      | 4.7   | 1         | 2.7   | 2      | 6.1   |
| Knee(s)                                  | 5      | 1      | 2.3   | 3         | 8.1   | 1      | 3.0   |
| Wrist(s)                                 | 5      | 3      | 7.0   | 1         | 2.7   | 1      | 3.0   |
| Thoracic region                          | 4      | 1      | 2.3   | 2         | 5.4   | 1      | 3.0   |
| Hand(s), except finger(s)                | 4      | 0      | 0     | 3         | 8.1   | 1      | 3.0   |
| Foot(feet), except toe(s), UNS           | 4      | 1      | 2.3   | 2         | 5.4   | 1      | 3.0   |
| Hip(s)                                   | 3      | 1      | 2.3   | 1         | 2.7   | 1      | 3.0   |
| Body Systems                             | 3      | 1      | 2.3   | 0         | 0     | 2      | 6.1   |
| Leg(s), UNS                              | 3      | 2      | 4.7   | 0         | 0     | 1      | 3.0   |
| Ankle(s)                                 | 3      | 1      | 2.3   | 2         | 5.4   | 0      | 0     |
| Groin                                    | 3      | 2      | 4.7   | 1         | 2.7   | 0      | 0     |
| Lower leg(s)                             | 2      | 1      | 2.3   | 0         | 0     | 1      | 3.0   |
| Arm(s), UNS                              | 2      | 1      | 2.3   | 0         | 0     | 1      | 3.0   |
| Multiple foot(feet) locations            | 2      | 1      | 2.3   | 1         | 2.7   | 0      | 0     |
| Multiple lower extremities locations NC  | 2      | 1      | 2.3   | 1         | 2.7   | 0      | 0     |
| Head, UNS                                | 2      | 2      | 4.7   | 0         | 0     | 0      | 0     |
| Foot(feet) and ankle(s)                  | 2      | 0      | 0     | 2         | 5.4   | 0      | 0     |
| Finger(s), fingernail(s)                 | 1      | 0      | 0     | 0         | 0     | 1      | 3.0   |
| Stomach organ                            | 1      | 0      | 0     | 0         | 0     | 1      | 3.0   |
| Multiple upper extremities locations, NC | 1      | 0      | 0     | 0         | 0     | 1      | 3.0   |
| Internal abdominal location, NEC         | 1      | 1      | 2.3   | 0         | 0     | 0      | 0     |
| Forehead                                 | 1      | 1      | 2.3   | 0         | 0     | 0      | 0     |
| Heart                                    | 1      | 0      | 0     | 1         | 2.7   | 0      | 0     |
| Brain                                    | 1      | 0      | 0     | 1         | 2.7   | 0      | 0     |
| Multiple leg(s) locations                | 1      | 0      | 0     | 1         | 2.7   | 0      | 0     |

NEC = Not Elsewhere Classifiable, not fitting available classifications.

UNS = Unspecified, insufficient data for detailed classification.

Table 8-4

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Source of Injury                         |        |        |       | Disabling Cases |       |        |       |  |  |
|--|--------|--------|-------|-----------------|-------|--------|-------|--|--|
|  | Total  | 200    | 1     | 200             | 2     | 200    | 0     |  |  |
|  | Number | Number | Pct   | Number          | Pct   | Number | Pct   |  |  |
| Total                                    | 113    | 43     | 100.0 | 37              | 100.0 | 33     | 100.0 |  |  |
| *  |        |        |       |                 |       |        |       |  |  |
| Bodily motion/position of injured worker | 20     | 7      | 16.3  | 7               | 18.9  | 6      | 18.2  |  |  |
| Floor of building                        | 9      | 2      | 4.7   | 5               | 13.5  | 2      | 6.1   |  |  |
| Tables, worktables                       | 8      | 4      | 9.3   | 1               | 2.7   | 3      | 9.1   |  |  |
| Nonclassifiable                          | 7      | 3      | 7.0   | 0               | 0     | 4      | 12.1  |  |  |
| Bags, sacks, totes                       | 6      | 0      | 0     | 4               | 10.8  | 2      | 6.1   |  |  |
| Floors, walkways, grounds surfaces, UNS  | 6      | 0      | 0     | 5               | 13.5  | 1      | 3.0   |  |  |
| Stairs, steps – indoors                  | 5      | 2      | 4.7   | 0               | 0     | 3      | 9.1   |  |  |
| Bodily conditions of injured, ill worker | 5      | 1      | 2.3   | 2               | 5.4   | 2      | 6.1   |  |  |
| Vacuum cleaners                          | 4      | 2      | 4.7   | 2               | 5.4   | 0      | 0.1   |  |  |
| Chairs                                   | 3      | 2      | 4.7   | 0               | 0     | 1      | 3.0   |  |  |
| Buckets, baskets, pails                  | 3      | 2      | 4.7   | 0               | 0     | 1      | 3.0   |  |  |
| Brooms, mops, and other cleaning tools   | 3      | 2      | 4.7   | 0               | 0     | 1      | 3.0   |  |  |
| Boxes, crates, cartons                   | 3      | 2      | 4.7   | 1               | 2.7   | 0      | 0     |  |  |
| Shovels                                  | 3      | 3      | 7.0   | 0               | 0     | 0      | 0     |  |  |
| Other sources, NEC                       | 3      | 3      | 7.0   | 0               | 0     | 0      | 0     |  |  |
| Desks                                    | 2      | 1      | 2.3   | 0               | 0     | 1      | 3.0   |  |  |
| Parking lots                             | 2      | 2      | 4.7   | 0               | 0     | 0      | 0     |  |  |
| Knives                                   | 1      | 0      | 0     | 0               | 0     | 1      | 3.0   |  |  |
| Ground                                   | 1      | 0      | 0     | 0               | 0     | 1      | 3.0   |  |  |
| Furniture, UNS                           | 1      | 0      | 0     | 0               | 0     | 1      | 3.0   |  |  |
| Furniture, NEC                           | 1      | 0      | 0     | 0               | 0     | 1      | 3.0   |  |  |
| Ramps, runway, loading docks             | 1      | 0      | 0     | 0               | 0     | 1      | 3.0   |  |  |
| Handtools – nonpowered, NEC              | 1      | 0      | 0     | 0               | 0     | 1      | 3.0   |  |  |
| Recreation and athletic equipment, NEC   | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Barrels, kegs, drums                     | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Cabinets, cases – display, storage       | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Pickup truck                             | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Tanks, bins, vats                        | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Tractor                                  | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Paper, books, magazines, NEC             | 1      | 1      | 2.3   | 0               | 0     | 0      | 0     |  |  |
| Dimensional lumber: 2x4, 2x3, etc.       | 1      | 0      | 0     | 1               | 2.7   | 0      | 0     |  |  |
| Windows                                  | 1      | 0      | 0     | 1               | 2.7   | 0      | 0     |  |  |
| Grandstands, stadia                      | 1      | 0      | 0     | 1               | 2.7   | 0      | 0     |  |  |
| Stairs, steps – outdoors                 | 1      | 0      | 0     | 1               | 2.7   | 0      | 0     |  |  |

#### (CONTINUED)

NEC = Not Elsewhere Classifiable, not fitting available classifications.

UNS = Unspecified, insufficient data for detailed classification.

#### Table 8-4, continued

### $2000\ through\ 2002\ Maine$ Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Source of Injury                     |        | Disabling Cases |     |        |     |        |     |
|--------------------------------------|--------|-----------------|-----|--------|-----|--------|-----|
|                                      | Total  | 200             | 1   | 2002   | 2   | 2000   |     |
|                                      | Number | Number          | Pct | Number | Pct | Number | Pct |
| *                                    |        |                 |     |        |     |        |     |
| Rails                                | 1      | 0               | 0   | 1      | 2.7 | 0      | 0   |
| Cranes – portal, tower, pillar       | 1      | 0               | 0   | 1      | 2.7 | 0      | 0   |
| Ranges/cooking ovens/grills/toasters | 1      | 0               | 0   | 1      | 2.7 | 0      | 0   |
| Gates                                | 1      | 0               | 0   | 1      | 2.7 | 0      | 0   |

Table 8-5

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Event Leading to Injury                    |        | Disabling Cases |       |        |       |        |       |
|--|--------|-----------------|-------|--------|-------|--------|-------|
|  | Total  | 200             | 1     | 200    | 2     | 200    | 0     |
|  | Number | Number          | Pct   | Number | Pct   | Number | Pct   |
| Total                                      | 113    | 43              | 100.0 | 37     | 100.0 | 33     | 100.0 |
| *  |        |                 |       |        |       |        |       |
| Overexertion in lifting                    | 22     | 11              | 25.6  | 7      | 18.9  | 4      | 12.1  |
| Fall to floor, walkway or other surface    | 15     | 4               | 9.3   | 7      | 18.9  | 4      | 12.1  |
| Overexertn holdg/carryg/turng/wieldg obj   | 8      | 6               | 14.0  | 0      | 0     | 2      | 6.1   |
| Fall down stairs or steps                  | 6      | 0               | 0     | 3      | 8.1   | 3      | 9.1   |
| Overexertion in pulling/pushing objects    | 6      | 1               | 2.3   | 4      | 10.8  | 1      | 3.0   |
| Repetitive use of tools                    | 5      | 1               | 2.3   | 1      | 2.7   | 3      | 9.1   |
| Bodily conditions, NEC                     | 5      | 1               | 2.3   | 2      | 5.4   | 2      | 6.1   |
| Slip, trip, loss of balance – without fall | 5      | 2               | 4.7   | 2      | 5.4   | 1      | 3.0   |
| Overexertion, UNS                          | 4      | 0               | 0     | 2      | 5.4   | 2      | 6.1   |
| Overexertion, NEC                          | 4      | 2               | 4.7   | 0      | 0     | 2      | 6.1   |
| Fall onto or against objects               | 4      | 2               | 4.7   | 1      | 2.7   | 1      | 3.0   |
| Repetitive motion, UNS                     | 4      | 0               | 0     | 2      | 5.4   | 2      | 6.1   |
| Struck by falling object                   | 4      | 3               | 7.0   | 1      | 2.7   | 0      | 0     |
| Bending/climbing/crawling/reachg/twistg    | 4      | 2               | 4.7   | 2      | 5.4   | 0      | 0     |
| Nonclassifiable                            | 3      | 1               | 2.3   | 0      | 0     | 2      | 6.1   |
| Struck against stationary object           | 2      | 0               | 0     | 1      | 2.7   | 1      | 3.0   |
| Bodily reaction and exertion, UNS          | 2      | 2               | 4.7   | 0      | 0     | 0      | 0     |
| Fall from ladder                           | 2      | 1               | 2.3   | 1      | 2.7   | 0      | 0     |
| Struck by slipping handheld object         | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |
| Overexertion in throwing objects           | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |
| Fall, UNS                                  | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |
| Bodily reaction, NEC                       | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Bodily reaction, UNS                       | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Struck against object, NEC                 | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Noncollision accident, NEC                 | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Rubbed/abraded by kneeling on surface      | 1      | 0               | 0     | 1      | 2.7   | 0      | 0     |

NEC = Not Elsewhere Classifiable, not fitting available classifications.

UNS = Unspecified, insufficient data for detailed classification.

Table 8-6

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Length of Service of  |        | Disabling Cases |       |        |       |        |       |  |
|-----------------------|--------|-----------------|-------|--------|-------|--------|-------|--|
| Injured Worker        | Total  | 200             | 0     | 200    | 1     | 2002   |       |  |
|                       | Number | Number          | Pct   | Number | Pct   | Number | Pct   |  |
| Total                 | 113    | 33              | 100.0 | 43     | 100.0 | 37     | 100.0 |  |
| *                     |        |                 |       |        |       |        |       |  |
| Unknown               | 12     | 0               | 0     | 4      | 9.3   | 8      | 21.6  |  |
| Under 1 Year          | 19     | 4               | 12.1  | 8      | 18.6  | 7      | 18.9  |  |
| 1 year up to 2 years  | 6      | 0               | 0     | 4      | 9.3   | 2      | 5.4   |  |
| 2 years up to 3 years | 5      | 2               | 6.1   | 3      | 7.0   | 0      | 0     |  |
| 3-4 years             | 13     | 5               | 15.2  | 4      | 9.3   | 4      | 10.8  |  |
| 5-9 years             | 23     | 7               | 21.2  | 8      | 18.6  | 8      | 21.6  |  |
| 10-14 years           | 23     | 10              | 30.3  | 9      | 20.9  | 4      | 10.8  |  |
| 15-19 years           | 4      | 2               | 6.1   | 1      | 2.3   | 1      | 2.7   |  |
| 20 years and above    | 8      | 3               | 9.1   | 2      | 4.7   | 3      | 8.1   |  |

Table 8-7

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Day of the Week of |        | Disabling Cases |       |        |       |        |       |  |  |
|--------------------|--------|-----------------|-------|--------|-------|--------|-------|--|--|
| Injury             | Total  | 200             | 0     | 200    | 1     | 2002   |       |  |  |
|                    | Number | Number          | Pct   | Number | Pct   | Number | Pct   |  |  |
| Total              | 113    | 33              | 100.0 | 43     | 100.0 | 37     | 100.0 |  |  |
| *                  |        |                 |       |        |       |        |       |  |  |
| Sunday             | 1      | 0               | 0     | 0      | 0     | 1      | 2.7   |  |  |
| Monday             | 22     | 9               | 27.3  | 4      | 9.3   | 9      | 24.3  |  |  |
| Tuesday            | 22     | 4               | 12.1  | 10     | 23.3  | 8      | 21.6  |  |  |
| Wednesday          | 24     | 7               | 21.2  | 10     | 23.3  | 7      | 18.9  |  |  |
| Thursday           | 23     | 8               | 24.2  | 9      | 20.9  | 6      | 16.2  |  |  |
| Friday             | 15     | 3               | 9.1   | 10     | 23.3  | 2      | 5.4   |  |  |
| Saturday           | 6      | 2               | 6.1   | 0      | 0     | 4      | 10.8  |  |  |

Table 8-8

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases
JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Month of Injury |        | Disabling Cases |       |        |       |        |       |  |
|-----------------|--------|-----------------|-------|--------|-------|--------|-------|--|
|                 | Total  | 200             | 0     | 200    | 1     | 2002   |       |  |
|                 | Number | Number          | Pct   | Number | Pct   | Number | Pct   |  |
| Total           | 113    | 33              | 100.0 | 43     | 100.0 | 37     | 100.0 |  |
| *               |        |                 |       |        |       |        |       |  |
| January         | 7      | 4               | 12.1  | 1      | 2.3   | 2      | 5.4   |  |
| February        | 15     | 4               | 12.1  | 7      | 16.3  | 4      | 10.8  |  |
| March           | 15     | 4               | 12.1  | 6      | 14.0  | 5      | 13.5  |  |
| April           | 8      | 1               | 3.0   | 3      | 7.0   | 4      | 10.8  |  |
| May             | 14     | 4               | 12.1  | 6      | 14.0  | 4      | 10.8  |  |
| June            | 12     | 6               | 18.2  | 5      | 11.6  | 1      | 2.7   |  |
| July            | 6      | 1               | 3.0   | 2      | 4.7   | 3      | 8.1   |  |
| August          | 14     | 4               | 12.1  | 7      | 16.3  | 3      | 8.1   |  |
| September       | 6      | 1               | 3.0   | 3      | 7.0   | 2      | 5.4   |  |
| October         | 5      | 0               | 0     | 1      | 2.3   | 4      | 10.8  |  |
| November        | 4      | 1               | 3.0   | 1      | 2.3   | 2      | 5.4   |  |
| December        | 7      | 3               | 9.1   | 1      | 2.3   | 3      | 8.1   |  |