#### MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from electronic originals (may include minor formatting differences from printed original)

#### MAINE DEPARTMENT OF LABOR



Characteristics of Work-Related Injuries and Illnesses in Maine, 2005

An Annual Report November 2006

By: Theodore Bradstreet and Steven Laundrie



## Characteristics of Work-Related Injuries and Illnesses in Maine, 2005 Highlights

There was a 2.2% decrease in the annual total count of Workers' Compensation disabling *Employer's First Report of Occupational Injury or Disease* (first reports, reported cases in which the employee lost at least one day of work beyond the day of injury or illness), from 14,151 first reports in 2004 to 13,843 in 2005. This continues a decline from a recent high of 17,263 in the year 2000.

- √ 46% of first reports (6,356) involved employees with less than two years experience with their current employer. 33% of first reports (4,622) involved workers with less than one year's experience.
- √ 40% of first reports (5,545) involved workers of age 45 or older.
- √ 36% of all first reports (4,921) gave the nature of the injury or illness as sprains, strains, or tears.
- ✓ 27% of all first reports (3,689) listed overexertion of one type or another (lifting, pulling, pushing, etc.) as the event that accounted for the injury or illness.
- ✓ 24% of all 2005 first reports (6,945) involved these five occupations, in descending order: laborers and freight, stock, and material movers, hand; truck drivers, heavy and tractortrailer; nursing aides, orderlies and attendants; janitors and cleaners, except maids and housekeeping cleaners; and retail salespersons.
- ✓ 20% of first reports (2,791) indicated the back, including lumbar region, as the part of body affected.
- ✓ 20% of all first reports (2,778) originated from these five industries, in descending order: general medical and surgical hospitals; elementary and secondary schools; nursing care facilities; ship building and repairing; and supermarkets and other grocery (except convenience) stores.
- √ 18% of all first reports (2,551) identified bodily motion/position of injured worker as the source of the disabling injury or illness.



# STATE OF MAINE DEPARTMENT OF LABOR 19 UNION STREET, P.O. BOX 259 AUGUSTA, MAINE 04332-0259

LAURA A. FORTMAN

COMMISSIONER

#### Dear Reader:

The Maine Department of Labor is committed to ensuring Maine workplaces are safe and healthy for workers in our state. Each year, thousands of Maine workers participate in safety and health trainings or onsite consultation services offered through the Maine Department of Labor SafetyWorks! program, and many more benefit from public policy that promotes the safety and well being of workers on the job.

Supporting that work is a body of safety and health research developed by the Maine Department of Labor, Research and Statistics Unit. This information comes from several sources, the three principal ones being:

- Workers' Compensation Board First Reports of Injury for claims resulting in one or more days of lost time beyond the day of injury;
- U.S. Bureau of Labor Statistics Survey of Occupational Injuries and Illnesses, which samples employers' OSHA 300 logs; and
- Census of Fatal Occupational Injuries, a cooperative program with the U.S. Bureau of Labor Statistics that documents fatalities resulting from on-the-job incidents.

This report, Characteristics of Work-Related Injuries and Illnesses in Maine 2005, draws on the first of those sources to identify which workers are being injured, and where and how they are being hurt at work. In doing this, the research provides direction not only to the Maine Department of Labor, but to insurers, occupational safety and health professionals, and others with the goal of reducing the numbers of workplace injuries and illnesses and Maine.

This information is also offered to employers in the form of a customized ten-year profile of their company's workers compensation claims, which is provided at no charge upon request. In addition, the department can also provide specialized profiles covering specific occupations, types of injury or illness, industry, event, or combination thereof. Drawing on the other two information sources listed above, the department can provide other specific industry profiles, which can be helpful with day-to-day safety and health decisions in the workplace.

I hope you find this publication useful and welcome you to take advantage of the variety of safety and health services offered by the Maine Department of Labor. I also encourage your input on this publication, so that it can be improved and made more useful to workers and employers in their efforts to reduce injuries and illnesses at their workplace. You may reach us by calling (207) 624-6447 or e-mailing mdol@maine.gov.


Sincerely,

Laura A. Fortman Commissioner

PHONE: (207) 624-6400

TTY: 1-800-794-1110 E-MAIL: Laura.Fortman@maine.gov

FAX: (207) 287-5292



# STATE OF MAINE DEPARTMENT OF LABOR BUREAU OF LABOR STANDARDS 45 STATE HOUSE STATION AUGUSTA, MAINE 04333-0045

LAURA A. FORTMAN
COMMISSIONER

WILLIAM A. PEABODY

Director

Characteristics
of
Work-Related
Injuries and
Illnesses
in Maine
2005

Theodore E. Bradstreet, Planning and Research Associate Steven P. Laundrie, Statistician

November 2006

Augusta, Maine

Material in this publication is in the public domain and may, with appropriate credit, be reproduced without permission.

The Maine Department of Labor provides equal opportunity employment and programs. Auxiliary aids and services are available to individuals with disabilities upon request.

Telephone: (207) 624-6400 TTY: 1-800-794-1110 Fax: (207) 624-6449

This publication is available at: <a href="www.maine.gov/labor/bls/charwork.htm">www.maine.gov/labor/bls/charwork.htm</a>

#### **CONTENTS**

|   | Page  |
|---|-------|
| CAVEAT  | vii   |
| Background and Definitions  |       |
| Background  | 1     |
| Definitions   | 2     |
| Summary   |       |
| Section 1: Overall Trend of First Reports                                       | 7     |
| Section 2: The Most Frequently Reported Characteristics of Work-Related Injurie | s and |
| Illnesses   |       |
| Overview  |       |
| Occupation of Injured Worker  |       |
| Industry  | 9     |
| Event or Exposure   | 10    |
| Source of Injury or Illness   | 11    |
| Nature of Injury or Illness   | 12    |
| Part of Body Affected   | 13    |
| Age of Injured Worker   | 14    |
| Length of Service of Injured Worker   | 15    |
| Section 3: The Top Five Occupations   |       |
| Overview  | 17    |
| Laborers and Freight, Stock, and Material Movers, Hand (SOC 537062)             | 20    |
| Truck Drivers, Heavy and Tractor-Trailer (SOC 533032)                           | 22    |
| Nursing Aides, Orderlies, and Attendants (SOC 311012)                           |       |
| Janitors and Cleaners, Except Maids and Housekeeping Cleaners (SOC 372011).     | 26    |
| Retail Salespersons (SOC 412031)  |       |
| Section 4: The Top Five Industries  |       |
| Overview  | 31    |
| General Medical and Surgical Hospitals (NAICS 622110)                           | 34    |
| Elementary and Secondary Schools (NAICS 611110)                                 | 36    |
| Nursing Care Facilities (NAICS 623110)  | 38    |
| Ship Building and Repairing (NAICS 336611)                                      | 40    |
| Supermarkets and Other Grocery (Except Convenience) Stores (NAICS 445110)       |       |
| Section 5: The Top Five Events or Exposures                                     |       |
| Overview  | 45    |
| Overexertion in Lifting   |       |
| Fall to Floor, Walkway, or Other Surface  |       |
| Nonclassifiable   | 52    |
| Overexertion, Unspecified   |       |
| Overexertion Holding/Carrying/Turning/Wielding Object                           | 56    |
| Section 6: The Top Five Sources of Injury or Illness                            |       |
| Overview  | 59    |
| Bodily Motion/Position of Injured Worker  | 62    |
| Nonclassifiable   |       |

|      | Health Care Patient/Resident of Health Care Facility                                   | 66 |
|------|--|----|
|      | Floor of Building  | 68 |
|      | Ground   | 70 |
| Sect | ion 7: The Top Five Natures  |    |
|      | Overview   | 73 |
|      | Sprains, Strains and Tears   | 76 |
|      | Non-back Soreness, Pain or Hurt  | 78 |
|      | Bruises, Contusions  | 80 |
|      | Back Pain, Hurt Back   | 82 |
|      | Fractures  | 84 |
| App  | endix A: Work-Related Injury Data Available  | 86 |
|      | Sample Profile: First Reports of Injury of Janitors and Cleaners in Elementary and     |    |
|      | Secondary Schools in Cumberland County, 2000-2002                                      | 88 |
|      |  |    |
|      | TABLES   |    |
|      |  |    |
|      | Top Ten Occupations of Injured Worker  |    |
|      | Top Ten Industries of Injured Worker.  |    |
| 2-3: | Top Ten Events or Exposures.   | 10 |
| 2-4: | Top Ten Sources of Injury or Illness   | 11 |
| 2-5: | Top Ten Natures of Injury or Illness   | 12 |
|      | Top Ten Parts of Body Affected   |    |
| 2-7: | Ten Age Categories   | 14 |
|      | Eight Length-of-Service Categories   |    |
|      | Characteristics of Injuries of the Top Five Occupations                                | 18 |
|      | Characteristics of Injuries and Illnesses of Laborers and Freight, Stock, and Material |    |
|      | Movers, Hand   |    |
|      | Characteristics of Injuries and Illnesses of Truck Driver, Heavy and Tractor-Trailer   |    |
|      | Characteristics of Injuries and Illnesses of Nursing Aides, Orderlies, and Attendants  | 24 |
| 3-5: | Characteristics of Injuries and Illnesses of Janitors and Cleaners, Except Maids and   |    |
|      | Housekeeping Cleaners.   |    |
|      | Characteristics of Injuries and Illnesses of Retail Salespersons                       |    |
|      | Characteristics of Injuries of the Top Five Industries                                 |    |
|      | Characteristics of Injuries and Illnesses in General Medical and Surgical Hospitals    |    |
|      | Characteristics of Injuries and Illnesses in Elementary and Secondary Schools          |    |
|      | Characteristics of Injuries and Illnesses in Nursing Care Facilities                   |    |
|      | Characteristics of Injuries and Illnesses in Ship Building and Repairing               | 40 |
|      | Characteristics of Injuries and Illnesses in Supermarkets and Other Grocery            |    |
|      | (Except Convenience) Stores  |    |
|      | Characteristics of Injuries for the Top Five Events or Exposures                       |    |
|      | Characteristics of Injuries and Illnesses Due to Overexertion in Lifting               | 48 |
| 5-3: | Characteristics of Injuries and Illnesses Due to Fall to Floor, Walkway,               |    |
| 5    | or Other Surface   |    |
|      | Characteristics of Injuries and Illnesses Due to Nonclassifiable Evens or Exposures    |    |
| 5-5: | Characteristics of Injuries and Illnesses Due to Overexertion, Unspecified             | 54 |

| 5-6: | Characteristics of Injuries and Illnesses Due to Overexertion Holding/Carrying/         |       |
|------|---|-------|
|      | Turning/Wielding Objects  | .56   |
| 6-1: | Characteristics of Injuries for the Top Five Sources of Injury or Illness               | .60   |
| 6-2: | Characteristics of Injuries and Illnesses Due to Bodily Motion/Position of              |       |
|      | Injured Worker  | .62   |
| 6-3: | Characteristics of Injuries and Illnesses Due to Nonclassifiable Sources                | . 64  |
| 6-4: | Characteristics of Injuries and Illnesses Due to Health Care Patient/Resident of Health |       |
|      | Care Facility   | .66   |
| 6-5: | Characteristics of Injuries and Illnesses Due to Floor of Building                      | .68   |
|      | Characteristics of Injuries and Illnesses Due to Ground                                 |       |
| 7-1: | Characteristics of Injuries for the Top Five Natures of Injury or Illness               | .74   |
|      | Characteristics of Sprains, Strains, and Tears  |       |
|      | Characteristics of Non-back Soreness, Pain, or Hurt                                     |       |
|      | Characteristics of Bruises, Contusions  |       |
|      | Characteristics of Back Pain, Hurt Back   |       |
|      | Characteristics of Fractures  |       |
|      | Event Leading to Injury   |       |
|      | Source of Injury  |       |
|      | : Nature of Injury  |       |
|      | Part of Body  |       |
|      | : Age   |       |
| A-6: | : Length of Service   | .94   |
|      |   |       |
|      | FIGURES   |       |
|      |   |       |
|      | Twenty-Year Comparison of First Reports Annual Totals                                   |       |
| 3-1: | Events - Laborers and Freight, Stock, and Material Movers, Hand (859 First Reports)     | . 21  |
| 3-2: | Events – Truck Drivers, Heavy and Tractor-Trailer (688 First Reports)                   | . 23  |
| 3-3: | Events - Nursing Aides, Orderlies, and Attendants (651 First Reports)                   | . 25  |
|      | Events - Janitors & Cleaners, Except Maids & Housekeeping Cleaners                      |       |
|      | (559 First Reports)   |       |
|      | Events – Retail Salespersons (499 First Reports)  |       |
|      | Occupations – General Medical and Surgical Hospitals (641 First Reports)                |       |
|      | Occupations – Elementary and Secondary Schools (622 First Reports)                      |       |
|      | Occupations – Nursing Care Facilities (598 First Reports)                               |       |
|      | Occupations – Ship Building and Repairing (478 First Reports)                           |       |
|      | Occupations – Supermarkets and Other Grocery Stores (439 First Reports)                 |       |
|      | Occupations – Overexertion in Lifting (1,916 First Reports)                             |       |
|      | Occupations – Fall to Floor, Walkway or Other Surface (1,361 First Reports)             |       |
|      | Occupations – Nonclassifiable Events (630 First Reports)                                |       |
|      | Occupations – Overexertion, Unspecified (628 First Reports)                             | .55   |
|      | Occupations – Overexertion Holding/Carrying/Turning/Wielding Objects                    | _رئين |
|      | (589 First Reports)   |       |
|      | Occupations – Bodily Motion/Position of Injured Worker (2,551 First Reports)            |       |
| 0-2: | Occupations – Nonclassifiable Source (1,433 First Reports)                              | .00   |

| 6-3: Occupations – Health Care Patient/Resident of Health Care Facility |  |    |
|---|--|----|
|   | (731 First Reports)  | 67 |
|   | Occupations – Floor of Building (673 First Reports)                  |    |
|   | Occupations – Ground (661 First Reports)                             |    |
| 7-1:  | Occupations – Sprains, Strains, and Tears (4,921 First Reports)      | 77 |
| 7-2:  | Occupations - Non-back Soreness, Pain, or Hurt (1,983 First Reports) | 79 |
| 7-3:  | Occupations – Bruises, Contusions (1,075 First Reports)              | 81 |
| 7-4:  | Occupations – Back Pain, Hurt Back (999 First Reports)               | 83 |
| 7-5:  | Occupations – Fractures (752 First Reports)                          | 85 |

#### **CAVEAT**

Occupation and industry data provided in this 2005 report cannot be compared to any previous year's data because of changes in both the occupational and industrial classification systems.

Two classification systems used in all previous reports have been changed starting in 2005. Occupations are now classified using the U. S. Bureau of Labor Statistics revised Standard Occupational Classification (SOC). Industries are now classified using the North American Industry Classification System (NAICS) instead of the previous Standard Industrial Classification (SIC).

Since both new systems seek to provide more refined classification, there is very limited one-to-one correspondence with the older systems. For example, the revised SOC both "splits" and "lumps" older categories. Where the old system had one category for "truck drivers," the SOC splits that category into finer detail with such categories as "truck drivers, heavy and tractor-trailer." One the other hand, the SOC also lumps two old categories, "laborers, non-construction" and "freight, stock, and material handlers NEC" into one, "laborers and freight, stock, and material movers, hand."

The NAICS tends mainly to split SIC categories into several more detailed ones, ("department stores" goes to "department stores" and "discount department stores") but both systems still retain some examples of one-to-one correspondence with the old systems. It should be clear that, where conclusions may depend on inferences about industry or occupation, data organized by the new systems should not be compared with data organized by the old. Comparisons between years 2004 and earlier remain valid, however.

#### **BACKGROUND AND DEFINITIONS**

#### **Background**

Under the authority of Title 26 MRSA § 42-A, the Maine Department of Labor Research and Statistics Unit collects and compiles data on workplace injuries and illnesses. An important source of this information are the Maine Workers' Compensation Board (WCB) *Employer's First Report of Occupational Injury or Disease* (first reports) and related paperwork as submitted by employers or their insurers to the WCB to process claims and meet the requirements of the Workers' Compensation Law. These documents capture a broad range of information about any reported work-related injury or illness. The Research and Statistics Unit codes WCB data about each case of injury or illness resulting in at least one day away from work beyond the day of injury (a disabling case) directly onto the WCB database via on-line connection. At least once a month, WCB data are downloaded to a data warehouse where they are available to respond to specific queries, generally by cross-tabulation with other related information.

This report examines the WCB disabling-case data for the year 2005 in terms of the following eight characteristics of injury or illness: (1) occupation of injured worker, (2) industry, (3) event or exposure, (4) source of injury or illness, (5) nature of injury or illness, (6) part of body affected, (7) age of the injured worker and (8) length of service of the injured worker (all as defined below). The reasons for examining these characteristics are as follows:

- 1) The analysis provides insights as to the "who" (occupation, age, and length of service of the injured worker), "where" (industry), "how" (event or exposure and source of injury or illness), and "what" (nature of injury or illness and part of body affected) questions about occupational injuries and illnesses sustained by Maine workers in 2005.
- 2) This report is meant to serve as an example of queries possible with this data source.

Strengths of the WCB data are that each WCB First Report of Occupational Injury or Disease (FROI) contains detailed data about the employee, the employer, and the incident beyond what is used here, such as date and time of injury. General information is in the public domain although the release of employee-specific information must be approved by the WCB. This means that case characteristic information can be generated for an individual company, or groups of companies or of cases, rather than the statewide approach of this report. This report is intended to encourage requests for specific inquiries using the WCB data to improve occupational safety and health in Maine workplaces.

There are certain limitations to such inquiry, including this report, as follows:

- 1) The WCB data are not comparable to data generated by the federal Bureau of Labor Statistics Survey of Occupational Injuries and Illnesses (SOII) because:
  - a. The definitions of "recordable case" under federal OSHA record keeping rules (used by SOII) and under the WCB are different from one another. Injuries or

illnesses that are recordable by WCB standards may not be recordable by OSHA standards and *vice versa*.

- b. Annual average numbers of employees and total hours worked per employer are not collected by the WCB. This means that incidence rates cannot be produced from the WCB data.
- Workers' Compensation laws vary from state to state, making comparisons among states difficult.
- 3) The consistency of the coding is subject to the individual coder's interpretation.
- 4) Perhaps most importantly, the quality of the data is subject to the quality of answers provided on the first reports. These reports are to be filed within 7 days of an employer learning about a case, and complete information is not always available at that point. Completion/correction is possible, and in some cases required. The "nonclassifiable" category used in this report reflects missing data.
- 5) Lastly, since 1993, only disabling cases have been coded. This means that cases with job transfer or job restriction but no lost time cannot be examined at this time.

#### **Definitions**

The following is an alphabetical list of definitions of terms and abbreviations used in this report.

Age of injured worker: the age of the injured worker at the time of injury, calculated from the worker's date of birth and the date of injury.

Disabling: resulting in at least one day away from work beyond the day of injury or illness.

Event or exposure: the manner in which the injury or illness was produced or inflicted by the source of the injury or illness.

First report(s): Employer's First Report of Occupational Injury or Disease, the standard form on which an employer or employer's representative makes initial report to the WCB of an occupational injury or illness affecting one of its workers. For the purposes of this report, this includes reports of disabling cases only.

**FROI**: Employer's First Report of Occupational Injury or Disease, see first reports above.

*Industry:* the business in which the injured worker was actually employed at the time of injury or illness.

Length of service of the injured worker: the injured worker's length of service with the employer at the time of injury or illness, calculated from date of hire and date of injury or illness. Date of hire is not always available.

Maine Occupational Research Agenda (MORA): An occupational safety and health research agenda modeled on the National Occupational Research Agenda (NORA) and managed by the MORA Steering Committee.

*NAICS*: North American Industry Classification System. A system of classifying industries using a six-digit code indicating the type of activity in which the industry is engaged.

Nature of injury or illness: the principal physical characteristic(s) of the injury or illness.

Nonclassifiable: insufficient data to allow classification, usually missing data.

Not elsewhere classifiable (NEC): not classifiable among other standard classifications.

*Occupation of injured worker*: the occupation in which the injured worker was actually engaged at the time of injury or illness (this may not be the worker's regular occupation or job class).

**Part of body affected:** the part(s) of the injured worker's body directly affected by the nature of the injury or illness.

*SIC*: Standard Industrial Classification code. A four-digit code assigned to an employer to classify the establishment by the type of activity in which it is engaged.

**SOC:** Standard Occupational Classification. A system of classifying occupations using a six-digit code to indicate the activity undertaken by that occupation.

Source of injury or illness: the object, substance, bodily motion, or work environment that directly produced or inflicted the injury or illness.

Unspecified (UNS): insufficient data for more detailed classification.

WCB: Maine Workers' Compensation Board.

#### **SUMMARY**

Reports of work-related injuries and illnesses resulting in at least one day away from work declined slightly in 2005, from 14,151 first reports in 2004 to 13,843, a 2.2% decrease. This continues a decline from a recent high of 17,263 in the year 2000.

Workers injured were examined in terms of three characteristics, occupation, age, and length of service of the injured worker. The five occupations that filed the highest numbers of first reports in 2005 were, in descending order: laborers and freight, stock, and material movers, hand (SOC 537062); truck drivers, heavy and tractor-trailer (SOC 533032); nursing aides, orderlies, and attendants (SOC 311012); janitors and cleaners, except maids and housekeeping cleaners (SOC 372011); and retail salespersons (SOC 412031). These five occupations accounted for 23.5% (3,265 cases) of all 2005 first reports. Two points of concern emerge. Nursing aides, orderlies and attendants accounted for 67.9% (406 cases) of first reports in nursing care facilities, while Janitors and cleaners were a high proportion, 28.8% (179 cases), of reported injured workers in elementary and secondary schools.

While the top ranking age group varied somewhat with occupation, overall the 35-44 years group produced the most first reports, with 25.7% (3,553 cases) of all 2005 first reports. Of note is the fact that the 45-54 years group ranked second and workers over 45 years of age filed 40.1% (5,545) of all first reports. By far the leading length-of-service group was under one year.

As to where Maine workers were injured, the five industries that recorded the highest frequencies of disabling-case first reports in 2005 accounted for 20.1% (2,778 cases) of all 2005 first reports. They were, in descending order: general medical and surgical hospitals (NAICS 622110); elementary and secondary schools (NAICS 611110); nursing care facilities (NAICS 623110); ship building and repairing (NAICS 336611); and supermarkets and other grocery (except convenience) stores (NAICS 445110). Four of these five categories are in service or retail industries.

The causes of worker injury or illness were examined through two characteristics, event or exposure, and source of injury or illness. The two highest-ranking events or exposures stood out well above all others. Overexertion in lifting, the first ranked, appeared in 13.8% of all 2005 first reports (1,916 cases), and had nearly half again the frequency of first reports of the second-ranked fall to floor, walkway, or other surface. Four of the top ten events involved overexertion and, taken together, they accounted for 26.6% of all 2005 first reports (3,689 cases).

Overall, the leading source by far was the bodily motion or position of the injured worker. This source was identified in 18.4% of all 2005 first reports. It produced 2,551 first reports, nearly double the second-ranking source and four to six times the frequencies shown by most of the top ten sources. There were important exceptions by occupation, however, notably among nursing aides, orderlies, and attendants. Health care patient or resident of health care facility was the source of 57.3% (373 cases) of disabling injuries and illnesses reported from that occupation.


The kinds of injuries and illnesses reported by Maine workers are described through two characteristics, nature of injury or illness, and part of body affected. The highest-ranking nature -- sprains, strains, and tears -- was reported in 4,921 first reports in 2005, more than any other characteristic examined here. By itself, it accounted for 35.5% of all 2005 first reports. The two top natures -- sprains, strains, and tears and non-back soreness, pain, or hurt -- were musculoskeletal. This makes it clear that musculoskeletal injuries dominated 2005 workplace injuries and illnesses in Maine.

The part of body affected varied considerably. Of note however is the fact that first-ranked lumbar region and fifth-ranked back, including spine, spinal cord, unspecified, when combined accounted for 20.2% of all reported disabling cases (2,791 first reports). This outcome suggests a connection between back injuries and overexertion in lifting discussed under "Event."

#### SECTION 1: OVERALL TREND OF FIRST REPORTS

There were 13,843 first reports filed in 2005, a 2.2% decrease from the 14,151 in 2004, as shown in Figure 1-1. This change is a continuation of a decline from a recent high point of 17,263 first reports in calendar year 2000. Figure 1-1 below shows the annual totals of disabling work-related injuries and illness for the last 20 years as reported on Workers' Compensation Board *Employer's First Report of Occupational Injury or Disease* (first reports).





### SECTION 2: THE MOST FREQUENTLY REPORTED CHARACTERISTICS OF WORK-RELATED INJURIES AND ILLNESSES

#### Overview

This section provides a broad view of the most-reported characteristics of work-related injury and illness for 2005. It gives information about six standard characteristics of occupational injury or illness, occupation, industry, event or exposure, source of injury or illness, nature of injury or illness, and part of body affected (Tables 2-1 through 2-6). Within each characteristic, this section examines the ten categories that recorded the highest frequencies of disabling-case *Employer's First Report of Occupational Injury or Disease* (first reports or FROI) in 2005. The categories are listed in descending order under each characteristic. The top five categories for each characteristic will be examined in detail in later sections of this report. Age of the injured worker and length of service are also examined here. For all characteristics, the total number of first reports for 2005 was 13,843.

#### Occupation of Injured Worker

Occupation describes the type of job held by the worker at the time of the injury or illness. The ten occupations that recorded the highest frequencies of first reports in 2005 are presented in Table 2-1. These ten occupations taken together accounted for 35.3% of calendar year 2005 first reports.

TABLE 2-1: Top Ten Occupations of Injured Worker

| Rank | Occupation of Injured Worker                                     | FROI |
|------|--|------|
| 1    | Laborers & freight, stock, & material movers, hand               | 859  |
| 2    | Truck drivers, heavy & tractor-trailer                           | 688  |
| 3    | Nursing aides, orderlies, and attendants                         | 651  |
| 4    | Janitors and cleaners, except maids & housekeeping cleaners      | 559  |
| 5    | Retail salespersons  | 499  |
| 6    | Construction laborers  | 386  |
| 7    | Stock clerks & order fillers                                     | 354  |
| 8    | Carpenters   | 345  |
| 9    | Combined food preparation & serving workers, including fast food | 274  |
| 10   | Production workers, all other                                    | 266  |

#### **Industry**

Industry describes the kind of business in which the injured worker's employer was engaged. Table 2-2 presents the ten industries (characterized by six-digit NAICS code) reporting the highest frequency of first reports for 2005. Together, these ten industries accounted for 29.2% of the total first reports filed in 2005. Among the ten industries were one manufacturing and two construction industries, the remaining seven being service or retail industries.

TABLE 2-2: Top Ten Industries of Injured Worker

| Rank | Industry of Injured Worker                               | FROI |
|------|--|------|
| 1    | General medical and surgical hospitals                   | 641  |
| 2    | Elementary and secondary schools                         | 622  |
| 3    | Nursing care facilities                                  | 598  |
| 4    | Ship building and repairing                              | 478  |
| 5    | Supermarkets & other grocery (except convenience) stores | 439  |
| 6    | Full-service restaurants                                 | 298  |
| 7    | Highway, street & bridge construction                    | 291  |
| 8    | Warehouse clubs & supercenters                           | 243  |
| 9    | Discount department Stores                               | 221  |
| 10   | New single-family housing construction (except operative |      |
|      | builders)  | 208  |

#### **Event or Exposure**

Event or exposure describes the manner in which the injury or illness was produced or inflicted by the source of injury or illness. While the top ten events taken together represent 54.9% of all 2005 first reports, the first ranked, overexertion in lifting, accounted for 13.8% by itself. Three more of the top five events involved overexertion and all four overexertion events taken together totaled 3,689 claims, or 26.6% of all first reports. Overexertion events have been shown elsewhere to produce a high frequency of musculoskeletal injuries. Also of note, the second ranked event (fall to floor, walkway or other surface) accounted for more than twice the frequency of the next highest event; falls to walking surfaces were an important category of events contributing to worker injuries in 2005. The category "nonclassifiable" contains a large proportion of first reports that failed to specify an event.

**TABLE 2-3: Top Ten Events or Exposures** 

| Rank | Event of Injury/Illness                       | FROI  |
|------|---|-------|
| 1    | Overexertion in lifting                       | 1,916 |
| 2    | Fall to floor, walkway or other surface       | 1,361 |
| 3    | Nonclassifiable                               | 630   |
| 4    | Overexertion, unspecified                     | 628   |
| 5    | Overexertion holdg, carryg, turng, wieldg obj | 589   |
| 6    | Slip, trip, loss of balance-without fall      | 572   |
| 7    | Overexertion in pulling/pushing objects       | 556   |
| 8    | Bodily conditions, NEC                        | 495   |
| 9    | Bending/climbing/crawling/reaching/twisting   | 446   |
| 10   | Repetitive motion, unspecified                | 410   |

*NEC* = *Not Elsewhere Classifiable, not fitting available classifications.* 

#### Source of Injury or Illness

Source of injury or illness identifies the object, substance, bodily motion, or work environment which directly produced or inflicted the injury or illness. Table 2-4 lists the top ten sources of occupational injuries and illnesses from 2005 first reports. These ten sources accounted for 56.6% of first reports. The leading source of injury or illness, bodily motion/position of injured worker, accounted for 18.4% of all first reports for 2005. Here, again, "nonclassifiable" represents largely unreported data.

**TABLE 2-4: Top Ten Sources of Injury or Illness** 

| Rank | Source of Injury/Illness                             | FROI  |
|------|--|-------|
| 1    | Bodily motion/position of injured worker             | 2,551 |
| 2    | Nonclassifiable                                      | 1,433 |
| 3    | Health care patient/resident of health care facility | 731   |
| 4    | Floor of building                                    | 673   |
| 5    | Ground   | 661   |
| 6    | Bodily conditions of injured, ill worker             | 508   |
| 7    | Boxes, crates, cartons                               | 473   |
| 8    | Other sources, NEC                                   | 320   |
| 9    | Floors, walkways, ground surfaces, unspecified       | 310   |
| 10   | Parking lots   | 182   |

*NEC* = *Not Elsewhere Classifiable, not fitting available classifications.* 

#### Nature of Injury or Illness

Nature of injury or illness identifies the principal physical characteristic(s) of the injury or illness. The top ten natures listed in Table 2-5 were involved in 84.4% of all first reports reported in 2005. The number one nature (sprains, strains, and tears) accounted for 35.5% by itself and had more than double the first reports of the second ranked nature (non-back soreness, pain, or hurt). The second ranked nature, in turn, had nearly double the frequency of the third ranked. Thereafter, the decline in frequencies was less steep. Because three of the top four natures are musculoskeletal, it is clear that musculoskeletal injuries dominate workplace injuries and illnesses.

**TABLE 2-5: Top Ten Natures of Injury or Illness** 

| Rank | Nature of Injury/Illness                    | FROI  |
|------|---|-------|
| 1    | Sprains, strains, tears                     | 4,921 |
| 2    | Soreness, pain, hurt, except the back       | 1,983 |
| 3    | Bruises, contusions                         | 1,075 |
| 4    | Back pain, hurt back                        | 999   |
| 5    | Fractures                                   | 752   |
| 6    | Cuts, lacerations                           | 680   |
| 7    | Traumatic injuries & disorders, unspecified | 555   |
| 8    | Neurotic reaction to stress                 | 327   |
| 9    | Nonclassifiable                             | 214   |
| 10   | Carpal tunnel syndrome                      | 174   |

#### Part of Body Affected

Part of body affected identifies the part of the body directly affected by the nature of injury or illness. These top ten part categories made up 61.0% of all 2005 first reports. Lumbar region, together with back, including spine, spinal cord, unspecified, accounted for over 20% of all first reports. These data suggest a possible connection between back injuries and the high frequency of overexertion in lifting discussed under "Event."

TABLE 2-6: Top Ten Parts of Body Affected

| Rank | Part of Body                            | FROI  |
|------|---|-------|
| 1    | Lumbar region                           | 1,852 |
| 2    | Multiple body parts                     | 1,364 |
| 3    | Knee(s)                                 | 1,059 |
| 4    | Shoulder, including clavicle, scapula   | 1,032 |
| 5    | Back, including spine, spinal cord, UNS | 939   |
| 6    | Finger(s), fingernail(s)                | 790   |
| 7    | Wrist(s)                                | 653   |
| 8    | Ankle(s)                                | 650   |
| 9    | Body Systems                            | 596   |
| 10   | Hand(s), except finger(s)               | 404   |

UNS = Unspecified, insufficient data for detailed classification.

#### Age of Injured Worker

For the purpose of this analysis, the ages of the workers reporting disabling injuries and illnesses in 2005 were broken down into ten inclusive age categories, ranked according to the first reports generated by each (Table 2-7). The 45-49 year age group ranked highest, with 13.8% of all year 2005 first reports, but four of the top five age groups, covering the range from 35 to 54 years, together accounted for 50.8% of all first reports. In third place, however, was the 19-24 years age group with 12.6% of the total and widely separated from the under 19 and 25-29 year groups. Of particular note, 5,545 first reports (40.1% of all 2005 first reports) involved employees of age 45 years or older.

TABLE 2-7: Ten Age Categories.

| Rank | Age          | FROI  |
|------|--------------|-------|
| 1    | 45-49        | 1,907 |
| 2    | 40-44        | 1,883 |
| 3    | 19-24        | 1,748 |
| 4    | 35-39        | 1,670 |
| 5    | 50-54        | 1,568 |
| 6    | 30-34        | 1,395 |
| 7    | 25-29        | 1,308 |
| 8    | 55-59        | 1,134 |
| 9    | 60 and above | 936   |
| 10   | Under 19     | 290   |

#### Length of Service of Injured Worker

Length of service of the injured worker represents the time in service with the particular employer by whom the worker was employed at the time of injury or illness. It does not necessarily represent the total experience of a worker in the occupation in which the worker was injured. Length of service of the injured worker was divided into eight inclusive length-of-service categories. Workers with two or less years of service with their employer accounted for 45.9% of all first reports in 2005, whereas workers with ten or more years of service with their employer accounted for 19.6%. Length of service was not available for 423 cases in 2005 because the date of hire was not given on the first reports.

TABLE 2-8: Eight Length-of-Service Categories

| Rank | Length of Service  | FROI  |
|------|--------------------|-------|
| 1    | Under 1 Year       | 4,622 |
| 2    | 5-9 years          | 1,879 |
| 3    | 1 year to 2 years  | 1,734 |
| 4    | 3-4 years          | 1,450 |
| 5    | 15-19 years        | 1,027 |
| 6    | 2 years to 3 years | 1,026 |
| 7    | 20 years and above | 890   |
| 8    | 10-14 years        | 792   |

#### SECTION 3: THE TOP FIVE OCCUPATIONS

#### Overview

This section presents information on the five occupations with the highest reported frequencies of first reports for 2005. Table 3-1 below lists the top five occupations in descending order by frequency of first reports. Together, these five occupations accounted for 23.5% of all first reports for 2005. Laborers and freight, stock, and material movers, hand (SOC 537062) was in first place, followed by truck drivers, heavy and tractor-trailer (SOC 533032). **Please remember that the Standard Occupation Codes used in this report do NOT directly match the occupations for 2004 and earlier data.** For example, nursing aides, orderlies, and attendants (SOC 311012) now excludes home health aides (SOC 311011) and personal and home care aides (SOC 399021) which were formerly included in the category of the same name.

Table 3-1 is a cross tabulation of the top five occupations with six characteristics of injuries within these occupations. Event of the injury or illness, source of the injury or illness, nature of the injury or illness, and part of the body affected are tabulated by the first reports frequency and percentage for the top five of each characteristic. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked in descending order by the frequency of first reports for each. **The tabulated characteristics refer to the occupation as a whole, not to the other tabulated characteristics.** For example, the 38.4% of nature (sprains, strains, tears) in the first row of the fourth column of Table 3-1 are NOT injuries and illnesses due to overexertion in lifting only but to ALL events within the occupation in question, including those not listed.

While there were differences in characteristics of injuries and illnesses between these top five occupations, a number of elements were shared in common.

- Overexertion in lifting ranked first or second in the event column for all of the top five occupations at an average proportion of 19.2% of first reports. A variety of events classified as "overexertion" accounted for between 16.8% and 57.1% of each of the top five occupations' first reports.
- Bodily motion/position of injured worker ranked first or second under classifiable source of injury or illness for all five occupations, averaging 14.6%.
- Sprains, strains, and tears was the number one reported nature for all top five occupations, averaging 42.0%. Soreness, pain, hurt, except for back ranked second or third for all occupations at an average proportion of 15.1%.
- Under part, lumbar region ranked first for all top five occupations, averaging 17.6% of first reports.

**TABLE 3-1: Characteristics of Injuries of the Top Five Occupations** 

| OCCUPATION       | EVENT OF INJURY/<br>ILLNESS*                | FROI | %    | SOURCE OF INJURY/<br>ILLNESS*                    | FROI | %    | NATURE OF INJURY/<br>ILLNESS*       | FROI | %    |
|------------------|---|------|------|--|------|------|-------------------------------------|------|------|
| LABORERS AND     | Overexertion in lifting                     | 180  | 21.0 | Nonclassifiable                                  | 116  | 13.5 | Sprains, strains, tears             | 330  | 38.4 |
| FREIGHT, STOCK,  | Nonclassifiable                             | 62   | 7.2  | Bodily motion/position of injured worker         | 105  | 12.2 | Soreness, pain, hurt, exc the back  | 111  | 19.9 |
| AND MATERIAL     | Fall to floor, walkway or other surface     | 49   | 5.7  | Boxes, crates, cartons                           | 87   | 10.1 | Bruises, contusions                 | 81   | 9.4  |
| MOVERS, HAND     | Overexertion, unspecified                   | 45   | 5.2  | Ground   | 33   | 3.8  | Back pain, hurt back                | 73   | 8.5  |
| (859 FROI)       | Overexertion in pulling/pushing objects     | 43   | 5.0  | Dimensional lumber: 2x4, 2x3, etc.               | 28   | 3.2  | Cuts, lacerations                   | 48   | 5.6  |
|                  | Fall to floor, walkway or other surface     | 67   | 9.7  | Bodily motion/position of injured worker         | 117  | 17.0 | Sprains, strains, tears             | 292  | 42.4 |
| TRUCK DRIVERS,   | Overexertion in lifting                     | 65   | 9.4  | Ground   | 102  | 14.8 | Soreness, pain, hurt, exc the back  | 96   | 14.0 |
| HEAVY AND        | Slip, trip, loss of balance without fall    | 54   | 7.8  | Nonclassifiable                                  | 72   | 10.5 | Bruises, contusions                 | 53   | 7.7  |
| TRACTOR-TRAILER  | Overexertion in pulling/pushing objects     | 52   | 7.5  | Semitrailer/tractor-trailer/trailer truck        | 58   | 8.4  | Fractures                           | 52   | 7.6  |
| (688 FROI)       | Fall from nonmoving vehicle                 | 48   | 7.0  | Floors, walkways, ground surfaces, UNS           | 17   | 2.5  | Back pain, hurt back                | 51   | 7.4  |
|                  | Overexertion in lifting                     | 193  | 29.6 | HIth care patient/resident of hIth care facility | 373  | 57.3 | Sprains, strains, tears             | 353  | 54.2 |
| NURSING AIDES,   | Overexertion holdg/carryg/turng/wieldg obj  | 89   | 13.7 | Nonclassifiable                                  | 57   | 8.8  | Back pain, hurt back                | 80   | 12.3 |
| ORDERLIES AND    | Fall to floor, walkway or other surface     | 57   | 8.8  | Bodily motion/position of injured worker         | 55   | 8.4  | Soreness, pain, hurt, exc the back  | 74   | 11.4 |
| ATTENDANTS       | Overexertion, unspecified                   | 53   | 8.1  | Floor of building                                | 30   | 4.6  | Bruises, contusions                 | 47   | 7.2  |
| (651 FROI)       | Overexertion in pulling/pushing objects     | 37   | 5.7  | Ground   | 16   | 2.5  | Traumatic injuries & disorders, UNS | 22   | 3.4  |
| JANITORS AND     | Overexertion in lifting                     | 108  | 19.3 | Bodily motion/position of injured worker         | 91   | 16.3 | Sprains, strains, tears             | 213  | 38.1 |
| CLEANERS, EXCEPT | Fall to floor, walkway or other surface     | 52   | 9.3  | Nonclassifiable                                  | 43   | 7.7  | Soreness, pain, hurt, exc the back  | 94   | 16.8 |
| MAIDS AND HOUSE- | Overexertion, unspecified                   | 33   | 5.9  | Floor of building                                | 37   | 6.6  | Back pain, hurt back                | 52   | 9.3  |
| KEEPING CLEANERS | Overexertion in pulling/pushing objects     | 32   | 5.7  | Bags, sacks, totes                               | 27   | 4.8  | Bruises, contusions                 | 41   | 7.3  |
| (559 FROI)       | Overexertion holdg/carryg/turng/wieldg obj  | 32   | 5.7  | Other sources, NEC                               | 22   | 3.9  | Traumatic injuries & disorders, UNS | 26   | 4.7  |
|                  | Overexertion in lifting                     | 84   | 16.8 | Bodily motion/position of injured worker         | 96   | 19.2 | Sprains, strains, tears             | 184  | 36.9 |
| RETAIL           | Fall to floor, walkway or other surface     | 59   | 11.8 | Nonclassifiable                                  | 67   | 13.4 | Soreness, pain, hurt, exc the back  | 66   | 13.2 |
| SALESPERSONS     | Nonclassifiable                             | 32   | 6.4  | Boxes, crates, cartons                           | 36   | 7.2  | Bruises, contusions                 | 53   | 10.6 |
| (499 FROI)       | Bending/climbing/crawling/reaching/twisting | 29   | 5.8  | Floor of building                                | 34   | 6.8  | Fractures                           | 27   | 5.4  |
|                  | Struck by falling object                    | 26   | 5.2  | Ground   | 18   | 3.6  | Cuts, lacerations                   | 27   | 5.4  |

<sup>\*</sup>These columns refer to the occupation indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification. Continued next page.

**TABLE 3-1, continued** 

| OCCUPATION       | PART OF BODY*                           | FROI       | %    | AGE OF INJURED<br>WORKER* | FROI | %    | LENGTH OF SERVICE * | FROI | %    |
|------------------|---|------------|------|---------------------------|------|------|---------------------|------|------|
| LABORERS AND     | Lumbar region                           | 137        | 15.9 | Under 25                  | 228  | 26.5 | Under 1 year        | 439  | 52.5 |
| FREIGHT, STOCK,  | Shoulder, including clavicle, scapula   | 74         | 8.6  | 35-44                     | 218  | 25.4 | 5-14 years          | 142  | 17.0 |
| AND MATERIAL     | Finger(s), fingernail(s)                | 56         | 6.5  | 25-34                     | 206  | 24.0 | 2-4 years           | 113  | 13.5 |
| MOVERS, HAND     | Knee(s)                                 | 56         | 6.5  | 45-54                     | 149  | 17.3 | 1 year to 2 years   | 97   | 11.6 |
| (859 FROI)       | Multiple body parts                     | 55         | 6.4  | 55 and older              | 58   | 6.8  | 15 years and above  | 45   | 5.4  |
|                  | Lumbar region                           | 108        | 15.7 | 35-44                     | 220  | 32.0 | Under 1 year        | 234  | 35.3 |
| TRUCK DRIVERS,   | Multiple body parts                     | <b>7</b> 9 | 11.5 | 45-54                     | 201  | 29.2 | 2-4 years           | 150  | 22.6 |
| HEAVY AND        | Shoulder, including clavicle, scapula   | 69         | 10.0 | 55 and older              | 129  | 18.8 | 5-14 years          | 111  | 16.7 |
| TRACTOR-TRAILER  | Knee(s)                                 | 56         | 8.1  | 25-34                     | 114  | 16.6 | 1 year to 2 years   | 87   | 13.1 |
| (688 FROI)       | Back, including spine, spinal cord, UNS | 47         | 6.8  | Under 25                  | 24   | 3.5  | 15 years and above  | 81   | 12.2 |
|                  | Lumbar region                           | 168        | 25.8 | 35-44                     | 164  | 25.2 | Under 1 year        | 276  | 43.1 |
| NURSING AIDES,   | Back, including spine, spinal cord, UNS | 72         | 11.1 | 45-54                     | 149  | 22.9 | 2-4 years           | 130  | 20.3 |
| ORDERLIES AND    | Multiple body parts                     | 59         | 9.1  | 25-34                     | 146  | 22.4 | 1 year to 2 years   | 99   | 15.4 |
| ATTENDANTS       | Shoulder, including clavicle, scapula   | 54         | 8.3  | Under 25                  | 124  | 19.0 | 5-14 years          | 94   | 14.7 |
| (651 FROI)       | Knee(s)                                 | 47         | 7.2  | 55 and older              | 68   | 10.4 | 15 years and above  | 42   | 6.6  |
| JANITORS AND     | Lumbar region                           | 94         | 16.8 | 45-54                     | 165  | 29.5 | 5-14 years          | 148  | 27.6 |
| CLEANERS, EXCEPT | Multiple body parts                     | 54         | 9.7  | 55 and older              | 155  | 27.7 | Under 1 year        | 139  | 25.9 |
| MAIDS AND HOUSE- | Back, including spine, spinal cord, UNS | 51         | 9.1  | 35-44                     | 137  | 24.5 | 2-4 years           | 111  | 20.7 |
| KEEPING CLEANERS | Shoulder, including clavicle, scapula   | 48         | 8.6  | 25-34                     | 65   | 11.6 | 15 years and above  | 75   | 14.0 |
| (559 FROI)       | Knee(s)                                 | 36         | 6.4  | Under 25                  | 37   | 6.6  | 1 year to 2 years   | 64   | 11.9 |
|                  | Lumbar region                           | 69         | 13.8 | 45-54                     | 111  | 22.2 | Under 1 year        | 211  | 44.3 |
| RETAIL           | Multiple body parts                     | 44         | 8.8  | 35-44                     | 109  | 21.8 | 2-4 years           | 91   | 19.1 |
| SALESPERSONS     | Knee(s)                                 | 39         | 7.8  | Under 25                  | 103  | 20.6 | 5-14 years          | 91   | 19.1 |
| (499 FROI)       | Back, including spine, spinal cord, UNS | 32         | 6.4  | 55 and older              | 93   | 18.6 | 1 year to 2 years   | 65   | 13.7 |
|                  | Wrist(s)                                | 30         | 6.0  | 25-34                     | 83   | 16.6 | 15 years and above  | 18   | 3.8  |

These columns refer to the occupation indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = Insufficient data for classification.

#### Laborers and Freight, Stock, and Material Movers, Hand (SOC 537062)

TABLE 3-2: Characteristics of Injuries and Illnesses of Laborers and Freight, Stock and Material Movers, Hand.

| EVENT OF INJURY/ILLNESS                 | FROI | %    |
|---|------|------|
| Overexertion in lifting                 | 180  | 21.0 |
| Nonclassifiable                         | 62   | 7.2  |
| Fall to floor, walkway or other surface | 49   | 5.7  |
| Overexertion, unspecified               | 45   | 5.2  |
| Overexertion in pulling/pushing objects | 43   | 5.0  |

#### SOURCE OF INJURY/ILLNESS

| Nonclassifiable                          | 116 | 13.5 |
|--|-----|------|
| Bodily motion/position of injured worker | 105 | 12.2 |
| Boxes, crates, cartons                   | 87  | 10.1 |
| Ground                                   | 33  | 3.8  |
| Dimensional lumber: 2x4, 2x3, etc.       | 28  | 3.2  |

#### **NATURE**

| Sprains, strains, tears            | 292 | 42.4 |
|------------------------------------|-----|------|
| Soreness, pain, hurt, exc the back | 96  | 14.0 |
| Bruises, contusions                | 53  | 7.7  |
| Fractures                          | 52  | 7.6  |
| Back pain, hurt back               | 51  | 7.4  |

#### PART OF BODY

| PRODUCTION OF THE PROPERTY OF |     |      |
|---|-----|------|
| Lumbar region   | 137 | 15.9 |
| Shoulder, including clavicle, scapula   | 74  | 8.6  |
| Finger(s), fingernail(s)  | 56  | 6.5  |
| Knee(s)   | 56  | 6.5  |
| Multiple body parts   | 55  | 6.4  |

FROI = Employer's First Report of Occupational Injury or Disease Continued next page.

#### **OCCUPATION**

LABORERS AND
FREIGHT, STOCK,
AND MATERIAL
MOVERS, HAND
(859 FROI)

#### TABLE 3-2, continued

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| Under 25              | 228  | 26.5 |
| 35-44                 | 218  | 25.4 |
| 25-34                 | 206  | 24.0 |
| 45-54                 | 149  | 17.3 |
| 55 and older          | 58   | 6,8  |

#### OCCUPATION

LABORERS AND FREIGHT, STOCK, AND MATERIAL MOVERS, HAND (859 FROI)


#### LENGTH OF SERVICE

| 439 | 52.5             |
|-----|------------------|
| 142 | 17.0             |
| 113 | 13.5             |
| 97  | 11.6             |
| 45  | 5.4              |
|     | 142<br>113<br>97 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 3-1 shows the five events contributing the most first reports within the laborers and freight, stock and material movers, hand, occupation for 2005.

FIGURE 3-1: Events - Laborers and Freight, Stock and Material Movers, Hand (859 First Reports)



For the laborers and freight, stock and material movers, hand, occupation, the top event was overexertion in lifting as shown in Figure 3-1. Overexertion figured in three of the top five events, or at least 31.2% of reports. From Table 3-2, the top classifiable source of injury or illness was the bodily motion or position of the injured worker, appearing in 12.2% of first reports for this occupation. The nature of injury or illness that produced the most first reports was sprains, strains, and tears. The lumbar region ranked first as part of body affected. The top-ranked age group was under 25 years and the highest-ranking length-of-service group was under one year.

#### Truck Drivers, Heavy and Tractor-Trailer (SOC 533032)

TABLE 3-3: Characteristics of Injuries and Illnesses of Truck Drivers, Heavy and Tractor-Trailer

| EVENT OF INJURY/ILLNESS                  | FROI | %   |
|--|------|-----|
| Fall to floor, walkway or other surface  | 67   | 9.7 |
| Overexertion in lifting                  | 65   | 9.4 |
| Slip, trip, loss of balance without fall | 54   | 7.8 |
| Overexertion in pulling/pushing objects  | 52   | 7.5 |
| Fall from nonmoving vehicle              | 48   | 7.0 |

#### SOURCE OF INJURY/ILLNESS

| 40 9 Mill (Act 40 VI) Aft (10 Mill (10 M) - 20 Mill (10 M) - 20 Mill (10 M) Act (10 M) A |     |      |
|--|-----|------|
| Bodily motion/position of injured worker   | 117 | 17.0 |
| Ground   | 102 | 14.8 |
| Nonclassifiable  | 72  | 10.5 |
| Semitrailer/tractor-trailer/trailer truck  | 58  | 8.4  |
| Floors, walkways, ground surfaces, UNS   | 17  | 2.5  |

#### **OCCUPATION**

TRUCK DRIVERS,
HEAVY AND
TRACTOR-TRAILER
(688 FROI)

#### **NATURE**

| Sprains, strains, tears            | 292 | 42.4 |
|------------------------------------|-----|------|
| Soreness, pain, hurt, exc the back | 96  | 14.0 |
| Bruises, contusions                | 53  | 7.7  |
| Fractures                          | 52  | 7.6  |
| Back pain, hurt back               | 51  | 7.4  |

#### PART OF BODY

| Lumbar region                           | 108 | 15.7 |
|---|-----|------|
| Multiple body parts                     | 79  | 11.5 |
| Shoulder, including clavicle, scapula   | 69  | 10.0 |
| Knee(s)                                 | 56  | 8.1  |
| Back, including spine, spinal cord, UNS | 47  | 6.8  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 3-3, continued

#### OCCUPATION

TRUCK DRIVERS,
HEAVY AND
TRACTOR-TRAILER
(688 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 220  | 32.0 |
| 45-54                 | 201  | 29.2 |
| 55 and older          | 129  | 18.8 |
| 25-34                 | 114  | 16.6 |
| Under 25              | 24   | 3.5  |


#### LENGTH OF SERVICE

| Under 1 year       | 234 | 35.3 |
|--------------------|-----|------|
| 2-4 years          | 150 | 22.6 |
| 5-14 years         | 111 | 16.7 |
| 1 year to 2 years  | 87  | 13.1 |
| 15 years and above | 81  | 12.2 |

FROI = Employer's First Report of Occupational Injury or Disease.

The top five events, in terms of first reports recorded in 2005, for the truck drivers, heavy and tractor-trailer, occupation are shown in Figure 3-2.

FIGURE 3-2: Events - Truck Drivers, Heavy and Tractor-Trailer (688 First Reports)



As seen in Figure 3-2, the number one event was fall to a walking surface, with two other slip-trip-fall events also appearing (the three events totaled 24.5%). The highest-ranking source was bodily motion/position of injured worker. From Table 3-3, the top-ranked nature of injury or illness for truck drivers was sprains, strains, and tears and the part of body involved in the most first reports was lumbar region. The age group most often involved in a First Report was 35-44 years and the top length-of-service category was under one year.

#### Nursing Aides, Orderlies, and Attendants (SOC 311012)

TABLE 3-4: Characteristics of Injuries and Illnesses of Nursing Aides, Orderlies, and Attendants

| EVENT OF INJURY/ILLNESS                               | FROI | %    |
|---|------|------|
| Overexertion in lifting                               | 193  | 29.6 |
| Overexertion holding/carrying/turning/wielding object | 89   | 13.7 |
| Fall to floor, walkway or other surface               | 57   | 8.8  |
| Overexertion, unspecified                             | 53   | 8.1  |
| Overexertion in pulling/pushing objects               | 37   | 5.7  |

#### SOURCE OF INJURY/ILLNESS

| Health care patient/resident of health care facility | 373 | 57.3 |
|--|-----|------|
| Nonclassifiable                                      | 57  | 8.8  |
| Bodily motion/position of injured worker             | 55  | 8.4  |
| Floor of building                                    | 30  | 4.6  |
| Ground   | 16  | 2.5  |

#### \*

**NATURE** 

| Sprains, strains, tears             | 353 | 54.2 |
|-------------------------------------|-----|------|
| Back pain, hurt back                | 80  | 12.3 |
| Soreness, pain, hurt, exc the back  | 74  | 11.4 |
| Bruises, contusions                 | 47  | 7.2  |
| Traumatic injuries & disorders, UNS | 22  | 3.4  |

#### PART OF BODY

| Lumbar region                           | 168 | 25.8 |
|---|-----|------|
| Back, including spine, spinal cord, UNS | 72  | 11.1 |
| Multiple body parts                     | 59  | 9.1  |
| Shoulder, including clavicle, scapula   | 54  | 8.3  |
| Knee(s)                                 | 47  | 7.2  |

 $FROI = Employer's \ First \ Report \ of \ Occupational \ Injury \ or \ Disease.$  Continued next page.

#### **OCCUPATION**

NURSING AIDES,
ORDERLIES AND
ATTENDANTS
(651 FROI)

#### TABLE 3-4, continued

#### FROI % AGE OF INJURED WORKER 35-44 164 25.2 45-54 149 22.9 25-34 146 22.4 Under 25 124 19.0 55 and older 68 10.4

#### OCCUPATION

NURSING AIDES, ORDERLIES AND ATTENDANTS (651 FROI)


#### LENGTH OF SERVICE

| Under 1 year       | 276 | 43.1 |
|--------------------|-----|------|
| 2-4 years          | 130 | 20.3 |
| 1 year to 2 years  | 99  | 15.4 |
| 5-14 years         | 94  | 14.7 |
| 15 years and above | 42  | 6.6  |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 3-3 presents the five events reporting the highest frequency of 2005 first reports within the nursing aides, orderlies, and attendants occupation.

FIGURE 3-3: Events - Nursing Aides, Orderlies, and Attendants (651 First Reports)



From Figure 3-3, the top event was overexertion in lifting and overexertion events were four of the top five, totaling 57.1%. The top source of injury was the health care patient/resident of the health care facility. According to Table 3-4, the most frequently reported nature of injury or illness for this occupation was sprains, strains, and tears and the part of body most often reported was lumbar region. The age group generating the most first reports in 2005 was 35 to 44 years and the most frequently reported length-of-service category was less than one year.

#### Janitors and Cleaners, Except Maids and Housekeeping Cleaners (SOC 372011)

TABLE 3-5: Characteristics of Injuries and Illnesses of Janitors and Cleaners, Except Maids and Housekeeping Cleaners

| EVENT OF INJURY/ILLNESS                               | FRO] | %    |
|---|------|------|
| Overexertion in lifting                               | 108  | 19.3 |
| Fall to floor, walkway or other surface               | 52   | 9.3  |
| Overexertion, unspecified                             | 33   | 5.9  |
| Overexertion in pulling/pushing objects               | 32   | 5.7  |
| Overexertion holding/carrying/turning/wielding object | 32   | 5.7  |

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker | 91 | 16.3 |
|--|----|------|
| Nonclassifiable                          | 43 | 7.7  |
| Floor of building                        | 37 | 6.6  |
| Bags, sacks, totes                       | 27 | 4.8  |
| Other sources, NEC                       | 22 | 3.9  |

#### **NATURE**

| Sprains, strains, tears             | 213 | 38.1 |
|-------------------------------------|-----|------|
| Soreness, pain, hurt, exc the back  | 94  | 16.8 |
| Back pain, hurt back                | 52  | 9.3  |
| Bruises, contusions                 | 41  | 7.3  |
| Traumatic injuries & disorders, UNS | 26  | 4.7  |

#### PART OF BODY

| 4                                       |    |             |
|---|----|-------------|
| Lumbar region                           | 94 | 16.8        |
| Multiple body parts                     | 54 | 9. <b>7</b> |
| Back, including spine, spinal cord, UNS | 51 | 9.1         |
| Shoulder, including clavicle, scapula   | 48 | 8.6         |
| Knee(s)                                 | 36 | 6.4         |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### **OCCUPATION**

JANITORS AND
CLEANERS, EXCEPT
MAIDS AND HOUSEKEEPING CLEANERS
(559 FROI)

#### TABLE 3-5, continued

| 0   | CCUPATION      |
|-----|----------------|
| J   | ANITORS AND    |
| CLE | EANERS, EXCEPT |
| MA  | IDS AND HOUSE- |
| KEF | PING CLEANERS  |
|     | (559 FROI)     |

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 45-54                 | 165  | 29.5 |
| 55 and older          | 155  | 27.7 |
| 35-44                 | 137  | 24.5 |
| 25-34                 | 65   | 11.6 |
| Under 25              | 37   | 6.6  |

#### LENGTH OF SERVICE

| 5-14 years         | 148 | 27.6 |
|--------------------|-----|------|
| Under 1 year       | 139 | 25.9 |
| 2-4 years          | 111 | 20.7 |
| 15 years and above | 75  | 14.0 |
| 1 year to 2 years  | 64  | 11.9 |

FROI = Employer's First Report of Occupational Injury or Disease.

In Figure 3-4, the top five events, in terms of first reports in 2005, for the janitors and cleaners, except maids and housekeeping cleaners, occupation are shown.

FIGURE 3-4: Events - Janitors & Cleaners, except Maids & Housekeeping Cleaners (559 First Reports)




Figure 3-4 has overexertion in four event positions (36.6%) with overexertion in lifting the top event reported. The top source of injury or illness was bodily motion/position of injured worker. Table 3-5 shows sprains, strains, and tears as the leading nature of injury or illness. The lumbar region ranked first as part of body affected. In this occupation, 57.2% of first reports involved workers of age 45 or older and these ages accounted for the top two age groups. The length-of-service group involved in the most first reports was 5-14 years, also unusual.

#### **Retail Salespersons (SOC 412031)**

TABLE 3-6: Characteristics of Injuries and Illnesses of Retail Salespersons

| EVENT OF INJURY/ILLNESS                     | FROI | %    |
|---|------|------|
| Overexertion in lifting                     | 84   | 16.8 |
| Fall to floor, walkway or other surface     | 59   | 11.8 |
| Nonclassifiable                             | 32   | 6.4  |
| Bending/climbing/crawling/reaching/twisting | 29   | 5.8  |
| Struck by falling object                    | 26   | 5.2  |

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker | 96 | 19.2 |
|--|----|------|
| Nonclassifiable                          | 67 | 13.4 |
| Boxes, crates, cartons                   | 36 | 7.2  |
| Floor of building                        | 34 | 6.8  |
| Ground                                   | 18 | 3.6  |

#### **OCCUPATION**

RETAIL SALESPERSONS

(499 FROI)

#### **NATURE**

| Sprains, strains, tears            | 184 | 36.9 |
|------------------------------------|-----|------|
| Soreness, pain, hurt, exc the back | 66  | 13.2 |
| Bruises, contusions                | 53  | 10.6 |
| Fractures                          | 27  | 5.4  |
| Cuts, lacerations                  | 27  | 5.4  |

#### PART OF BODY

| Lumbar region                           | 69 | 13.8 |
|---|----|------|
| Multiple body parts                     | 44 | 8.8  |
| Knee(s)                                 | 39 | 7.8  |
| Back, including spine, spinal cord, UNS | 32 | 6.4  |
| Wrist(s)                                | 30 | 6.0  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

AGE OF INJURED WORKER

#### TABLE 3-6, continued

| RETAIL<br>SALESPERSONS<br>(499 FROI) | LENGTH OF SERVICE     |
|--------------------------------------|-----------------------|
| OCCUPATION                           | 55 and older<br>25-34 |
| OCCUPATION                           | Under 25              |
|                                      | 35-44                 |
|                                      | 45-54                 |

| BENGTH OF SERVICE  |     |      |
|--------------------|-----|------|
| Under 1 year       | 211 | 44.3 |
| 2-4 years          | 91  | 19.1 |
| 5-14 years         | 91  | 19.1 |
| 1 year to 2 years  | 65  | 13.7 |
| 15 years and above | 18  | 3.8  |

FROI

111

109

103

93

83

%

22.2

21.8

20.6


18.6

16.6

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 3-5 shows the five events with the most reported first reports for the retail salespersons occupation in 2005.

FIGURE 3-5: Events - Retail Salespersons (499 First Reports)



As to how retail salespersons were injured, Figure 3-5 shows that the number one event was overexertion in lifting, but there is a variety in the remaining top classifiable events. The top reported source of injury or illness was bodily motion or position of the injured worker. Table 3-6 shows that the most reported nature of injury or illness was sprains, strains, and tears. and the most often reported body part for all workers was the lumbar region. The top age group was under 45-54 years but the top length-of-service category was under one year.

#### **SECTION 4: THE TOP FIVE INDUSTRIES**

#### Overview

This section will present information on the five industries with the highest reported frequencies of disabling case Maine Workers' Compensation Board *Employer's First Report of Occupational Injury or Disease* (first reports). Together, these five industries accounted for 21.8% of all first reports for 2005. Table 3-1 lists the top five industries in descending order by frequency of first reports for 2005. The industries are categorized at the six-digit level of NAICS coding. **Please remember that the NAICS codes used in this report do NOT directly match the SIC codes used for 2004 and earlier data.** One manufacturing industry is listed, ship building and repairing (NAICS 336611), in fourth place. General Medical and surgical hospitals (NAICS 622110) had the highest frequency of first reports, followed by elementary and secondary schools (NAICS 611110).

Table 4-1 is a cross tabulation of the top five industries with five characteristics of injuries within these industries. Occupation of the injury or ill worker, event of the injury or illness, source of the injury or illness, nature of the injury or illness, and part of the body affected are tabulated by the first reports count and percentage for the top five of each characteristic. The tabulated characteristics refer to that industry as a whole, not to the other tabulated characteristics. For example, the 28.9% of source of injury or illness (health care patient/resident of health care facility) in the first row of the third column of Table 4-1 are NOT injuries and illnesses reported by registered nurses only but by ALL occupations within general medical and surgical hospitals, including those occupations not listed.

While differences in characteristics of injuries and illnesses between these top five Industries were considerable, there were elements shared in common.

- Sprains, strains, and tears was by far the number one reported nature of injury or illness for four of the top five industries and a high second place in the fifth, averaging 38.7% of first reports. Non-back soreness, pain, or hurt was also common to all five industries under nature and averaged 17.5%.
- As to the source of injury or illness, bodily motion/position of injured worker averaged 22.4% and ranked first in three of the top five industries and second in the other two.
- Under part of body affected, either lumbar region or back, unspecified always ranked at least second, and the two combined averaged 19.6%. Knee(s) was common to all five industries in 2005, ranking from second to fifth.
- Overexertion in lifting ranked first or second in all five industries, averaging 16.2% of
  first reports. Events classified as "overexertion" and "repetitive motion" accounted for
  between 14% and 52% of each of the top five Industries' first reports. Research has
  shown that these events are significant factors contributing to such musculoskeletal
  disorders as sprains, strains and tears, soreness, back pains, tendonitis, carpal tunnel
  syndrome, etc.

**TABLE 4-1: Characteristics of Injuries Within the Top Five Industries** 

| INDUSTRY        | OCCUPATION*                              | FROI | %    | EVENT OF INJURY/<br>ILLNESS *            | FROI | %    | SOURCE OF INJURY/<br>ILLNESS*               | FROI | %    |
|-----------------|--|------|------|--|------|------|---|------|------|
|                 | Registered Nurses                        | 141  | 22.1 | Overexertion in lifting                  | 138  | 21.5 | Hlth care patient/resident of hlth care fac | 185  | 28.9 |
| GENERAL MEDICAL | Nursing Aides, Orderlies & Attendants    | 125  | 19.6 | Fall to floor, walkway or other surface  | 66   | 10.3 | Bodily motion/position of inj worker        | 121  | 18.9 |
| AND SURGICAL    | Janitors & Cleaners, exc Maids & Hskpg   | 58   | 9.1  | Overexrtn holdg/carryg/turng/wieldg obj  | 51   | 8.0  | Nonclassifiable                             | 44   | 6.9  |
| HOSPITALS       | Maids & Housekeeping Cleaners            | 32   | 5.0  | Overexertion, unspecified                | 41   | 6.4  | Floor of building                           | 40   | 6.2  |
| (641 FROI)      | Healthcare Support Workers, All Other    | 29   | 4.6  | Overexertion in pulling/pushing objects  | 35   | 5.5  | Bodily conditions of inj/ill worker         | 22   | 3.4  |
|                 | Janitors & Cleaners, exc Maids & Hskpg   | 179  | 28.8 | Fall to floor, walkway or other surface  | 94   | 15.1 | Bodily motion/position of inj worker        | 102  | 16.4 |
| ELEMENTARYAND   | Elementary school teachers, exc spl ed   | 66   | 10.6 | Overexertion in lifting                  | 58   | 9.3  | Floor of building                           | 55   | 8.8  |
| SECONDARY       | Bus drivers, school                      | 56   | 9.0  | Slip, trip, loss of balance without fall | 34   | 5.5  | Nonclassifiable                             | 42   | 6.8  |
| SCHOOLS         | Middle school teachers, exc spl & voc ed | 44   | 7.1  | Bodily conditions, NEC                   | 33   | 5.3  | Person-other than inj/ill worker, NEC       | 40   | 6.4  |
| (622 FROI)      | Spl education teachers, middle school    | 44   | 7.1  | Overexertion, NEC                        | 29   | 4.7  | Bodily conditions of inj/ill worker         | 34   | 5.5  |
|                 | Nursing aides, orderlies, and attendants | 406  | 67.9 | Overexertion in lifting                  | 159  | 26.6 | Hlth care patient/resident of hlth care fac | 283  | 47.3 |
| NURSING CARE    | Healthcare Support Workers, All Other    | 36   | 6.0  | Overexrtn holdg/carryg/turng/wieldg obj  | 70   | 11.7 | Bodily motion/position of inj worker        | 66   | 11.0 |
| FACILITIES      | Registered Nurses                        | 27   | 4.5  | Fall to floor, walkway or other surface  | 63   | 10.5 | Nonclassifiable                             | 51   | 8.5  |
| (598 FROI)      | Janitors & Cleaners, exc Maids & Hskpg   | 23   | 3.8  | Overexertion, unspecified                | 45   | 7.5  | Floor of building                           | 41   | 6.9  |
|                 | Lic Practical & Lic Vocational Nurses    | 18   | 3.0  | Overexertion in pulling/pushing objects  | 37   | 6.2  | Ground                                      | 12   | 2.0  |
|                 | Lay-Out Workers, Metal and Plastic       | 116  | 24.3 | Overexertion in lifting                  | 43   | 9.0  | Bodily motion/position of inj worker        | 157  | 32.8 |
| SHIP BUILDING   | Welders, Cutters, Solderers and Brazers  | 70   | 14.7 | Repetitive use of tools                  | 35   | 7.3  | Nonclassifiable                             | 60   | 12.6 |
| AND REPAIRING   | Electricians                             | 61   | 12.8 | Bendg/climbg/crawlg/reachg/twistg        | 34   | 7.1  | Welding torches-powered                     | 19   | 4.0  |
| (478 FROI)      | Plumbers, Pipefitters, and Steamfitters  | 46   | 9.6  | Slip, trip, loss of balance without fall | 31   | 6.5  | Electrical wiring                           | 17   | 3.6  |
|                 | Sheet Metal Workers                      | 37   | 7.8  | Nonclassifiable                          | 31   | 6.5  | Floors, walkways, ground surfaces, UNS      | 15   | 3.1  |
|                 | Stock Clerks and Order Fillers           | 134  | 30.6 | Overexertion in lifting                  | 83   | 18.9 | Bodily motion/position of inj worker        | 97   | 22.1 |
| SUPERMARKETS    | Comb Food Prep and Servg Workers         | 80   | 18.3 | Nonclassifiable                          | 38   | 8.7  | Boxes, crates, cartons                      | 65   | 14.8 |
| AND OTHER       | Cashiers                                 | 63   | 14.4 | Fall to floor, walkway or other surface  | 32   | 7.3  | Nonclassifiable                             | 61   | 13.9 |
| GROCERY STORES  | Laborrs & Freight, Stock & Matl Movrs    | 42   | 9.6  | Repetitive placg/graspg/movg obj ex tool | 29   | 6.6  | Floor of building                           | 31   | 7.1  |
| (439 FROI)      | Retail Salespersons                      | 31   | 7.1  | Overexertion, unspecified                | 25   | 5.7  | Cart, dolly, handtruck                      | 19   | 4.3  |

These columns refer to the industry indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = Insufficient data for classification

Continued next page.

**TABLE 4-1, continued** 

| INDUSTRY        | NATURE OF<br>INJURY/ILLNESS*                | FROI | %    | PART OF BODY*                                   | FROI | %    |
|-----------------|---|------|------|---|------|------|
|                 | Sprains, strains, tears                     | 346  | 54.0 | Back, including spine, spinal cord, unspecified | 89   | 13.9 |
| GENERAL MEDICAL | Soreness, pain, hurt, except the back       | 59   | 9.2  | Lumbar region                                   | 81   | 12.6 |
| AND SURGICAL    | Bruises, contusions                         | 48   | 7.5  | Multiple body parts                             | 63   | 9.8  |
| HOSPITALS       | Back pain, hurt back                        | 28   | 4.4  | Knee(s)   | 41   | 6.4  |
| (641 FROI)      | Fractures                                   | 22   | 3.4  | Wrist(s)  | 38   | 5.9  |
|                 | Sprains, strains, tears                     | 164  | 26.4 | Multiple body parts                             | 112  | 18.0 |
| ELEMENTARYAND   | Soreness, pain, hurt, except the back       | 125  | 20.1 | Lumbar region                                   | 46   | 7.4  |
| SECONDARY       | Bruises, contusions                         | 56   | 9.0  | Knee(s)   | 46   | 7.4  |
| SCHOOLS         | Fractures                                   | 50   | 8.0  | Body systems                                    | 46   | 7.4  |
| (639 FROI)      | Back pain, hurt back                        | 39   | 6.3  | Ankle(s)  | 40   | 6.4  |
|                 | Sprains, strains, tears                     | 310  | 51.8 | Lumbar region                                   | 155  | 25.9 |
| NURSING CARE    | Soreness, pain, hurt, except the back       | 74   | 12.4 | Knee(s)   | 53   | 8.9  |
| FACILITIES      | Back pain, hurt back                        | 70   | 11.7 | Back, including spine, spinal cord, unspecified | 52   | 8.7  |
| (598 FROI)      | Bruises, contusions                         | 45   | 7.5  | Shoulder, including clavicle, scapula           | 51   | 8.5  |
|                 | Traumatic injuries & disorders, unspecified | 23   | 3.8  | Multiple body parts                             | 45   | 7.5  |
|                 | Soreness, pain, hurt, except the back       | 174  | 36.4 | Knee(s)   | 71   | 14.8 |
| SHIP BUILDING   | Sprains, strains, tears                     | 91   | 19.0 | Back, including spine, spinal cord, unspecified | 65   | 13.6 |
| AND REPAIRING   | Back pain, hurt back                        | 42   | 8.8  | Shoulder, including clavicle, scapula           | 64   | 13.4 |
| (478 FROI)      | Symptoms inv nerv/musculoskel sys NEC       | 32   | 6.7  | Eye(s)  | 30   | 6.3  |
|                 | Foreign bodies-superficial splinter/chip    | 15   | 3.1  | Hand(s), except finger(s)                       | 25   | 5.2  |
|                 | Sprains, strains, tears                     | 186  | 42.4 | Lumbar region                                   | 70   | 15.9 |
| SUPERMARKETS    | Soreness, pain, hurt, except the back       | 41   | 9.3  | Shoulder, including clavicle, scapula           | 43   | 9.8  |
| AND OTHER       | Bruises, contusions                         | 37   | 8.4  | Finger(s), fingernail(s)                        | 42   | 9.6  |
| GROCERY STORES  | Cuts, lacerations                           | 33   | 7.5  | Wrist(s)  | 37   | 8.4  |
| (439 FROI)      | Back pain, hurt back                        | 22   | 5.0  | Knee(s)   | 33   | 7.5  |

These columns refer to the industry indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification

#### **General Medical and Surgical Hospitals (NAICS 622110)**

TABLE 4-2: Characteristics of Injuries and Illnesses in General Medical and Surgical Hospitals

| OCCUPATION   | FROI | %    |
|--|------|------|
| Registered Nurses                                      | 141  | 22.1 |
| Nursing Aides, Orderlies & Attendants                  | 125  | 19.6 |
| Janitors & Cleaners, exc Maids & Housekeeping Cleaners | 58   | 9.1  |
| Maids & Housekeeping Cleaners                          | 32   | 5.0  |
| Healthcare Support Workers, All Other                  | 29   | 4.6  |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 138 | 21.5 |
|---|-----|------|
| Fall to floor, walkway or other surface               | 66  | 10.3 |
| Overexertion holding/carrying/turning/wielding object | 51  | 8.0  |
| Overexertion, unspecified                             | 41  | 6.4  |
| Overexertion in pulling/pushing objects               | 35  | 5.5  |

#### **INDUSTRY**

## GENERAL MEDICAL AND SURGICAL HOSPITALS (641 FROI)

#### SOURCE OF INJURY/ILLNESS

| Health care patient/resident of health care facility | 185 | 28.9 |
|--|-----|------|
| Bodily motion/position of injured worker             | 121 | 18.9 |
| Nonclassifiable                                      | 44  | 6.9  |
| Floor of building                                    | 40  | 6.2  |
| Bodily conditions of injured/ill worker              | 22  | 3.4  |

#### NATURE OF INJURY/ILLNESS

| STREET, CONTROL OF THE CONTROL OF TH | 55827M |      |
|--|--------|------|
| Sprains, strains, tears  | 346    | 54.0 |
| Soreness, pain, hurt, except the back  | 59     | 9.2  |
| Bruises, contusions  | 48     | 7.5  |
| Back pain, hurt back   | 28     | 4.4  |
| Fractures  | 22     | 3.4  |


#### PART OF BODY

| Back, including spine, spinal cord, unspecified | 89 | 13.9 |
|---|----|------|
| Lumbar region                                   | 81 | 12.6 |
| Multiple body parts                             | 63 | 9.8  |
| Knee(s)   | 41 | 6.4  |
| Wrist(s)  | 38 | 5.9  |

FROI = Employer's First Report of Occupational Injury or Disease

The top five occupations, in terms of first reports made in 2005, for the general medical and surgical hospitals industry (NAICS 622110) are shown in Figure 4-1.

FIGURE 4-1: Occupations - General Medical and Surgical Hospitals (641 First Reports)



Registered nurses and nursing aides, orderlies, and attendants together accounted for 41.5% of first reports in this industry in 2005 as shown in Figure 4-1. As to event, overexertion in general totaled 41.4% of reported injuries and illnesses. Health care patient/resident of health care facility was the first ranked source of injury or illness for all workers. The top nature of injury by far was sprains, strains, tears. The back in general (including the lumbar region) was the part of body most often affected for all workers in this industry, as seen in Table 4-2.

#### Elementary and Secondary Schools (NAICS 611110).

TABLE 4-3: Characteristics of Injuries and Illnesses in Elementary and Secondary Schools

| OCCUPATION  | FROI | %    |
|---|------|------|
| Janitors & Cleaners, except Maids & Housekeeping Cleaners     | 179  | 28.8 |
| Elementary school teachers, except special education          | 66   | 10.6 |
| Bus drivers, school   | 56   | 9.0  |
| Middle school teachers, except special & vocational education | 44   | 7.1  |
| Special education teachers, middle school                     | 44   | 7.1  |

#### **EVENT OF INJURY/ILLNESS**

| Fall to floor, walkway or other surface       | 94 | 15.1 |
|---|----|------|
| Overexertion in lifting                       | 58 | 9.3  |
| Slip, trip, loss of balance without fall      | 34 | 5.5  |
| Bodily conditions, not elsewhere classifiable | 33 | 5.3  |
| Overexertion, no elsewhere classifiable       | 29 | 4.7  |

#### **INDUSTRY**

# ELEMENTARY AND SECONDARY SCHOOLS (622 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker  | 102 | 16.4 |
|---|-----|------|
| Floor of building                         | 55  | 8.8  |
| Nonclassifiable                           | 42  | 6.8  |
| Person-other than injured/ill worker, NEC | 40  | 6.4  |
| Bodily conditions of injured/ill worker   | 34  | 5.5  |

#### NATURE OF INJURY/ILLNESS


| Sprains, strains, tears               | 164 | 26.4 |
|---------------------------------------|-----|------|
| Soreness, pain, hurt, except the back | 125 | 20.1 |
| Bruises, contusions                   | 56  | 9.0  |
| Fractures                             | 50  | 8.0  |
| Back pain, hurt back                  | 39  | 6.3  |


#### PART OF BODY

| TIME OF BODE        |     |      |
|---------------------|-----|------|
| Multiple body parts | 112 | 18.0 |
| Lumbar region       | 46  | 7.4  |
| Knee(s)             | 46  | 7.4  |
| Body systems        | 46  | 7.4  |
| Ankle(s)            | 40  | 6.4  |

FROI = Employer's First Report of Occupational Injury or Disease

Figure 4-2 presents the five occupations reporting the highest frequency of 2005 first reports within the elementary and secondary schools industry (NAICS 611110).





As can be seen in Figure 4-2, the highest proportion of first reports was for janitors and cleaners. As to how workers were injured, Table 4-3 shows that the top reported event for all workers in schools was a fall to the floor, walkway or other surface and the number one source of injury or illness was bodily motion/position of injured worker. The most often reported body part for all workers was multiple body parts.

#### **Nursing Care Facilities (NAICS 623110)**

TABLE 4-4: Characteristics of Injuries and Illnesses in Nursing Care Facilities

| OCCUPATION   | FROI | %    |
|--|------|------|
| Nursing aides, orderlies, and attendants               | 406  | 67.9 |
| Healthcare Support Workers, All Other                  | 36   | 6.0  |
| Registered Nurses                                      | 27   | 4.5  |
| Janitors & Cleaners, exc Maids & Housekeeping Cleaners | 23   | 3.8  |
| Licensed Practical & Licensed Vocational Nurses        | 18   | 3.0  |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 159 | 26.6 |
|---|-----|------|
| Overexertion holding/carrying/turning/wielding object | 70  | 11.7 |
| Fall to floor, walkway or other surface               | 63  | 10.5 |
| Overexertion, unspecified                             | 45  | 7.5  |
| Overexertion in pulling/pushing objects               | 37  | 6.2  |

#### **INDUSTRY**

NURSING CARE FACILITIES (598 FROI)

#### SOURCE OF INJURY/ILLNESS

| Health care patient/resident of health care facility | 283 | 47.3 |
|--|-----|------|
| Bodily motion/position of injured worker             | 66  | 11.0 |
| Nonclassifiable                                      | 51  | 8.5  |
| Floor of building                                    | 41  | 6.9  |
| Ground   | 12  | 2.0  |

#### NATURE OF INJURY/ILLNESS


| Sprains, strains, tears                     | 310 | 51.8 |
|---|-----|------|
| Soreness, pain, hurt, except the back       | 74  | 12.4 |
| Back pain, hurt back                        | 70  | 11.7 |
| Bruises, contusions                         | 45  | 7.5  |
| Traumatic injuries & disorders, unspecified | 23  | 3.8  |

#### PART OF BODY

| Lumbar region                                   | 155 | 25.9 |
|---|-----|------|
| Knee(s)   | 53  | 8.9  |
| Back, including spine, spinal cord, unspecified | 52  | 8.7  |
| Shoulder, including clavicle, scapula           | 51  | 8.5  |
| Multiple body parts                             | 45  | 7.5  |

FROI = Employer's First Report of Occupational Injury and Disease

Figure 4-3 below shows the five occupations with the greatest number of first reports in the



nursing care facilities industry (NAICS 623110) for 2005.

In terms of occupations within this industry, as diagrammed in Figure 4-3, nursing aides, orderlies, and attendants accounted for more than two thirds of all first reports in 2005. Overexertion in lifting ranked first among the events contributing to the frequency of first reports and overexertion in general accounted for 52.0% of first reports from nursing care facilities, the highest proportion among the top five industries. The health care patient/resident of health care facility was the most commonly reported source of injury or illness for all workers in this industry in Table 4-4. The back (particularly the lumbar region) was the body part affected in the highest frequency of first reports.

#### Ship Building and Repairing (NAICS 336611)

TABLE 4-5: Characteristics of Injuries and Illnesses in Ship Building and Repairing

| OCCUPATION                              | FROI | %    |
|---|------|------|
| Lay-Out Workers, Metal and Plastic      | 116  | 24.3 |
| Welders, Cutters, Solderers and Brazers | 70   | 14.7 |
| Electricians                            | 61   | 12.8 |
| Plumbers, Pipefitters, and Steamfitters | 46   | 9.6  |
| Sheet Metal Workers                     | 37   | 7.8  |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                     | 43 | 9.0 |
|---|----|-----|
| Repetitive use of tools                     | 35 | 7.3 |
| Bending/climbing/crawling/reaching/twisting | 34 | 7.1 |
| Slip, trip, loss of balance without fall    | 31 | 6.5 |
| Nonclassifiable                             | 31 | 6.5 |

#### **INDUSTRY**

#### SHIP BUILDING AND REPAIRING (478 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker | 157 | 32.8 |
|--|-----|------|
| Nonclassifiable                          | 60  | 12.6 |
| Welding torches-powered                  | 19  | 4.0  |
| Electrical wiring                        | 17  | 3.6  |
| Floors, walkways, ground surfaces, UNS   | 15  | 3.1  |

#### NATURE OF INJURY/ILLNESS

| Soreness, pain, hurt, except the back        | 174 | 36.4 |
|--|-----|------|
| Sprains, strains, tears                      | 91  | 19.0 |
| Back pain, hurt back                         | 42  | 8.8  |
| Symptoms inv nervous/musculoskeletal sys NEC | 32  | 6.7  |
| Foreign bodies-superficial splinter/chip     | 15  | 3.1  |


#### PART OF BODY

| Knee(s)   | 71 | 14.8 |
|---|----|------|
| Back, including spine, spinal cord, unspecified | 65 | 13.6 |
| Shoulder, including clavicle, scapula           | 64 | 13.4 |
| Eye(s)  | 30 | 6.3  |
| Hand(s), except finger(s)                       | 25 | 5.2  |

FROI = Employer's First Report of Occupational Injury and Disease

Figure 4-4 below shows the five occupations with the greatest number of first reports in the ship building and repairing industry (NAICS 336611) for 2005.

FIGURE 4-4: Occupations - Ship Building and Repairing (478 First Reports)



In terms of occupation, lay-out workers ranked first in this industry according to Figure 4-4. Overexertion in lifting ranked first in events in Table 4-5, and the top source of injury or illness for all workers was the bodily motion/position of the injured worker. The knee(s) were the body part involved in the most first reports for all workers in this industry.

#### **Supermarkets and Other Grocery (Except Convenience) Stores (NAICS 445110)**

TABLE 4-6: Characteristics of Injuries and Illnesses in Supermarkets and Other Grocery (Except Convenience) Stores

| OCCUPATION   | FROI | %    |
|--|------|------|
| Stock Clerks and Order Fillers                               | 134  | 30.6 |
| Combined Food Preparation and Serving Workers, inc Fast Food | 80   | 18.3 |
| Cashiers   | 63   | 14.4 |
| Laborers & Freight, Stock & Material Movers, Hand            | 42   | 9.6  |
| Retail Salespersons  | 31   | 7.1  |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 83 | 18.9 |
|---|----|------|
| Nonclassifiable                                       | 38 | 8.7  |
| Fall to floor, walkway or other surface               | 32 | 7.3  |
| Repetitive placing/grasping/moving object except tool | 29 | 6.6  |
| Overexertion, unspecified                             | 25 | 5.7  |

#### **INDUSTRY**

## SUPERMARKETS AND OTHER GROCERY STORES (439 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker | 97 | 22.1 |
|--|----|------|
| Boxes, crates, cartons                   | 65 | 14.8 |
| Nonclassifiable                          | 61 | 13.9 |
| Floor of building                        | 31 | 7.1  |
| Cart, dolly, handtruck                   | 19 | 4.3  |

#### NATURE OF INJURY/ILLNESS


| Sprains, strains, tears               | 186 | 42.4 |
|---------------------------------------|-----|------|
| Soreness, pain, hurt, except the back | 41  | 9.3  |
| Bruises, contusions                   | 37  | 8.4  |
| Cuts, lacerations                     | 33  | 7.5  |
| Back pain, hurt back                  | 22  | 5.0  |


#### PART OF BODY

| Lumbar region                         | 70 | 15.9 |
|---------------------------------------|----|------|
| Shoulder, including clavicle, scapula | 43 | 9.8  |
| Finger(s), fingernail(s)              | 42 | 9.6  |
| Wrist(s)                              | 37 | 8.4  |
| Knee(s)                               | 33 | 7.5  |

FROI = Employer's First Report of Occupational Injury of Disease

Figure 4-5 shows the five occupations with the highest counts of first reports within the supermarkets and other grocery (except convenience) stores industry (NAICS 445110) in the year 2005.





In terms of occupations within this industry, as diagrammed in Figure 4-5, stock clerks and order fillers ranked first, but the other top occupations contributed significantly to the total 2005 first reports for this industry. While overexertion in lifting ranked first among the classifiable, a variety of events contributed to the frequency of first reports in Table 4-6. Bodily motion/position of injured worker was the most commonly reported source of injury or illness for all workers in this industry. The lumbar region was the body part producing the highest frequency of first reports.

#### **SECTION 5: THE TOP FIVE EVENTS OR EXPOSURES**

#### Overview

Events or exposures, defined as the manner in which injuries and illnesses are inflicted or produced, are dealt with in this section. Table 5-1 below lists the top five events or exposures in descending order by frequency of first reports for 2005. Together, these five events accounted for 37.0% of all first reports for 2005. Overexertion in lifting was by far the number one reported event and three of the top five were overexertion events, together accounting for 22.6% of 2005 first reports. Fall to floor, walkway, or other surface ranked second among events leading to injury or illness however. Unfortunately, nonclassifiable, the third ranked event, accounting for 4.6% of all first reports, represents first reports for which the event was not reported at all or not reported in sufficient detail to allow classification.

Table 5-1 is a cross tabulation of the top five events or exposures with six characteristics of injuries for these events. Occupation of the injured worker, source of the injury or illness, nature of the injury or illness, and part of the body affected are tabulated by the first reports frequency and percentage for the top five of each characteristic. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, **the tabulated characteristics refer to the event as a whole, not to the other tabulated characteristics.**For example, the 65.9% of nature (sprains, strains, and tears) in the first row of the third column of Table 5-1 are NOT injuries and illnesses reported by nursing aides, orderlies, and attendants only but by ALL occupations within overexertion in lifting, including those not listed.

These top five events shared a number of elements in common, although there were differences in characteristics of injuries and illnesses between them.

- Sprains, strains, and tears ranked first in the nature column for all of the top five events, averaging 47.4%. Non-back soreness, pain, or hurt also appeared under all five events, emphasizing the prevalence of musculoskeletal disorders.
- The top length-of-service group affected by all events was under one year. The average proportion was 33.5%.
- Injuries to the lumbar region and to the back, including spine, spinal cord unspecified accounted for an average of 31.9% of first reports for the these top five events.
- Three occupations were affected by all top four classifiable events. Nursing aides, orderlies, and attendants (SOC 311012), laborers and freight, stock and material movers, hand (SOC 537062), and janitors and cleaners, except maids and housekeeping cleaners (SOC 372011).
- Workers 45 and older were involved in 51.2% of first reports under the fall to floor, walkway, or other surface event in contrast to the other top four events.

**TABLE 5-1: Characteristics of Injuries for the Top Five Events or Exposures** 

| EVENT             | OCCUPATION*                              | FROI | %    | SOURCE OF<br>INJURY/ILLNESS*                | FROI | %    | NATURE OF<br>INJURY/ILLNESS*          | FROI | %    |
|-------------------|--|------|------|---|------|------|---------------------------------------|------|------|
|                   | Nursing aides, orderlies, and attendants | 193  | 10.1 | Boxes, crates, cartons                      | 326  | 17.0 | Sprains, strains, tears               | 1262 | 65.9 |
| OVEREXERTION      | Laborrs & Freight, Stock & Matl Movrs    | 180  | 9.4  | Hlth care patient/resident of hlth care fac | 299  | 15.6 | Back pain, hurt back                  | 306  | 16.0 |
| IN LIFTING        | Janitors & Cleaners, exc Maids & Hskpg   | 108  | 5.7  | Nonclassifiable                             | 146  | 7.6  | Soreness, pain, hurt, except the back | 182  | 9.5  |
| (1,916 FROI)      | Stock Clerks & Order Fillers             | 98   | 5.1  | Bags, sacks, totes                          | 105  | 5.5  | Traumatic injuries & disorders, UNS   | 43   | 5.2  |
|                   | Retail Salespersons                      | 84   | 4.4  | Other sources, NEC                          | 101  | 5.3  | Inguinal hemia                        | 32   | 1.7  |
|                   | Truck Drivers, Heavy & Tractor-Trailer   | 67   | 4.9  | Floor of building                           | 453  | 33.3 | Sprains, strains, tears               | 353  | 25.9 |
| FALL TO FLOOR,    | Retail Salespersons                      | 59   | 4.4  | Ground                                      | 402  | 29.5 | Bruises, contusions                   | 286  | 21.0 |
| WALKWAY, OR       | Nursing aides, orderlies, and attendants | 57   | 4.2  | Parking lots                                | 179  | 13.2 | Fractures                             | 231  | 17.0 |
| OTHER SURFACE     | Janitors & Cleaners, exc Maids & Hskpg   | 52   | 3.8  | Floors, walkways, ground surfaces, UNS      | 167  | 12.3 | Soreness, pain, hurt, except the back | 225  | 16.5 |
| (1,361 FROI)      | Laborrs & Freight, Stock & Matl Movrs    | 49   | 3.6  | Sidewalks, paths, outdoor walkways          | 58   | 4.3  | Traumatic injuries & disorders, UNS   | 74   | 5.4  |
|                   | Laborrs & Freight, Stock & Matl Movrs    | 62   | 9.9  | Nonclassifiable                             | 610  | 96.8 | Sprains, strains, tears               | 239  | 37.9 |
|                   | Unknown                                  | 35   | 5.6  | Highway vehicle, unspecified                | 6    | 1.0  | Soreness, pain, hurt, except the back | 130  | 20.6 |
| NONCLASSIFIABLE   | Retail Salespersons                      | 32   | 5.1  | Lawn mowers - riding                        | 1    | 0.2  | Back pain, hurt back                  | 48   | 7.6  |
| (630 FROI)        | Truck Drivers, Heavy & Tractor-Trailer   | 32   | 5.1  | Electrical Wiring                           | 1    | 0.2  | Nonclassifiable                       | 48   | 7.6  |
|                   | Stock Clerks & Order Fillers             | 27   | 4.3  | Animals, unspecified                        | 1    | 0.2  | Traumatic injuries & disorders, UNS   | 37   | 5.9  |
|                   | Nursing aides, orderlies, and attendants | 53   | 8.5  | Nonclassifiable                             | 223  | 35.5 | Sprains, strains, tears               | 313  | 49.8 |
| OVEREXERTION,     | Laborrs & Freight, Stock & Matl Movrs    | 45   | 7.2  | Other sources, not elsewhere classifiable   | 155  | 24.7 | Soreness, pain, hurt, except the back | 133  | 21.2 |
| UNSPECIFIED       | Truck Drivers, Heavy & Tractor-Trailer   | 36   | 5.8  | Hlth care patient/resident of hlth care fac | 73   | 11.6 | Back pain, hurt back                  | 86   | 13.7 |
| (628 FROI)        | Janitors & Cleaners, exc Maids & Hskpg   | 33   | 5.3  | Tools, instruments and equipment, UNS       | 15   | 2.4  | Traumatic injuries & disorders, UNS   | 22   | 3.5  |
|                   | Stock Clerks & Order Fillers             | 19   | 3.0  | Person-other than inj/ill worker, NEC       | 9    | 1.4  | Hernia, NEC                           | 11   | 1.8  |
| OVEREXERTION      | Nursing aides, orderlies, and attendants | 89   | 15.1 | Hlth care patient/resident of hlth care fac | 151  | 25.6 | Sprains, strains, tears               | 340  | 57.7 |
| HOLDING/CARRYING/ | Janitors & Cleaners, exc Maids & Hskpg   | 32   | 5.4  | Boxes, crates, cartons                      | 65   | 11.0 | Back pain, hurt back                  | 118  | 20.0 |
| TURNING/WIELDING  | Laborrs & Freight, Stock & Matl Movrs    | 32   | 5.4  | Bags, sacks, totes                          | 16   | 2.7  | Soreness, pain, hurt, except the back | 88   | 14.9 |
| OBJECTS           | Carpenters                               | 23   | 3.9  | Other sources, NEC                          | 15   | 2.5  | Traumatic injuries & disorders, UNS   | 17   | 2.9  |
| (589 FROI)        | Registered Nurses                        | 21   | 3.6  | Nonclassifiable                             | 14   | 2.4  | Inguinal hernia                       | 7    | 1.2  |

These columns refer to the event indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease.

UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = Insufficient data for classification. Continued next page.

**TABLE 5-1, continued** 

| EVENT             | PART OF BODY*                           | FROI | %    | AGE OF INJURED<br>WORKER* | FROI       | %    | LENGTH OF SERVICE * | FROI | %    |
|-------------------|---|------|------|---------------------------|------------|------|---------------------|------|------|
|                   | Lumbar region                           | 715  | 37.3 | 35-44                     | 532        | 27.8 | Under 1 year        | 670  | 36.0 |
| OVEREXERTION      | Back, including spine, spinal cord, UNS | 302  | 15.8 | 45-54                     | 469        | 24.5 | 5-14 years          | 370  | 19.9 |
| IN LIFTING        | Shoulder, including clavicle, scapula   | 235  | 12.3 | 25-34                     | 396        | 20.7 | 2-4 years           | 333  | 17.9 |
| (1,916 FROI)      | Multiple body parts                     | 98   | 5.1  | Under 25                  | 314        | 16.4 | 1 year to 2 years   | 256  | 13.8 |
|                   | Thoracic region                         | 66   | 3.4  | 55 and older              | 204        | 10.7 | 15 years and above  | 231  | 12.4 |
|                   | Multiple body parts                     | 283  | 20.8 | 45-54                     | 355        | 26.1 | Under 1 year        | 442  | 33.6 |
| FALL TO FLOOR,    | Knee(s)                                 | 198  | 14.5 | 55 and older              | 341        | 25.1 | 5-14 years          | 291  | 22.1 |
| WALKWAY, OR       | Ankle(s)                                | 105  | 7.7  | 35-44                     | 297        | 21.8 | 2-4 years           | 246  | 18.7 |
| OTHER SURFACE     | Shoulder, including clavicle, scapula   | 102  | 7.5  | 25-34                     | 227        | 16.7 | 15 years and above  | 177  | 13.5 |
| (1,361 FROI)      | Lumbar region                           | 91   | 6.7  | Under 25                  | 141        | 10.4 | 1 year to 2 years   | 159  | 12.1 |
|                   | Lumbar region                           | 82   | 13.0 | 35-44                     | 177        | 28.1 | Under 1 year        | 201  | 33.0 |
|                   | Knee(s)                                 | 65   | 10.3 | 45-54                     | 148        | 23.5 | 5-14 years          | 124  | 20.3 |
| NONCLASSIFIABLE   | Shoulder, including clavicle, scapula   | 51   | 8.1  | 55 and older              | 108        | 17.1 | 15 years and above  | 104  | 17.0 |
| (630 FROI)        | Multiple body parts                     | 51   | 8.1  | 25-34                     | 102        | 16.2 | 2-4 years           | 104  | 17.0 |
|                   | Back, including spine, spinal cord, UNS | 46   | 7.3  | Under 25                  | 95         | 15.1 | 1 year to 2 years   | 77   | 12.6 |
|                   | Lumbar region                           | 144  | 22.9 | 35-44                     | 174        | 27.7 | Under 1 year        | 198  | 32.1 |
| OVEREXERTION,     | Shoulder, including clavicle, scapula   | 85   | 13.5 | 45-54                     | 170        | 27.1 | 5-14 years          | 132  | 21.4 |
| UNSPECIFIED       | Back, including spine, spinal cord, UNS | 66   | 10.5 | 25-34                     | 128        | 20.4 | 2-4 years           | 120  | 19.5 |
| (628 FROI)        | Multiple body parts                     | 60   | 9.6  | Under 25                  | 80         | 12.7 | 15 years and above  | 89   | 14.4 |
|                   | Wrist(s)                                | 32   | 5.1  | 55 and older              | 76         | 12.1 | 1 year to 2 years   | 77   | 12.5 |
| OVEREXERTION      | Lumbar region                           | 167  | 28.4 | 35-44                     | 168        | 28.6 | Under 1 year        | 188  | 32.6 |
| HOLDING/CARRYING/ | Back, including spine, spinal cord, UNS | 103  | 17.5 | 45-54                     | 140        | 23.8 | 5-14 years          | 121  | 21.0 |
| TURNING/WIELDING  | Shoulder, including clavicle, scapula   | 81   | 13.8 | 25-34                     | 137        | 23.3 | 2-4 years           | 106  | 18.4 |
| OBJECTS           | Multiple body parts                     | 48   | 8.1  | Under 25                  | <b>7</b> 9 | 13.4 | 1 year to 2 years   | 95   | 16.5 |
| (589 FROI)        | Knee(s)                                 | 32   | 5.4  | 55 and older              | 64         | 10.9 | 15 years and above  | 67   | 11.6 |

<sup>\*</sup>These columns refer to the event indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease.

UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification

#### **Overexertion in Lifting**

TABLE 5-2: Characteristics of Injuries and Illnesses Due to Overexertion in Lifting

| OCCUPATION  | FROI | %    |
|---|------|------|
| Nursing aides, orderlies, and attendants                  | 193  | 10.1 |
| Laborers & Freight, Stock & Material Movers, Hand         | 180  | 9.4  |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 108  | 5.7  |
| Stock Clerks & Order Fillers                              | 98   | 5.1  |
| Retail Salespersons                                       | 84   | 4.4  |

#### SOURCE OF INJURY/ILLNESS

| Boxes, crates, cartons                               | 326 | 17.0 |
|--|-----|------|
| Health care patient/resident of health care facility | 299 | 15.6 |
| Nonclassifiable                                      | 146 | 7.6  |
| Bags, sacks, totes                                   | 105 | 5.5  |
| Other sources, NEC                                   | 101 | 5.3  |

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears                     | 1262 | 65.9 |
|---|------|------|
| Back pain, hurt back                        | 306  | 16.0 |
| Soreness, pain, hurt, except the back       | 182  | 9.5  |
| Traumatic injuries & disorders, unspecified | 43   | 5.2  |
| Inguinal hernia                             | 32   | 1.7  |

#### PART OF BODY

| Lumbar region                                   | 715 | 37.3 |
|---|-----|------|
| Back, including spine, spinal cord, unspecified | 302 | 15.8 |
| Shoulder, including clavicle, scapula           | 235 | 12.3 |
| Multiple body parts                             | 98  | 5.1  |
| Thoracic region                                 | 66  | 3.4  |

FROI = Employer's First Report of Occupational Injury or Disease Continued next page.

#### **EVENT**

## OVEREXERTION IN LIFTING

(1,916 FROI)

TABLE 5-2, continued

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 532  | 27.8 |
| 45-54                 | 469  | 24.5 |
| 25-34                 | 396  | 20.7 |
| Under 25              | 314  | 16.4 |
| 55 and older          | 204  | 10.7 |

# OVEREXERTION IN LIFTING (1,916 FROI)

#### LENGTH OF SERVICE

| Under 1 year       | 670 | 36.0 |
|--------------------|-----|------|
| 5-14 years         | 370 | 19.9 |
| 2-4 years          | 333 | 17.9 |
| 1 year to 2 years  | 256 | 13.8 |
| 15 years and above | 231 | 12.4 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 5-1 shows the top five occupations reporting overexertion in lifting as the event leading to an injury in 2005.



As shown in Figure 5-1, the occupation involved in the most first reports resulting from overexertion in lifting in 2005 was nursing aides, orderlies, and attendants. In Table 5-2, the top source of injuries and illnesses connected with this event was boxes, crates, and cartons and the top nature of injury or illness by far was sprains, strains, and tears. The part of body most affected was the lumbar region. Combined with the back in general, this part accounted for 53.1% of first reports under overexertion in lifting in 2005. The top-ranked age group was 35-44 years and the top length-of-service group was under one year.

#### Fall to Floor, Walkway, or Other Surface

TABLE 5-3: Characteristics of Injuries and Illnesses Due to Fall to Floor, Walkway, or Other Surface.

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Truck Drivers, Heavy & Tractor-Trailer                    | 67   | 4.9 |
| Retail Salespersons                                       | 59   | 4.4 |
| Nursing aides, orderlies, and attendants                  | 57   | 4.2 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 52   | 3.8 |
| Laborers & Freight, Stock & Material Movers, Hand         | 49   | 3.6 |

#### SOURCE OF INJURY/ILLNESS

| Floor of building                      | 453 | 33.3 |
|--|-----|------|
| Ground                                 | 402 | 29.5 |
| Parking lots                           | 179 | 13.2 |
| Floors, walkways, ground surfaces, UNS | 167 | 12.3 |
| Sidewalks, paths, outdoor walkways     | 58  | 4.3  |

#### **EVENT**

FALL TO FLOOR,
WALKWAY, OR
OTHER SURFACE
(1,361 FROI)

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears               | 353 | 25.9 |
|---------------------------------------|-----|------|
| Bruises, contusions                   | 286 | 21.0 |
| Fractures                             | 231 | 17.0 |
| Soreness, pain, hurt, except the back | 225 | 16.5 |
| Traumatic injuries & disorders, UNS   | 74  | 5.4  |

#### PART OF BODY

| Multiple body parts                   | 283 | 20.8 |
|---------------------------------------|-----|------|
| Knee(s)                               | 198 | 14.5 |
| Ankle(s)                              | 105 | 7.7  |
| Shoulder, including clavicle, scapula | 102 | 7.5  |
| Lumbar region                         | 91  | 6.7  |

 $\label{eq:FROI} \textbf{FROI} = \textit{Employer's First Report of Occupational Injury or Disease}. \\ \textbf{Continued next page}.$ 

#### TABLE 5-3, continued

#### EVENT

FALL TO FLOOR, WALKWAY, OR OTHER SURFACE (1.361 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 45-54                 | 355  | 26.1 |
| 55 and older          | 341  | 25.1 |
| 35-44                 | 297  | 21.8 |
| 25-34                 | 227  | 16.7 |
| Under 25              | 141  | 10.4 |


#### LENGTH OF SERVICE

| Under I year       | 442 | 33,6 |
|--------------------|-----|------|
| 5-14 years         | 291 | 22.1 |
| 2-4 years          | 246 | 18.7 |
| 15 years and above | 177 | 13.5 |
| 1 year to 2 years  | 159 | 12.1 |

FROI = Employer's First Report of Occupational Injury or Disease.

The top five occupations, in terms of first reports recorded in 2005, for the fall to floor, walkway, or other surface event or exposure are shown in Figure 5-2.

FIGURE 5-2: Occupations - Fall to Floor, Walkway, or Other Surface (1,361 First Reports)



As shown in Figure 5-2, under this event, truck drivers, heavy and tractor-trailer, was the top occupation. From Table 5-3, the top source was floor of building and the highest-ranking nature was sprains, strains, and tears. The part of body in the most first reports was multiple body parts. The top age group was 45-54 years and workers 45 and older were involved in 51.2% of first reports under this event. The top length-of-service category was under one year.

#### Nonclassifiable

TABLE 5-4: Characteristics of Injuries and Illnesses Due to Nonclassifiable Events of Exposures

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Laborers & Freight, Stock & Material Movers, Hand | 62   | 9.9 |
| Unknown   | 35   | 5.6 |
| Retail Salespersons                               | 32   | 5.1 |
| Truck Drivers, Heavy & Tractor-Trailer            | 32   | 5.1 |
| Stock Clerks & Order Fillers                      | 27   | 4.3 |

#### SOURCE OF INJURY/ILLNESS

| Nonclassifiable              | 610 | 96.8 |
|------------------------------|-----|------|
| Highway vehicle, unspecified | 6   | 1.0  |
| Lawn mowers - riding         | Ĩ   | 0.2  |
| Electrical Wiring            | 1   | 0.2  |
| Animals, unspecified         | Ĭ   | 0.2  |

#### **EVENT**

NONCLASSIFIABLE

(630 FROI)

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears                     | 239 | 37.9 |
|---|-----|------|
| Soreness, pain, hurt, except the back       | 130 | 20.6 |
| Back pain, hurt back                        | 48  | 7.6  |
| Nonclassifiable                             | 48  | 7.6  |
| Traumatic injuries & disorders, unspecified | 37  | 5.9  |

#### PART OF BODY

| Lumbar region                                   | 82 | 13.0 |
|---|----|------|
| Knee(s)   | 65 | 10.3 |
| Shoulder, including clavicle, scapula           | 51 | 8.1  |
| Multiple body parts                             | 51 | 8.1  |
| Back, including spine, spinal cord, unspecified | 46 | 7.3  |

 $\label{eq:FROI} \textbf{FROI} = \textit{Employer's First Report of Occupational Injury or Disease}. \\ \textbf{Continued next page}.$ 

TABLE 5-4, continued

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 177  | 28.1 |
| 45-54                 | 148  | 23.5 |
| 55 and older          | 108  | 17.1 |
| 25-34                 | 102  | 16.2 |
| Under 25              | 95   | 15.1 |

#### EVENT

NONCLASSIFIABLE (630 FROI)


#### LENGTH OF SERVICE

| Under 1 year       | 201 | 33.0 |
|--------------------|-----|------|
| 5-14 years         | Ĭ24 | 20.3 |
| 15 years and above | 104 | 17.0 |
| 2-4 years          | 104 | 17.0 |
| 1 year to 2 years  | 77  | 12.6 |

FROI = Employer's First Report of Occupational Injury or Disease.

In Figure 5-3, the top five occupations, in terms of first reports recorded in 2005, for nonclassifiable events are shown.

FIGURE 5-3: Occupations - Nonclassifiable Events (630 First Reports)



The occupation involved in the most first reports originating with nonclassifiable events was laborers and freight, stock and material movers, hand, as seen in Figure 5-3. Almost all the sources of injury associated with nonclassifiable events were themselves nonclassifiable: where the one was not reported, the other was also absent. Table 5-4 shows sprains, strains, and tears was the top ranking nature. Lumbar region was the first ranked part of body affected. The top-ranked age group was 35-44 years. The most-reported length-of-service category was under one year.

#### Overexertion, Unspecified

TABLE 5-5: Characteristics of Injuries and Illnesses Due to Overexertion, Unspecified

| OCCUPATION  | FRO] | %   |
|---|------|-----|
| Nursing aides, orderlies, and attendants                  | 53   | 8.5 |
| Laborers & Freight, Stock & Material Movers, Hand         | 45   | 7.2 |
| Truck Drivers, Heavy & Tractor-Trailer                    | 36   | 5.8 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 33   | 5.3 |
| Stock Clerks & Order Fillers                              | 19   | 3.0 |

#### SOURCE OF INJURY/ILLNESS

| Nonclassifiable                                      | 223 | 35.5 |
|--|-----|------|
| Other sources, not elsewhere classifiable            | 155 | 24.7 |
| Health care patient/resident of health care facility | 73  | 11.6 |
| Tools, instruments and equipment, unspecified        | 15  | 2.4  |
| Person-other than injured/ill worker, NEC            | 9   | 1.4  |

#### **EVENT**

OVEREXERTION, UNSPECIFIED\*

(628 FROI)

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears                     | 313 | 49.8 |
|---|-----|------|
| Soreness, pain, hurt, except the back       | 133 | 21.2 |
| Back pain, hurt back                        | 86  | 13.7 |
| Traumatic injuries & disorders, unspecified | 22  | 3.5  |
| Hernia, NEC                                 | 11  | 1.8  |

#### PART OF BODY

| grand control of the |     |      |
|---|-----|------|
| Lumbar region   | 144 | 22.9 |
| Shoulder, including clavicle, scapula   | 85  | 13.5 |
| Back, including spine, spinal cord, unspecified   | 66  | 10.5 |
| Multiple body parts   | 60  | 9.6  |
| Wrist(s)  | 32  | 5.1  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

 $<sup>*\</sup> Unspecified\ denotes\ insufficient\ data\ for\ more\ detailed\ classification$ 

TABLE 5-5, continued

|     | EVENT      |    |
|-----|------------|----|
| OVE | REXERTIO   | N. |
| UN  | SPECIFIED  | )  |
|     | (628 FROI) |    |

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 174  | 27.7 |
| 45-54                 | 170  | 27.1 |
| 25-34                 | 128  | 20.4 |
| Under 25              | 80   | 12.7 |
| 55 and older          | 76   | 12.1 |

### LENGTH OF SERVICE OF INJURED WORKER

| Under 1 year       | 198 | 32.1 |
|--------------------|-----|------|
| 5-14 years         | 132 | 21.4 |
| 2-4 years          | 120 | 19.5 |
| 15 years and above | 89  | 14.4 |
| 1 year to 2 years  | 77  | 12.5 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 5-4 presents the five occupations reporting the highest frequency of 2005 first reports within the overexertion, unspecified event.

FIGURE 5-4: Occupations - Over exertion, Unspecified (628 First Reports)




Figure 5-4 shows that the occupation producing the most first reports involving overexertion, unspecified was nursing aides, orderlies, and attendants. A wide variety of occupations contributed to the 2005 first reports for this event. According to Table 5-5, the top source of injury or illness was nonclassifiable – that is, sources inadequately described to be classified. The part of body affected most often reported was lumbar region. The age group generating the most first reports was 35-44 years and the highest-ranking length-of-service category was under one year.

#### Overexertion Holding, Carrying, Turning, or Wielding Objects

TABLE 5-6: Characteristics of Injuries and Illnesses Due to Overexertion Holding/Carrying/Turning/Wielding Objects

| OCCUPATION  | FRO | %    |
|---|-----|------|
| Nursing aides, orderlies, and attendants                  | 89  | 15.1 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 32  | 5.4  |
| Laborers & Freight, Stock & Material Movers, Hand         | 32  | 5.4  |
| Carpenters  | 23  | 3.9  |
| Registered Nurses   | 21  | 3.6  |

#### SOURCE OF INJURY/ILLNESS

| Hlth care patient/resident of hlth care fac | 151 | 25.6 |
|---|-----|------|
| Boxes, crates, cartons                      | 65  | 11.0 |
| Bags, sacks, totes                          | 16  | 2.7  |
| Other sources, NEC                          | 15  | 2.5  |
| Nonclassifiable                             | 14  | 2.4  |

# EVENT OVEREXERTION HOLDING/CARRYING/ TURNING/WIELDING OBJECTS (589 FROI)

#### NATURE OF INJURY/ILLNESS

| Sprains, strains, tears                     | 340 | 57.7 |
|---|-----|------|
| Back pain, hurt back                        | 118 | 20.0 |
| Soreness, pain, hurt, except the back       | 88  | 14.9 |
| Traumatic injuries & disorders, unspecified | 17  | 2.9  |
| Inguinal hemia                              | 7   | 1.2  |

#### PART OF BODY

| Lumbar region                                   | 167 | 28.4 |
|---|-----|------|
| Back, including spine, spinal cord, unspecified | 103 | 17.5 |
| Shoulder, including clavicle, scapula           | 81  | 13.8 |
| Multiple body parts                             | 48  | 8.1  |
| Knee(s)   | 32  | 5.4  |

 $\label{eq:FROI} FROI = \textit{Employer's First Report of Occupational Injury or Disease}. \\ \textbf{Continued next page.}$ 

#### TABLE 5-6, continued

| /100 | EVENT             |
|------|-------------------|
| Ī    | OVEREXERTION      |
| l    | HOLDING/CARRYING/ |
|      | TURNING/WIELDING  |
|      | OBJECTS           |
|      | (589 FROI)        |

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 168  | 28.6 |
| 45-54                 | 140  | 23.8 |
| 25-34                 | 137  | 23.3 |
| Under 25              | 79   | 13.4 |
| 55 and older          | 64   | 10.9 |


#### LENGTH OF SERVICE

| Under I year       | 188 | 32.6 |
|--------------------|-----|------|
| 5-14 years         | 121 | 21.0 |
| 2-4 years          | 106 | 18.4 |
| 1 year to 2 years  | 95  | 16.5 |
| 15 years and above | 67  | 11.6 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 5-5 shows the five occupations with the most first reports for the overexertion holding/carrying/turning/wielding objects event for 2005.

FIGURE 5-5: Occupations -Overexertion Holding/Carrying/Turning/ Wielding Objects (589 First Reports)



From Figure 5-5, the occupation for this event filing the most first reports in 2005 was nursing aides, orderlies, and attendants. As to how workers were injured, Table 5-6 shows that the dominant source of injury or illness was health care patient or resident of health care facility. The back, including the first-ranked lumbar region, occurred in 45.9% of first reports. The top age group was 35 to 44 and the most reported length-of-service category was less than one year.

#### SECTION 6: THE TOP FIVE SOURCES OF INJURY OR ILLNESS

#### Overview

Source of injury or illness identifies the object, substance, bodily motion, or work environment that directly produced or inflicted the injury or illness. Taken together with event (Section 5), source provides a picture of how workers are being injured on the job. Information on the five sources with the highest frequencies of first reports for 2005 is presented in this section. Table 7-1 below lists the top five sources in descending order. Together, these five sources accounted for 43.7% of all first reports for 2005. Bodily motion/ position of injured worker fell in first place, itself accounting for 18.4% of the 2005 total.

Table 6-1 is a cross tabulation of the top five sources of injury and illness with five characteristics of injuries for these sources. Occupation, nature of the injury or illness, and part of the body affected are tabulated by the first reports frequency and percentage for the top five of each characteristic. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, the tabulated characteristics refer to the source as a whole, not to the other tabulated characteristics. For example, the 42.4% of nature (sprains, strains, and tears) in the first row of the third column of Table 6-1 are NOT injuries and illnesses reported by truck drivers, heavy and tractor-trailer, only but by ALL occupations within bodily motion/position of injured worker, including those occupations not listed.

While there were considerable differences in characteristics of injuries and illnesses between these top five sources, some elements were shared in common

- Sprains, strains, and tears was the first place reported nature for all top five sources, averaging 40.0% of first reports. Non-back soreness, pain, or hurt appeared under all five.
- As in other Sections, the top length-of-service group was under one year, averaging 34.9% of first reports for the top five sources of injury or illness, disproportionately high.
- Under the floor of building source, the over 55 and 45-54 age groups were numbers one and two, respectively, totaling 51.5% of first reports, in contrast to the other sources and in line with the results under Section 5, Event, above. This suggests that older workers are more likely to be injured in slip-trip-fall accidents.
- Back, including the lumbar region, cases appeared with all five sources, ranging from 6.8% of cases where the source was the floor of a building to 28.9% of cases where the source was a health care patient or resident of a health care facility.

TABLE 6-1: Characteristics of Injuries for the Top Five Sources of Injury and Illness

| SOURCE           | OCCUPATION*                              | FROI       | %    | NATURE OF<br>INJURY/ILLNESS*                | FROI  | %    | PART OF BODY*                           | FROI | %    |
|------------------|--|------------|------|---|-------|------|---|------|------|
|                  | Truck Drivers, Heavy & Tractor-Trailer   | 117        | 4.6  | Sprains, strains, tears                     | 1,250 | 49.0 | Knee(s)                                 | 383  | 15.0 |
| BODILY MOTION/   | Laborrs & Freight, Stock & Matl Movrs    | 105        | 4.1  | Soreness, pain, hurt, except the back       | 561   | 22.0 | Lumbar region                           | 330  | 12.9 |
| POSITION OF      | Retail Salespersons                      | 96         | 3.8  | Back pain, hurt back                        | 181   | 7.1  | Ankle(s)                                | 294  | 11.5 |
| INJURED WORKER   | Janitors & Cleaners, exc Maids & Hskpg   | 91         | 3.6  | Carpal tunnel syndrome                      | 162   | 6.4  | Wrist(s)                                | 287  | 11.3 |
| (2,551 FROI)     | Production Workers, All Other            | 71         | 2.8  | Traumatic injuries & disorders, unspecified | 94    | 3.7  | Shoulder, including clavicle, scapula   | 198  | 7.8  |
|                  | Laborrs & Freight, Stock & Matl Movrs    | 116        | 8.1  | Sprains, strains, tears                     | 553   | 38.6 | Lumbar region                           | 228  | 15.9 |
|                  | Truck Drivers, Heavy & Tractor-Trailer   | <b>7</b> 2 | 5.0  | Soreness, pain, hurt, except the back       | 252   | 17.6 | Shoulder, including clavicle, scapula   | 138  | 9.6  |
| NONCLASSIFIABLE  | Retail Salespersons                      | 67         | 4.7  | Back pain, hurt back                        | 109   | 7.6  | Multiple body parts                     | 125  | 8.7  |
| (1,433 FROI)     | Unknown                                  | 60         | 4.2  | Bruises, contusions                         | 67    | 4.7  | Knee(s)                                 | 103  | 7.2  |
|                  | Production Workers, All Other            | 58         | 4.1  | Nonclassifiable                             | 63    | 4.4  | Back, including spine, spinal cord, UNS | 88   | 6.1  |
| HEALTH CARE      | Nursing aides, orderlies, and attendants | 373        | 51.0 | Sprains, strains, tears                     | 446   | 61.0 | Lumbar region                           | 205  | 28.0 |
| PATIENT/RESIDENT | Registered Nurses                        | 105        | 14.4 | Back pain, hurt back                        | 110   | 15.0 | Back, including spine, spinal cord, UNS | 108  | 14.8 |
| OF HEALTH CARE   | Personal and Home Care Aides             | 62         | 8.5  | Soreness, pain, hurt, except the back       | 82    | 11.2 | Multiple body parts                     | 78   | 10.7 |
| FACILITY         | Psychiatric Aides                        | 33         | 4.5  | Bruises, contusions                         | 49    | 6.7  | Shoulder, including clavicle, scapula   | 67   | 9.2  |
| (731 FROI)       | Healthcare Support Workers, All Other    | 20         | 2.7  | Traumatic injuries & disorders, unspecified | 14    | 1.9  | Thoracic region                         | 38   | 5.2  |
|                  | Janitors & Cleaners, exc Maids & Hskpg   | 37         | 5.5  | Sprains, strains, tears                     | 168   | 25.0 | Multiple body parts                     | 137  | 20.4 |
| FLOOR OF         | Retail Salespersons                      | 34         | 5.1  | Bruises, contusions                         | 154   | 22.9 | Knee(s)                                 | 128  | 19.0 |
| BUILDING         | Nursing aides, orderlies, and attendants | 30         | 4.5  | Soreness, pain, hurt, except the back       | 110   | 16.3 | Lumbar region                           | 46   | 6.8  |
| (673 FROI)       | Comb Food Prep and Servg Workers         | 28         | 4.2  | Fractures                                   | 101   | 15.0 | Shoulder, including clavicle, scapula   | 44   | 6.5  |
|                  | Laborrs & Freight, Stock & Matl Movrs    | 23         | 3.4  | Traumatic injuries & disorders, unspecified | 41    | 6.1  | Wrist(s)                                | 43   | 6.4  |
|                  | Truck Drivers, Heavy & Tractor-Trailer   | 102        | 15.5 | Sprains, strains, tears                     | 175   | 26.5 | Multiple body parts                     | 117  | 17.7 |
|                  | Construction Laborers                    | 39         | 5.9  | Fractures                                   | 138   | 20.9 | Ankle(s)                                | 74   | 11.2 |
| GROUND           | Laborrs & Freight, Stock & Matl Movrs    | 33         | 5.0  | Soreness, pain, hurt, except the back       | 109   | 16.5 | Knee(s)                                 | 68   | 10.3 |
| (661 FROI)       | Carpenters                               | 30         | 4.6  | Bruises, contusions                         | 94    | 14.2 | Shoulder, including clavicle, scapula   | 51   | 7.7  |
|                  | Janitors & Cleaners, exc Maids & Hskpg   | 20         | 3.0  | Back pain, hurt back                        | 39    | 5.9  | Lumbar region                           | 46   | 7.0  |

<sup>\*</sup> These columns refer to the source indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification. Continued next page.

**TABLE 6-1, continued** 

| SOURCE              | AGE OF INJURED<br>WORKER* | FROI | %    | LENGTH OF SERVICE * | FROI       | %    |
|---------------------|---------------------------|------|------|---------------------|------------|------|
|                     | 45-54                     | 762  | 29.9 | Under 1 year        | 697        | 28.2 |
| BODILY MOTION/      | 35-44                     | 655  | 25.7 | 5-14 years          | 568        | 23.0 |
| POSITION OF         | 25-34                     | 454  | 17.8 | 2-4 years           | 467        | 18.9 |
| INJURED WORKER      | 55 and older              | 425  | 16.7 | 15 years and above  | 462        | 18.7 |
| (2,744 FROI)        | Under 25                  | 255  | 10.0 | 1 year to 2 years   | 275        | 11.1 |
|                     | 35-44                     | 405  | 28.3 | Under 1 year        | 489        | 35.4 |
|                     | 45-54                     | 334  | 23.3 | 5-14 years          | 269        | 19.5 |
| NONCLASSIFIABLE     | 25-34                     | 247  | 17.2 | 2-4 years           | 235        | 17.0 |
| (1,433 FROI)        | Under 25                  | 241  | 16.8 | 15 years and above  | 215        | 15.6 |
|                     | 55 and older              | 206  | 14.4 | 1 year to 2 years   | 174        | 12.6 |
| HEALTH CARE         | 35-44                     | 192  | 26.3 | Under 1 year        | 276        | 38.3 |
| PATIENT/RESIDENT    | 25-34                     | 176  | 24.1 | 2-4 years           | 158        | 21.9 |
| OF HEALTH CARE      | 45-54                     | 171  | 23.4 | 1 year to 2 years   | 122        | 16.9 |
| FACILITY            | Under 25                  | 119  | 16.3 | 5-14 years          | 117        | 16.2 |
| (731 FROI)          | 55 and older              | 72   | 9.9  | 15 years and above  | 48         | 6.7  |
|                     | 55 and older              | 182  | 27.0 | Under 1 year        | 225        | 34.6 |
| FLOOR OF            | 45-54                     | 165  | 24.5 | 5-14 years          | 128        | 19.7 |
| BUILDING            | 35-44                     | 138  | 20.5 | 2-4 years           | 125        | 19.2 |
| (6 <b>7</b> 3 FROI) | 25-34                     | 98   | 14.6 | 1 year to 2 years   | 92         | 14.2 |
|                     | Under 25                  | 90   | 13.4 | 15 years and above  | 80         | 12.3 |
|                     | 45-54                     | 166  | 25.1 | Under 1 year        | 242        | 37.9 |
|                     | 35-44                     | 159  | 24.1 | 5-14 years          | 127        | 19.9 |
| GROUND              | 55 and older              | 133  | 20.1 | 2-4 years           | 106        | 16.6 |
| (661 FROI)          | 25-34                     | 130  | 19.7 | 15 years and above  | 92         | 14.4 |
|                     | Under 25                  | 73   | 11.0 | 1 year to 2 years   | <b>7</b> 2 | 11.3 |

<sup>\*</sup>These columns refer to the source indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = Insufficient data for classification

#### **Bodily Motion/Position of Injured Worker**

TABLE 6-2: Characteristics of Injuries and Illnesses Due to Bodily Motion/Position of Injured Worker

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Truck Drivers, Heavy & Tractor-Trailer                    | 117  | 4.6 |
| Laborers & Freight, Stock & Material Movers, Hand         | 105  | 4.1 |
| Retail Salespersons                                       | 96   | 3.8 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 91   | 3.6 |
| Production Workers, All Other                             | 71   | 2.8 |

#### NATURE OF INJURY OR ILLNESS

| Sprains, strains, tears                     | 1,250 | 49.0 |
|---|-------|------|
| Soreness, pain, hurt, except the back       | 561   | 22.0 |
| Back pain, hurt back                        | 181   | 7.1  |
| Carpal tunnel syndrome                      | 162   | 6.4  |
| Traumatic injuries & disorders, unspecified | 94    | 3.7  |

#### **SOURCE**

# BODILY MOTION/ POSITION OF INJURED WORKER (2,551 FROI)

#### PART OF BODY

| Knee(s)                               | 383 | 15.0 |
|---------------------------------------|-----|------|
| Lumbar region                         | 330 | 12.9 |
| Ankle(s)                              | 294 | 11.5 |
| Wrist(s)                              | 287 | 11.3 |
| Shoulder, including clavicle, scapula | 198 | 7.8  |

#### AGE OF INJURED WORKER


| 45-54        | 762 | 29.9 |
|--------------|-----|------|
| 35-44        | 655 | 25.7 |
| 25-34        | 454 | 17.8 |
| 55 and older | 425 | 16.7 |
| Under 25     | 255 | 10.0 |

#### LENGTH OF SERVICE

|                    |     | 4    |
|--------------------|-----|------|
| Under 1 year       | 697 | 28.2 |
| 5-14 years         | 568 | 23.0 |
| 2-4 years          | 467 | 18.9 |
| 15 years and above | 462 | 18.7 |
| 1 year to 2 years  | 275 | 11.1 |

FROI = Employer's First Report of Occupational Injury or Disease

Figure 6-1 presents the five occupations reporting the highest frequency of 2005 first reports within the bodily motion/position of injured worker source.



As can be seen in Figure 6-1, truck drivers were involved in the highest proportion of first reports in 2005. Table 6-2 shows that the number one nature of injury or illness for this source was sprains, strains, and tears. The most often reported body part for all workers was knee(s). The top age group affected by this source of injury or illness was 45-54 years. The predominant length-of-service group was under one year.

#### Nonclassifiable

TABLE 6-3: Characteristics of Injuries and Illnesses Due to Nonclassifiable Sources

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Laborers & Freight, Stock & Material Movers, Hand | 116  | 8.1 |
| Truck Drivers, Heavy & Tractor-Trailer            | 72   | 5.0 |
| Retail Salespersons                               | 67   | 4.7 |
| Unknown   | 60   | 4.2 |
| Production Workers, All Other                     | 58   | 4.1 |

#### **NATURE**

| Sprains, strains, tears               | 553 | 38.6 |
|---------------------------------------|-----|------|
| Soreness, pain, hurt, except the back | 252 | 17.6 |
| Back pain, hurt back                  | 109 | 7.6  |
| Bruises, contusions                   | 67  | 4.7  |
| Nonclassifiable                       | 63  | 4.4  |

#### SOURCE

## NONCLASSIFIABLE (1,433 FROI)

#### PART OF BODY

| Lumbar region                                   | 228 | 15.9 |
|---|-----|------|
| Shoulder, including clavicle, scapula           | 138 | 9.6  |
| Multiple body parts                             | 125 | 8.7  |
| Knee(s)   | 103 | 7.2  |
| Back, including spine, spinal cord, unspecified | 88  | 6.1  |

#### AGE OF INJURED WORKER

| 35-44        | 405 | 28.3 |
|--------------|-----|------|
| 45-54        | 334 | 23.3 |
| 25-34        | 247 | 17.2 |
| Under 25     | 241 | 16.8 |
| 55 and older | 206 | 14.4 |

#### LENGTH OF SERVICE

| Under 1 year       | 489 | 35.4 |
|--------------------|-----|------|
| 5-14 years         | 269 | 19.5 |
| 2-4 years          | 235 | 17.0 |
| 15 years and above | 215 | 15.6 |
| 1 year to 2 years  | 174 | 12.6 |

FROI = Employer's First Report of Occupational Injury and Disease

Figure 6-2 below shows the five occupations with the greatest number of first reports under the nonclassifiable source for 2005. The fact that the source was nonclassifiable for these first reports means that the reports were incomplete or vague and the coder was unable to ascertain the actual source.




FIGURE 6-2: Occupations - Nonclassifiable Source (1,433 First Reports)

The highest ranked occupation under nonclassifiable source was laborers and freight, stock, and material movers, hand. Table 6-3 shows that the top nature of injury or illness was sprains, strains, or tears, as might be expected of a classified source, but nonclassifiable appears in the top five natures also. The lumbar region was the body part involved in the most first reports. When combined with the second place part, back, including, spine, spinal cord, unspecified, the back in general produced 22.0% of the first reports from this source. The first ranked age group was 35-44 years and the top length-of-service category was under one year.

#### Health Care Patient/Resident of Health Care Facility

TABLE 6-4: Characteristics of Injuries and Illnesses Due to Health Care Patient/ Resident of Health Care Facility

| OCCUPATION                               | FROI | %    |
|--|------|------|
| Nursing aides, orderlies, and attendants | 373  | 51.0 |
| Registered Nurses                        | 105  | 14.4 |
| Personal and Home Care Aides             | 62   | 8.5  |
| Psychiatric Aides                        | 33   | 4.5  |
| Healthcare Support Workers, All Other    | 20   | 2.7  |

#### **NATURE**

| Sprains, strains, tears                     | 446 | 61.0 |
|---|-----|------|
| Back pain, hurt back                        | 110 | 15.0 |
| Soreness, pain, hurt, except the back       | 82  | 11.2 |
| Bruises, contusions                         | 49  | 6.7  |
| Traumatic injuries & disorders, unspecified | 14  | 1.9  |

#### SOURCE

HEALTH CARE
PATIENT/RESIDENT
OF HEALTH CARE
FACILITY
(731 FROI)

#### PART OF BODY

| Lumbar region                           | 205 | 28.0 |
|---|-----|------|
| Back, including spine, spinal cord, UNS | 108 | 14.8 |
| Multiple body parts                     | 78  | 10.7 |
| Shoulder, including clavicle, scapula   | 67  | 9.2  |
| Thoracic region                         | 38  | 5.2  |

#### AGE OF INJURED WORKER

| 35-44        | 192 | 26.3 |
|--------------|-----|------|
| 25-34        | 176 | 24.1 |
| 45-54        | 171 | 23.4 |
| Under 25     | 119 | 16.3 |
| 55 and older | 72  | 9.9  |


#### LENGTH OF SERVICE

| Under 1 year       | 276 | 38.3 |
|--------------------|-----|------|
| 2-4 years          | 158 | 21.9 |
| 1 year to 2 years  | 122 | 16.9 |
| 5-14 years         | 117 | 16.2 |
| 15 years and above | 48  | 6.7  |

FROI = Employer's First Report of Occupational Injury or Disease

The top five occupations, in terms of first reports in 2005, for the health care patient/resident of health care facility source are shown in Figure 6-3.

FIGURE 6-3: Occupations - Health Care Patient/Resident of Health Care Facility (731 First Reports)



Nursing aides, orderlies, and attendants dominated occupations affected by this source, as shown in Figure 6-3. Sprains, strains, and tears was the top nature of injury or illness, as seen in Table 6-4. The number one part of body affected was the lumbar region, which, combined with the back in general accounted for 42.8% of first reports under this source of injury. The top age group was 35-44 years. The top length-of-service category was under one year.

# Floor of Building

TABLE 6-5: Characteristics of Injuries and Illnesses Due to Floor of Building

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Janitors & Cleaners, except Maids & Housekeeping Cleaners     | 37   | 5.5 |
| Retail Salespersons   | 34   | 5.1 |
| Nursing aides, orderlies, and attendants                      | 30   | 4.5 |
| Combined Food Preparation and Serving Workers, Incl Fast Food | 28   | 4.2 |
| Laborers & Freight, Stock & Material Movers, Hand             | 23   | 3.4 |

#### NATURE OF INJURY OR ILLNESS

| \$  |     |      |
|---|-----|------|
| Sprains, strains, tears                     | 168 | 25.0 |
| Bruises, contusions                         | 154 | 22.9 |
| Soreness, pain, hurt, except the back       | 110 | 16.3 |
| Fractures                                   | 101 | 15.0 |
| Traumatic injuries & disorders, unspecified | 41  | 6.1  |

# SOURCE

FLOOR OF BUILDING (673 FROI)

#### PART OF BODY

| Multiple body parts                   | 137 | 20.4 |
|---------------------------------------|-----|------|
| Knee(s)                               | 128 | 19.0 |
| Lumbar region                         | 46  | 6.8  |
| Shoulder, including clavicle, scapula | 44  | 6.5  |
| Wrist(s)                              | 43  | 6.4  |

### AGE OF INJURED WORKER

| 55 and older | 182 | 27.0 |
|--------------|-----|------|
| 45-54        | 165 | 24.5 |
| 35-44        | 138 | 20.5 |
| 25-34        | 98  | 14.6 |
| Under 25     | 90  | 13.4 |

#### LENGTH OF SERVICE

| Under 1 year       | 225 | 34.6 |
|--------------------|-----|------|
| 5-14 years         | 128 | 19.7 |
| 2-4 years          | 125 | 19.2 |
| 1 year to 2 years  | 92  | 14.2 |
| 15 years and above | 80  | 12.3 |

FROI = Employer's First Report of Occupational Injury or Disease

Figure 6-4 presents the five occupations identified in the highest frequency of 2005 first reports due to the floor of building source.




Figure 6-4 shows janitor and cleaners, except maids and housekeeping cleaners, as the occupation most affected by the floor of building source of injury. From Table 6-5, the top ranked nature of injury or illness was sprains, strains, and tears. Multiple body parts was the most reported injured body part. The top ranking age group was 55 and older, suggesting that slip-trip-fall incidents are common with older workers. The top length-of-service group was under one year.

#### Ground

TABLE 6-6: Characteristics of Injuries and Illnesses Due to Ground

| OCCUPATION  | FROI | %    |  |
|---|------|------|--|
| Truck Drivers, Heavy & Tractor-Trailer                    | 102  | 15.5 |  |
| Construction Laborers                                     | 39   | 5.9  |  |
| Laborers & Freight, Stock & Material Movers, Hand         | 33   | 5.0  |  |
| Carpenters  | 30   | 4.6  |  |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 20   | 3.0  |  |

#### **NATURE**

| Sprains, strains, tears               | 175 | 26.5 |
|---------------------------------------|-----|------|
| Fractures                             | 138 | 20.9 |
| Soreness, pain, hurt, except the back | 109 | 16.5 |
| Bruises, contusions                   | 94  | 14.2 |
| Back pain, hurt back                  | 39  | 5.9  |

# SOURCE

# **GROUND** (661 FROI)

# PART OF BODY

| Multiple body parts                   | 117 | 17.7 |
|---------------------------------------|-----|------|
| Ankle(s)                              | 74  | 11.2 |
| Knee(s)                               | 68  | 10.3 |
| Shoulder, including clavicle, scapula | 51  | 7.7  |
| Lumbar region                         | 46  | 7.0  |

#### AGE OF INJURED WORKER

| 45-54        | 166 | 25.1 |
|--------------|-----|------|
| 35-44        | 159 | 24.1 |
| 55 and older | 133 | 20.1 |
| 25-34        | 130 | 19.7 |
| Under 25     | 73  | 11.0 |


### LENGTH OF SERVICE

| LEITOTH OF SERVICE |     |      |
|--------------------|-----|------|
| Under 1 year       | 242 | 37.9 |
| 5-14 years         | 127 | 19.9 |
| 2-4 years          | 106 | 16.6 |
| 15 years and above | 92  | 14.4 |
| 1 year to 2 years  | 72  | 11.3 |

FROI = Employer's First Report of Occupational Injury of Disease

For the ground source in the year 2005, Figure 6-5 shows the five occupations with the highest frequency of first reports.

FIGURE 6-5: Occupations - Ground (661 First Reports)



In terms of occupations for this source, as diagrammed in Figure 6-5, truck drivers, heavy and tractor-trailer, ranked first. Sprains, strains, and tears was the most commonly reported nature of injury or illness in Table 6-6. Multiple body parts was the body part category producing the highest frequency of reported injury or illness due to the ground. The 45-54 year age and under one year length-of-service groupings appear at the top of their respective lists.

#### SECTION 7: THE TOP FIVE NATURES OF INJURY OR ILLNESS

#### Overview

This section presents information on the five natures of injury or illness reported in the highest numbers of first reports for 2005. Table 7-1 below lists the top five natures in descending order. Together, these five natures accounted for 70.3% of all first reports for 2005. Sprains, strains, and tears alone accounted for 35.5% of all disabling first reports. It was followed by non-back soreness, pain, or hurt, another musculoskeletal category.

Table 7-1 is a cross tabulation of the top five natures of injury or illness with six characteristics of injuries for these natures. Occupation of the injured worker, event of the injury or illness, source of the injury or illness, and part of the body affected are tabulated by the First Report frequency and percentage for the top five of each characteristic. Age of the injured worker and length of service of the injured worker are both broken down into five inclusive categories and these categories are ranked by the frequency of first reports for each. Again, the tabulated characteristics refer to the nature as a whole, not to the other tabulated characteristics. For example, the 25.6% of event (overexertion in lifting) in the first row of the third column of Table 7-1 are NOT injuries and illnesses reported by nursing aides, orderlies, and attendants but by ALL occupations within sprains, strains, and tears, including those occupations not listed.

While there were differences in characteristics of injuries and illnesses between these top five natures, a number of elements were shared in common.

- For these top five natures, an average of 35.8% of first reports involved employees with a length of service of less than 1 year.
- Excepting the bruises, contusions and the fractures natures of injury or illness, overexertion in lifting ranked first or second in the event column and events classified as "overexertion" accounted for an average of 35.7% of the non-bruise, non-fracture natures' first reports.
- As to source of injury or illness, bodily motion/position of injured worker ranked first in the three natures other than bruises and fractures, averaging 23.9% of first reports.
- Two occupations were affected by all five natures, heavy truck drivers and nonconstruction laborers.

TABLE 7-1: Characteristics of Injuries for the Top Five Natures of Injury or Illness. NATURE OF

| INJURY/<br>ILLNESS | OCCUPATION*                              | FROI | %   | EVENT OF<br>INJURY/ILLNESS*                       | FROI       | %    | SOURCE OF<br>INJURY/ILLNESS*                | FROI  | %    |
|--------------------|--|------|-----|---|------------|------|---|-------|------|
|                    | Nursing aides, orderlies, and attendants | 353  | 7.2 | Overexertion in lifting                           | 1,262      | 25.6 | Bodily motion/position of injured worker    | 1,250 | 25.4 |
| SPRAINS, STRAINS,  | Laborrs & Freight, Stock & Matl Movrs    | 330  | 6.7 | Slip, trip, loss of balance - without fall        | 400        | 8.1  | Nonclassifiable                             | 553   | 11.2 |
| TEARS              | Truck Drivers, Heavy & Tractor-Trailer   | 292  | 6.0 | Overexertion in pulling/pushing objects           | 373        | 7.6  | Hlth care patient/resident of hlth care fac | 446   | 9.1  |
| (4,921 FROI)       | Janitors & Cleaners, exc Maids & Hskpg   | 213  | 4.3 | Fall to floor, walkway or other surface           | 353        | 7.2  | Boxes, crates, cartons                      | 266   | 5.4  |
|                    | Retail Salespersons                      | 184  | 3.8 | Overexertion holdg/carryg/turng/wieldg obj        | 340        | 6.9  | Ground                                      | 175   | 3.6  |
|                    | Laborrs & Freight, Stock & Matl Movrs    | 111  | 5.6 | Fall to floor, walkway or other surface           | 225        | 11.3 | Bodily motion/position of injured worker    | 561   | 28.3 |
| SORENESS, PAIN,    | Truck Drivers, Heavy & Tractor-Trailer   | 96   | 4.9 | Overexertion in lifting                           | 182        | 9.2  | Nonclassifiable                             | 252   | 12.7 |
| HURT, EXCEPT       | Janitors & Cleaners, exc Maids & Hskpg   | 94   | 4.8 | Overexertion, unspecified                         | 133        | 6.7  | Floor of building                           | 110   | 5.5  |
| THE BACK           | Nursing aides, orderlies, and attendants | 74   | 3.8 | Nonclassifiable                                   | 130        | 6.6  | Ground                                      | 109   | 5.5  |
| (1,983 FROI)       | Retail Salespersons                      | 66   | 3.4 | Repetitive motion, unspecified                    | 114        | 5.7  | Hlth care patient/resident of hlth care fac | 82    | 4.1  |
|                    | Laborrs & Freight, Stock & Matl Movrs    | 81   | 7.6 | Fall to floor, walkway or other surface           | 286        | 26.6 | Floor of building                           | 154   | 14.3 |
| BRUISES,           | Retail Salespersons                      | 53   | 5.0 | Struck by falling object                          | 107        | 10.0 | Ground                                      | 94    | 8.7  |
| CONTUSIONS         | Truck Drivers, Heavy & Tractor-Trailer   | 53   | 5.0 | Struck against stationary object                  | 62         | 5.8  | Nonclassifiable                             | 67    | 6.2  |
| (1,075 FROI)       | Nursing aides, orderlies, and attendants | 47   | 4.4 | Struck by object, not elsewhere classifiable      | 58         | 5.4  | Floors, walkways, ground surfaces, UNS      | 64    | 6.0  |
|                    | Janitors & Cleaners, exc Maids & Hskpg   | 41   | 3.8 | Struck against object, not elsewhere classifiable | 52         | 4.8  | H1th care patient/resident of h1th care fac | 49    | 4.6  |
|                    | Nursing aides, orderlies, and attendants | 80   | 8.0 | Overexertion in lifting                           | 306        | 30.6 | Bodily motion/position of inj worker        | 181   | 18.1 |
| BACK PAIN,         | Laborrs & Freight, Stock & Matl Movrs    | 73   | 7.3 | Overexertion holdg/carryg/turng/wieldg obj        | 118        | 11.8 | Hlth care patient/resident of hlth care fac | 110   | 11.0 |
| HURT BACK          | Janitors & Cleaners, exc Maids & Hskpg   | 52   | 5.2 | Overexertion, unspecified                         | 86         | 8.6  | Nonclassifiable                             | 109   | 10.9 |
| (999 FROI)         | Truck Drivers, Heavy & Tractor-Trailer   | 51   | 5.1 | Bending/climbing/crawling/reaching/twisting       | <b>7</b> 9 | 7.9  | Boxes, crates, cartons                      | 70    | 7.0  |
|                    | Personal & Home Care Aides               | 42   | 4.2 | Fall to floor, walkway or other surface           | 58         | 5.8  | Other sources, NEC                          | 46    | 4.6  |
|                    | Truck Drivers, Heavy & Tractor-Trailer   | 52   | 7.0 | Fall to floor, walkway or other surface           | 231        | 30.7 | Ground                                      | 138   | 18.4 |
|                    | Laborrs & Freight, Stock & Matl Movrs    | 47   | 6.3 | Struck by falling object                          | 56         | 7.4  | Floor of building                           | 101   | 13.4 |
| FRACTURES          | Construction Laborers                    | 30   | 4.0 | Struck by object, not elsewhere classifiable      | 42         | 5.6  | Floors, walkways, ground surfaces, UNS      | 55    | 7.3  |
| (752 FROI)         | Carpenters                               | 29   | 3.9 | Fall from ladder                                  | 33         | 4.4  | Nonclassifiable                             | 39    | 5.2  |
|                    | Retail Salespersons                      | 27   | 3.6 | Struck against stationary object                  | 32         | 4.3  | Parking lots                                | 34    | 4.5  |

<sup>\*</sup>These columns refer to the nature indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = insufficient data for classification. Continued next page.

**TABLE 7-1, continued** 

| NATURE OF<br>INJURY/<br>ILLNESS | PART OF BODY*                                | FROI  | %    | AGE OF INJURED<br>WORKER* | FROI  | %    | LENGTH OF<br>SERVICE * | FROI  | %    |
|---------------------------------|--|-------|------|---------------------------|-------|------|------------------------|-------|------|
|                                 | Lumbar region                                | 1,267 | 25.7 | 35-44                     | 1,336 | 27.2 | Under 1 year           | 1,541 | 32.6 |
| SPRAINS, STRAINS,               | Shoulder, including clavicle, scapula        | 553   | 11.2 | 45-54                     | 1,223 | 24.9 | 5-14 years             | 994   | 21.0 |
| TEARS                           | Knee(s)                                      | 514   | 10.4 | 25-34                     | 1,029 | 20.9 | 2-4 years              | 916   | 19.4 |
| (4,921 FROI)                    | Ankle(s)                                     | 436   | 8.9  | Under 25                  | 680   | 13.8 | 1 year to 2 years      | 638   | 13.5 |
|                                 | Back, including spine, spinal cord, UNS      | 398   | 8.1  | 55 and older              | 651   | 13.2 | 15 years and above     | 636   | 13.5 |
|                                 | Multiple body parts                          | 457   | 23.0 | 45-54                     | 589   | 29.7 | Under 1 year           | 675   | 34.5 |
| SORENESS, PAIN,                 | Shoulder, including clavicle, scapula        | 292   | 14.7 | 35-44                     | 518   | 26.1 | 5-14 years             | 381   | 19.4 |
| HURT, EXCEPT                    | Knee(s)                                      | 261   | 13.2 | 55 and older              | 338   | 17.0 | 15 years and above     | 346   | 17.7 |
| THE BACK                        | Wrist(s)                                     | 126   | 6.4  | 25-34                     | 331   | 16.7 | 2-4 years              | 332   | 16.9 |
| (1,983 FROI)                    | Elbow(s)                                     | 68    | 3.4  | Under 25                  | 207   | 10.4 | 1 year to 2 years      | 225   | 11.5 |
|                                 | Multiple body parts                          | 202   | 18.8 | 45-54                     | 252   | 23.4 | Under 1 year           | 410   | 39.4 |
| BRUISES,                        | Knee(s)                                      | 141   | 13.1 | 35-44                     | 250   | 23.3 | 2-4 years              | 212   | 20.4 |
| CONTUSIONS                      | Foot (feet), except toe(s), unspecified      | 61    | 5.7  | 25-34                     | 205   | 19.1 | 5-14 years             | 182   | 17.5 |
| (1,075 FROI)                    | Chest, exc internal locn of disease/disorder | 60    | 5.6  | Under 25                  | 191   | 17.8 | 1 year to 2 years      | 128   | 12.3 |
|                                 | Head, unspecified                            | 57    | 5.3  | 55 and older              | 177   | 16.5 | 15 years and above     | 108   | 10.4 |
|                                 | Lumbar region                                | 470   | 47.0 | 35-44                     | 266   | 26.6 | Under 1 year           | 389   | 39.2 |
| BACK PAIN,                      | Back, including spine, spinal cord, UNS      | 449   | 44.9 | 45-54                     | 257   | 25.7 | 5-14 years             | 190   | 19.2 |
| HURT BACK                       | Thoracic region                              | 45    | 4.5  | 25-34                     | 246   | 24.6 | 1 year to 2 years      | 155   | 15.6 |
| (999 FROI)                      | Multiple back regions                        | 23    | 2.3  | Under 25                  | 140   | 14.0 | 2-4 years              | 149   | 15.0 |
|                                 | Coccygeal region                             | 7     | 0.7  | 55 and older              | 90    | 9.0  | 15 years and above     | 109   | 11.0 |
|                                 | Finger(s), fingernail(s)                     | 110   | 14.6 | 35-44                     | 174   | 23.1 | Under 1 year           | 242   | 33.2 |
|                                 | Ankle(s)                                     | 109   | 14.5 | 45-54                     | 174   | 23.1 | 5-14 years             | 147   | 20.2 |
| FRACTURES                       | Wrist(s)                                     | 84    | 11.2 | 55 and older              | 172   | 22.9 | 2-4 years              | 144   | 19.8 |
| (752 FROI)                      | Foot (feet), except toe(s), unspecified      | 57    | 7.6  | 25-34                     | 129   | 17.2 | 15 years and above     | 99    | 13.6 |
|                                 | Chest, exc internal locn of disease/disorder | 42    | 5.6  | Under 25                  | 103   | 13.7 | 1 year to 2 years      | 96    | 13.2 |

These columns refer to the nature indicated, not to other columns or entries within those columns. FROI = Employer's First Report of Occupational Injury or Disease. UNS = Unspecified, insufficient data for detailed classification. NEC = Not Elsewhere Classifiable, not fitting available classifications. Nonclassifiable = Insufficient data for classification.

# Sprains, Strains, and Tears

TABLE 7-2: Characteristics of Sprains, Strains, and Tears

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Nursing aides, orderlies, and attendants                  | 353  | 7.2 |
| Laborers & Freight, Stock & Material Movers, Hand         | 330  | 6.7 |
| Truck Drivers, Heavy & Tractor-Trailer                    | 292  | 6.0 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 213  | 4.3 |
| Retail Salespersons                                       | 184  | 3.8 |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 1,262 | 25.6 |
|---|-------|------|
| Slip, trip, loss of balance - without fall            | 400   | 8.1  |
| Overexertion in pulling/pushing objects               | 373   | 7.6  |
| Fall to floor, walkway or other surface               | 353   | 7.2  |
| Overexertion holding/carrying/turning/wielding object | 340   | 6.9  |

# NATURE OF INJURY/ ILLNESS

SPRAINS, STRAINS, TEARS

(4,921 FROI)

# SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 1,250 | 25.4 |
|--|-------|------|
| Nonclassifiable                                      | 553   | 11.2 |
| Health care patient/resident of health care facility | 446   | 9.1  |
| Boxes, crates, cartons                               | 266   | 5.4  |
| Ground   | 175   | 3.6  |

#### PART OF BODY

| Lumbar region                           | 1,267 | 25.7 |
|---|-------|------|
| Shoulder, including clavicle, scapula   | 553   | 11.2 |
| Knee(s)                                 | 514   | 10.4 |
| Ankle(s)                                | 436   | 8.9  |
| Back, including spine, spinal cord, UNS | 398   | 8.1  |

FROI = Employer's First Report of Occupational Injury or Disease Continued next page.

#### TABLE 7-2, continued

|                            | AGE OF INJURED WORKER | FROI  | %    |
|----------------------------|-----------------------|-------|------|
|                            | 35-44                 | 1,336 | 27.2 |
|                            | 45-54                 | 1,223 | 24.9 |
| NATURE OF INJURY/          | 25-34                 | 1,029 | 20.9 |
| ILLNESS                    | Under 25              | 680   | 13.8 |
|                            | 55 and older          | 651   | 13.2 |
| SPRAINS, STRAINS,<br>TEARS |                       |       |      |


(4,921 FROI)

#### LENGTH OF SERVICE

| Under 1 year       | 1,541 | 32,6 |
|--------------------|-------|------|
| 5-14 years         | 994   | 21.0 |
| 2-4 years          | 916   | 19.4 |
| 1 year to 2 years  | 638   | 13.5 |
| 15 years and above | 636   | 13.5 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 7-1 shows the five occupations with the most first reports for the sprains, strains, and tears nature for 2005.



As shown in Figure 7-1, the occupation most often affected by sprains, strains, and tears in 2005 was nursing aides, orderlies, and attendants. In Table 7-2, the top source of sprains, strains, and tears was bodily motion/position of injured worker and the top event was overexertion in lifting. The part of body affected in the most 2005 first reports involving sprains, strains, and tears was the lumbar region. The top-ranked age group was 35-44 years and the length-of-service category in the most first reports was under one year.

# Non-back Soreness, Pain or Hurt

TABLE 7-3: Characteristics of Non-back Soreness, Pain or Hurt

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Laborers & Freight, Stock & Material Movers, Hand         | 111  | 5.6 |
| Truck Drivers, Heavy & Tractor-Trailer                    | 96   | 4.9 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 94   | 4.8 |
| Nursing aides, orderlies, and attendants                  | 74   | 3.8 |
| Retail Salespersons                                       | 66   | 3.4 |

#### **EVENT OF INJURY/ILLNESS**

| Fall to floor, walkway or other surface | 225 | 11.3 |
|---|-----|------|
| Overexertion in lifting                 | 182 | 9.2  |
| Overexertion, unspecified               | 133 | 6.7  |
| Nonclassifiable                         | 130 | 6.6  |
| Repetitive motion, unspecified          | 114 | 5.7  |

# NATURE OF INJURY/ ILLNESS

SORENESS, PAIN, HURT, EXCEPT THE BACK (1,983 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 561 | 28.3 |
|--|-----|------|
| Nonclassifiable                                      | 252 | 12.7 |
| Floor of building                                    | 110 | 5.5  |
| Ground   | 109 | 5.5  |
| Health care patient/resident of health care facility | 82  | 4.1  |

#### PART OF BODY

| Multiple body parts                   | 457 | 23.0 |
|---------------------------------------|-----|------|
| Shoulder, including clavicle, scapula | 292 | 14.7 |
| Knee(s)                               | 261 | 13.2 |
| Wrist(s)                              | 126 | 6.4  |
| Elbow(s)                              | 68  | 3.4  |

 $\label{eq:FROI} \textbf{FROI} = \textit{Employer's First Report of Occupational Injury or Disease}. \\ \textbf{Continued next page}.$ 

#### TABLE 7-3, continued

## NATURE OF INJURY/ ILLNESS

SORENESS, PAIN, HURT, EXCEPT THE BACK (1,983 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 45-54                 | 589  | 29.7 |
| 35-44                 | 518  | 26.1 |
| 55 and older          | 338  | 17.0 |
| 25-34                 | 331  | 16.7 |
| Under 25              | 207  | 10.4 |


#### LENGTH OF SERVICE

| Under 1 year       | 675 | 34.5 |
|--------------------|-----|------|
| 5-14 years         | 381 | 19.4 |
| 15 years and above | 346 | 17.7 |
| 2-4 years          | 332 | 16.9 |
| 1 year to 2 years  | 225 | 11.5 |
|                    |     |      |

FROI = Employer's First Report of Occupational Injury or Disease.

The top five occupations, in terms of first reports in 2005, for the non-back soreness, pain or hurt nature of injury or illness are shown in Figure 7-2.

FIGURE 7-2: Occupations - Nonback Soreness, Pain, or Hurt (1,983 First Reports)



As shown in Figure 7-2, other occupations contributed many 2005 first reports of this nature although laborers and freight, stock and material movers, hand, was the top occupation. From Table 7-3, the number one source of injury or illness was bodily motion/position of injured worker and the highest-ranking event was fall to floor, walkway, or other surface. The part of body most affected was multiple body parts. The age group most often involved in a report was 45-54 years and the length-of-service category most often reported was under one year.

# **Bruises, Contusions**

**TABLE 7-4: Characteristics of Bruises, Contusions** 

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Laborers & Freight, Stock & Material Movers, Hand         | 81   | 7.6 |
| Retail Salespersons                                       | 53   | 5.0 |
| Truck Drivers, Heavy & Tractor-Trailer                    | 53   | 5.0 |
| Nursing aides, orderlies, and attendants                  | 47   | 4.4 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 41   | 3.8 |

#### **EVENT OF INJURY/ILLNESS**

| Fall to floor, walkway or other surface           | 286 | 26.6 |
|---|-----|------|
| Struck by falling object                          | 107 | 10.0 |
| Struck against stationary object                  | 62  | 5.8  |
| Struck by object, not elsewhere classifiable      | 58  | 5.4  |
| Struck against object, not elsewhere classifiable | 52  | 4.8  |

# NATURE OF INJURY/ IILLNESS

BRUISES,
CONTUSIONS

(1,075 FROI)

#### SOURCE OF INJURY/ILLNESS

| Floor of building                                    | 154 | 14.3 |
|--|-----|------|
| Ground   | 94  | 8.7  |
| Nonclæsifiable                                       | 67  | 6.2  |
| Floors, walkways, ground surfaces, unspecified       | 64  | 6.0  |
| Health care patient/resident of health care facility | 49  | 4.6  |

#### PART OF BODY

| Multiple body parts                          | 202 | 18.8 |
|--|-----|------|
| Knee(s)                                      | 141 | 13.1 |
| Foot (feet), except toe(s), unspecified      | 61  | 5.7  |
| Chest, exc internal locn of disease/disorder | 60  | 5.6  |
| Head, unspecified                            | 57  | 5.3  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 7-4, continued

# NATURE OF INJURY/ IILLNESS

BRUISES, CONTUSIONS (1,075 FROI)

| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 45-54                 | 252  | 23.4 |
| 35-44                 | 250  | 23.3 |
| 25-34                 | 205  | 19.1 |
| Under 25              | 191  | 17.8 |
| 55 and older          | 177  | 16.5 |

#### LENGTH OF SERVICE

| Under 1 year       | 410 | 39.4 |
|--------------------|-----|------|
| 2-4 years          | 212 | 20.4 |
| 5-14 years         | 182 | 17.5 |
| 1 year to 2 years  | 128 | 12.3 |
| 15 years and above | 108 | 10.4 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 7-3 presents the five occupations reporting the highest frequency of 2005first reports within the bruises, contusions nature.

# FIGURE 7-3: Occupations - Bruises, Contusions (1,075 First Reports)




Figure 7-3 shows that the occupation involved in the most first reports involving back pain or hurt back was laborers and freight, stock, and material movers, hand. According to Table 7-4, the top source of injury or illness was the floor of the building and the top event was a fall to a floor, walkway or other surface. The part of body affected most often reported was multiple body parts. The age group generating the most reports was 45-54 years and the length-of-service category was under one year.

# **Back Pain, Hurt Back**

# **TABLE 7-5: Characteristics of Back Pain, Hurt Back**

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Nursing aides, orderlies, and attendants                  | 80   | 8.0 |
| Laborers & Freight, Stock & Material Movers, Hand         | 73   | 7.3 |
| Janitors & Cleaners, except Maids & Housekeeping Cleaners | 52   | 5.2 |
| Truck Drivers, Heavy & Tractor-Trailer                    | 51   | 5.1 |
| Personal & Home Care Aides                                | 42   | 4.2 |

#### **EVENT OF INJURY/ILLNESS**

| Overexertion in lifting                               | 306 | 30.6 |
|---|-----|------|
| Overexertion holding/carrying/turning/wielding object | 118 | 11.8 |
| Overexertion, unspecified                             | 86  | 8.6  |
| Bending/climbing/crawling/reaching/twisting           | 79  | 7.9  |
| Fall to floor, walkway or other surface               | 58  | 5.8  |

# NATURE OF INJURY/ IILLNESS

BACK PAIN,
HURT BACK
(999 FROI)

#### SOURCE OF INJURY/ILLNESS

| Bodily motion/position of injured worker             | 181 | 18.1 |
|--|-----|------|
| Health care patient/resident of health care facility | 110 | 11.0 |
| Nonclæsifiable                                       | 109 | 10.9 |
| Boxes, crates, cartons                               | 70  | 7.0  |
| Other sources, not elsewhere classifiable            | 46  | 4.6  |

#### PART OF BODY

| Lumbar region                                   | 470 | 47.0 |
|---|-----|------|
| Back, including spine, spinal cord, unspecified | 449 | 44.9 |
| Thoracic region                                 | 45  | 4.5  |
| Multiple back regions                           | 23  | 2.3  |
| Coccygeal region                                | 7   | 0.7  |

FROI = Employer's First Report of Occupational Injury or Disease. Continued next page.

#### TABLE 7-5, continued

## NATURE OF INJURY/ ILLNESS

BACK PAIN, HURT BACK (999 FROI)


| AGE OF INJURED WORKER | FROI | %    |
|-----------------------|------|------|
| 35-44                 | 266  | 26.6 |
| 45-54                 | 257  | 25.7 |
| 25-34                 | 246  | 24.6 |
| Under 25              | 140  | 14.0 |
| 55 and older          | 90   | 9.0  |

#### LENGTH OF SERVICE

| Under 1 year       | 389 | 39.2 |
|--------------------|-----|------|
| 5-14 years         | 190 | 19.2 |
| 1 year to 2 years  | 155 | 15.6 |
| 2-4 years          | 149 | 15.0 |
| 15 years and above | 109 | 11.0 |

FROI = Employer's First Report of Occupational Injury or Disease.

In Figure 7-4, the top five occupations, in terms of first reports recorded in 2005, for the back pain, hurt back nature are shown.



The occupations in the most first reports involving back pain, hurt back were nursing aides, orderlies, and attendants as seen in Figure 7-4. Table 7-5 shows the top three events of injury or illness were overexertion, totaling 51.0% of first reports in this category. The top source was bodily motion/position of injured worker. The lumbar region ranked first as part of body affected. The top-ranked age group was 35-44 years. The highest-ranked length-of-service category was under one year.

#### **Fractures**

**TABLE 7-6: Characteristics of Fractures** 

| OCCUPATION  | FROI | %   |
|---|------|-----|
| Truck Drivers, Heavy & Tractor-Trailer            | 52   | 7.0 |
| Laborers & Freight, Stock & Material Movers, Hand | 47   | 6.3 |
| Construction Laborers                             | 30   | 4.0 |
| Carpenters  | 29   | 3.9 |
| Retail Salespersons                               | 27   | 3.6 |

#### **EVENT OF INJURY/ILLNESS**

| Fall to floor, walkway or other surface      | 231 | 30.7 |
|--|-----|------|
| Struck by falling object                     | 56  | 7.4  |
| Struck by object, not elsewhere classifiable | 42  | 5.6  |
| Fall from ladder                             | 33  | 4.4  |
| Struck against stationary object             | 32  | 4.3  |

# NATURE OF INJURY/ IILLNESS

FRACTURES

(752 FROI)

# SOURCE OF INJURY/ILLNESS

| Ground   | 138 | 18.4 |
|--|-----|------|
| Floor of building                              | 101 | 13.4 |
| Floors, walkways, ground surfaces, unspecified | 55  | 7.3  |
| Nonclassifiable                                | 39  | 5.2  |
| Parking lots                                   | 34  | 4.5  |

#### PART OF BODY

| Finger(s), fingernail(s)                            | 110 | 14.6 |
|---|-----|------|
| Ankle(s)  | 109 | 14.5 |
| Wrist(s)  | 84  | 11.2 |
| Foot (feet), except toe(s), unspecified             | 57  | 7.6  |
| Chest, except internal location of disease/disorder | 42  | 5.6  |

 $\label{eq:FROI} \textbf{FROI} = Employer's \textit{ First Report of Occupational Injury or Disease}. \\ \textbf{Continued next page}.$ 

TABLE 7-6, continued

|                   | AGE OF INJURED WORKER | FROI | %    |
|-------------------|-----------------------|------|------|
|                   | 35-44                 | 174  | 23.1 |
|                   | 45-54                 | 174  | 23.1 |
| NATURE OF INJURY/ | 55 and older          | 172  | 22.9 |
| ILLNESS           | 25-34                 | 129  | 17.2 |
|                   | Under 25              | 103  | 13.7 |

(752 FROI)


#### LENGTH OF SERVICE

| Under 1 year       | 242 | 33.2 |
|--------------------|-----|------|
| 5-14 years         | 147 | 20.2 |
| 2-4 years          | 144 | 19.8 |
| 15 years and above | 99  | 13.6 |
| 1 year to 2 years  | 96  | 13.2 |

FROI = Employer's First Report of Occupational Injury or Disease.

Figure 7-5 shows the five occupations with the most first reports for the fractures nature for 2005.

FIGURE 7-5: Occupations - Fractures (752 First Reports)



From Figure 7-5, the occupation for this nature filing the most first reports in 2005 was heavy truck drivers, but many other occupations contributed first reports. As to how workers were injured, Table 7-6 shows that the number one source of injury or illness was the ground and the top reported event was a fall to a floor, walkway or other surface. The most often reported body part for all workers was finger(s), fingernail(s). The top age group was 35-44 years and the most reported length-of-service category was under one year.

# APPENDIX A: WORK-RELATED INJURY DATA AVAILABLE

Besides the information presented in this report, the Maine Department of Labor can produce detailed data by calendar year in a format called a *profile*, available by specific request and at no charge. A profile is a cross-tabulation of characteristics of reported Workers' Compensation cases resulting in at least one day away from work beyond the day of injury or illness for a given year or years. A profile typically consists of cross-tabulations of the counts (frequencies) of:

- 1. Occupation of injured or ill worker
- 2. Industry of injured or ill worker
- 3. Event or exposure
- 4. Source of injury or illness
- 5. Nature of injury or illness
- 6. Part of body affected

A profile usually also includes counts of other parameters such as demographics (age, gender, length of service, county of injury, etc.), as well as day of the week and month the injury or illness occurred.

Profiles can be requested by anyone who is interested in one or more specific criteria such as an industry or a geographic area (one or more towns or counties). Also, requests can be made based on specific nature of injury or illness, part of body affected, source of injury or illness, event or exposure, and demographics. Examples of past profiles include:

First reports in the logging industry

First reports in wholesale plumbing and heating supplies

Amputations

First reports affecting older workers (age 45 and older)

First reports at a specific hospital

First reports of cases occurring by county

One can also request a tightly focused profile: *i.e.*, a profile given a narrower scope by crosstabulating multiple criteria. For example, one could request:

A profile of the back injuries occurring in paper mills (two criteria)

Profile of the retail sales injuries in Somerset County (two criteria)

A profile of injuries to truck drivers age 50 and older (two criteria)

A profile of back injuries occurring to women in the city of Westbrook (three criteria, a three-way cross-tabulation)

Besides the standard profiles available, the Department can respond to special requests on publicly available data in the WCB files: for example, cross-tabulations of nature by part, source by event, age group by length of service, and so forth. Special tables can be run on age groups other than those used in Table A-1: *e.g.*, looking at workers aged 60-69 *vs.* 70-79.

Under Department policy, profiles of specific *companies* are issued only to confirmed officials of the company requested. Company data is available to others directly from the Maine Workers' Compensation Board (WCB) however. Access to data identifying specific *employees* is restricted and use or release of such information requires the written permission of the WCB. Once permission is granted the Department can fulfill the specific data request. For example, the Department has used WCB data to generate an injury profile of recent graduates of a particular college in Maine.

A sample three-way cross-tabulation profile is provided beginning on the next page. It covers janitors and cleaners (occupation) in elementary and secondary schools (Industry) in Cumberland County (geographic location) for the years 2000-2002. The sample profile contains tables for the "standard" characteristics, nature, part, source, and event. Occupation and industry are part of the criteria of selection and are omitted. These tables list both count (frequency) and percent by year, with the years ordered by total number of first reports, rather than chronologically. Additional characteristics include age, length of service, day of the week, and month of injury or illness. The latter three are tabulated by year in chronological order, but age is given only as combined figures for the whole three-year period with columns for cumulative frequency and cumulative percent. This illustrates the variety of forms of presentation possible within a profile. Other characteristics, such as gender of the worker, could have been included or used as criteria.

The sample profile lists ALL disabling cases that meet the criteria, including single-instance examples, and ONLY those cases that meet the criteria. Its results therefore differ from the general results under janitors and cleaners in *Characteristics of Work-Related Injuries and Illnesses in Maine*, 2002 (Table 4-5). For example, fall down stairs or steps appears in the top five events in the year 2002 in the sample profile (Table A-1) but not in the general report. In such differences lie the questions that can lead to a safer workplace for janitors and cleaners in primary and secondary schools in Cumberland County. A profile allows examination of a specific area of the available data in detail.

If you have further questions or would like to request a specific profile, please contact Steve

Laundrie at the Maine Department of Labor at (207) 624-6447 or e-mail steven.p.laundrie@maine.gov

# Sample Profile: First Reports of Injury of Janitors and Cleaners in Elementary and Secondary Schools in Cumberland County, 2000-2002.

The following is a three-way cross tabulation. There would actually be three additional very brief tables showing that 100% of the 113 cases fit each of the criteria. Several interesting points emerge from this profile:

- The age group reporting the highest frequency of first reports for the time period was 55-59 years, followed closely by 60 and over. Additional research is required in order to determine if janitors and cleaners in schools in Cumberland County were generally older workers or if older workers were being disproportionately injured.
- Overall, and for all three years individually, the dominant nature of injury or illness was sprains, strains, and tears. This points up the importance of musculoskeletal injuries.
- Bodily motion/position of injured worker was the most important source of injury, consistent with the importance of musculoskeletal injuries.
- Overexertion in lifting was the primary event leading to injury, followed by fall to floor, walkway, or other surface. These are equal in frequencies of first reports in both 2000 and 2002.
- The length-of-service grouping reporting the highest frequency of first reports was 5-14 years, followed by under one year. Because under one year is more typically strongly dominant, this opens the question of why the more experienced workers were being injured at a higher rate.

Table A-1 2000 through 2002 Maine Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Event Leading to Injury                    |        |        | Disabling Cases |        |       |        |       |  |
|--|--------|--------|-----------------|--------|-------|--------|-------|--|
|  | Total  | 2001   |                 | 2002   |       | 2000   |       |  |
|  | Number | Number | Pct             | Number | Pct   | Number | Pct   |  |
| Total                                      | 113    | 43     | 100.0           | 37     | 100.0 | 33     | 100.0 |  |
| Overexertion in lifting                    | 22     | 11     | 25.6            | 7      | 18.9  | 4      | 12.1  |  |
| Fall to floor, walkway or other surface    | 15     | 4      | 9.3             | 7      | 18.9  | 4      | 12.1  |  |
| Overexertn holdg/carryg/turng/wieldg obj   | 8      | 6      | 14.0            | 0      | 0     | 2      | 6.1   |  |
| Fall down stairs or steps                  | 6      | 0      | 0               | 3      | 8,1   | 3      | 9.1   |  |
| Overexertion in pulling/pushing objects    | 6      | 1      | 2.3             | 4      | 10.8  | 1      | 3.0   |  |
| Repetitive use of tools                    | 5      | 1      | 2.3             | 1      | 2.7   | 3      | 9.1   |  |
| Bodily conditions, NEC                     | 5      | 1      | 2.3             | 2      | 5.4   | 2      | 6.1   |  |
| Slip, trip, loss of balance - without fall | 5      | 2      | 4.7             | 2      | 5.4   | 1      | 3.0   |  |
| Overexertion, UNS                          | 4      | 0      | 0               | 2      | 5.4   | 2      | 6.1   |  |
| Overexertion, NEC                          | 4      | 2      | 4.7             | 0      | 0     | 2      | 6.1   |  |
| Fall onto or against objects               | 4      | 2      | 4.7             | 1      | 2.7   | 1      | 3.0   |  |
| Repetitive motion, UNS                     | 4      | 0      | 0               | 2      | 5.4   | 2      | 6.1   |  |
| Struck by falling object                   | 4      | 3      | 7.0             | 1      | 2.7   | 0      | 0     |  |
| Bending/climbing/crawling/reachg/twistg    | 4      | 2      | 4.7             | 2      | 5.4   | 0      | 0     |  |
| Nonclassifiable                            | 3      | 1      | 2.3             | 0      | 0     | 2      | 6.1   |  |
| Struck against stationary object           | 2      | 0      | 0               | 1      | 2.7   | 1      | 3.0   |  |
| Bodily reaction and exertion, UNS          | 2      | 2      | 4.7             | - 0    | 0     | 0      | 0     |  |
| Fall from ladder                           | 2      | / 1    | 2.3             | 1      | 2.7   | .0     | 0     |  |
| Struck by slipping handheld object         | 1      | 0      | - 0             | 0      | 0     | 1      | 3.0   |  |
| Overexertion in throwing objects           | 1      | 0      | 0               | 0      | 0     | 1      | 3.0   |  |
| Fall, UNS                                  | 1      | - 0    | 0               | 0      | 0     | 1      | 3.0   |  |
| Bodily reaction, NEC                       | 1      | 1      | 2.3             | 0      | 0     | 0      | 0     |  |
| Bodily reaction, UNS                       | 1      | 1      | 2.3             | 0      | 0     | 0      | 0     |  |
| Struck against object, NEC                 | 1      | 1      | 2.3             | 0      | 0     | 0      | 0     |  |
| Noncollision accident, NEC                 | 1      | 1      | 2.3             | 0      | 0     | 0      | 0     |  |
| Rubbed/abraded by kneeling on surface      | 1      | 0      | 0               | 1      | 2.7   | 0      | 0     |  |

NEC = Not Elsewhere Classifiable, not fitting available classifications. UNS = Unspecified, insufficient data for detailed classification.

Table A-2 2000 through 2002 Maine Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Source of Injury                           |        | Disabling Cases |       |        |       |        |       |  |
|--|--------|-----------------|-------|--------|-------|--------|-------|--|
|  | Total  | 2001            |       | 2002   |       | 200    | )     |  |
|  | Number | Number          | Pct   | Number | Pct   | Number | Pct   |  |
| Total                                      | 113    | 43              | 100.0 | 37     | 100.0 | 33     | 100.0 |  |
| *  | -      | 100             |       |        |       |        |       |  |
| Bodily motion/position of injured worker   | 20     | 7               | 16.3  | 7      | 18.9  | 6      | 18.2  |  |
| Floor of building                          | 9      | 2               | 4.7   | 5      | 13.5  | 2      | 6.1   |  |
| Tables, worktables                         | 8      | 4               | 9.3   | 1      | 2.7   | 3      | 9.1   |  |
| Nonclassifiable                            | 7      | 3               | 7.0   | 0      | 0     | 4      | 12.1  |  |
| Bags, sacks, totes                         | 6      | 0               | 0     | 4      | 10.8  | 2      | 6.1   |  |
| Floors, walkways, grounds surfaces,<br>UNS | 6      | 0               | 0     | 5      | 13.5  | 1      | 3.0   |  |
| Stairs, steps - indoors                    | 5      | 2               | 4.7   | 0      | 0     | 3      | 9.1   |  |
| Bodily conditions of injured, ill worker   | 5      | 1               | 2.3   | 2      | 5.4   | 2      | 6.1   |  |
| Vacuum cleaners                            | 4      | 2               | 4.7   | 2      | 5.4   | 0      | (     |  |
| Chairs                                     | 3      | 2               | 4.7   | 0      | 0     | 1      | 3.0   |  |
| Buckets, baskets, pails                    | 3      | 2               | 4.7   | 0      | 0     | 1      | 3.0   |  |
| Brooms, mops, and other cleaning tools     | 3      | 2               | 4.7   | 0      | 0     | 1      | 3.0   |  |
| Boxes, crates, cartons                     | 3      | 2               | 4.7   | 1      | 2.7   | 0.     | (     |  |
| Shovels                                    | 3      | 3               | 7.0   | 0      | 0     | 0      | (     |  |
| Other sources, NEC                         | 3      | 3               | 7.0   | 0      | 0     | 0      | (     |  |
| Desks                                      | _ 2    | _1              | 2.3   | 0-     | 0     | 1      | 3.0   |  |
| Parking lots                               | 2      | 2               | 4.7   | 0      | O.    | 0      | (     |  |
| Knives                                     | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Ground                                     | 1      | 0               | 0     | 0      | O,    | 1      | 3.0   |  |
| Furniture, UNS                             | -1     | -0              | 0     | 0      | -0    | 1      | 3.0   |  |
| Furniture, NEC                             | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Ramps, runway, loading docks               | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Handtools - nonpowered, NEC                | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Recreation and athletic equipment, NEC     | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Barrels, kegs, drums                       | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Cabinets, cases – display, storage         | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Pickup truck                               | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Tanks, bins, vats                          | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Tractor                                    | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Paper, books, magazines, NEC               | 1      | 1               | 2.3   | 0      | 0     | 0      | (     |  |
| Dimensional lumber: 2x4, 2x3, etc.         | 1      | 0               | 0     | 1      | 2.7   | 0      | (     |  |
| Windows                                    | 1      | 0               | 0     | 1      | 2.7   | 0      | (     |  |
| Grandstands, stadia                        | 1      | 0               | 0     | 1      | 2.7   | 0      | (     |  |
| Stairs, steps - outdoors                   | 1      | 0               | 0     | 1      | 2.7   | 0      | (     |  |

#### (CONTINUED)

NEC = Not Elsewhere Classifiable, not fitting available classifications. UNS = Unspecified, insufficient data for detailed classification.

# **Table A-2 Continued**

2000 through 2002 Maine Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Source of Injury                     |       | Disabling Cases |        |      |        |      |        |     |
|--------------------------------------|-------|-----------------|--------|------|--------|------|--------|-----|
|                                      | Total | 2001            |        | 2002 |        | 2000 |        |     |
|                                      |       | Number          | Number | Pct  | Number | Pct  | Number | Pct |
| *                                    |       |                 |        |      |        |      |        |     |
| Rails                                | 1     | .0              | 0      | 1    | 2.7    | 0    | 0      |     |
| Cranes – portal, tower, pillar       | 1     | 0               | 0      | 1    | 2.7    | 0    | 0      |     |
| Ranges/cooking ovens/grills/toasters | 1     | 0               | 0      | 1    | 2.7    | 0    | 0      |     |
| Gates                                | - 1   | - 0             | Ö      | 1    | 2.7    | 0    | 0      |     |



Table A-3 2000 through 2002 Maine Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Nature of Injury                         |        | Disabling Cases |       |        |       |        |       |
|--|--------|-----------------|-------|--------|-------|--------|-------|
|  | Total  | 2001            |       | 2002   |       | 2000   |       |
|  | Number | Number          | Pct   | Number | Pct   | Number | Pct   |
| Total                                    | 113    | 43              | 100.0 | 37     | 100.0 | 33     | 100.0 |
| *  |        |                 |       |        |       |        |       |
| Sprains, strains, tears                  | 40     | 13              | 30.2  | 12     | 32.4  | 15     | 45.5  |
| Soreness, pain, hurt, except the back    | 18     | 6               | 14.0  | 6      | 16.2  | 6      | 18.2  |
| Traumatic inj & disorders, UNS           | 13     | 6               | 14.0  | 5      | 13.5  | 2      | 6.1   |
| Back pain, hurt back                     | 12     | 5               | 11.6  | 3      | 8.1   | 4      | 12.1  |
| Bruises, contusions                      | 8      | 3               | 7.0   | 4      | 10.8  | 1      | 3.0   |
| Cuts, lacerations                        | 3      | 1               | 2.3   | 0      | 0     | 2      | 6.1   |
| Neurotic reaction to stress              | 3      | 1               | 2.3   | 0      | 0     | 2      | 6.1   |
| Punctures, except bites                  | 2      | .0              | 0     | 2      | 5.4   | 0      | 0     |
| Hiatal hernia                            | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |
| Hernia, NEC                              | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Dislocations                             | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Ganglion/cystic tumor                    | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Tendonitis                               | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| General symptoms, NEC                    | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Phlebitis                                | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |
| Multiple traumatic inj. & disorders UNS  | 1      | - 1             | 2.3   | 0      | 0     | 0      | 0     |
| Surface wounds & bruises, UNS            | 1      | -1              | 2.3   | - 0    | 0     | 0      | 0     |
| Myocardial infarction (heart attack)     | 1 1    | 0               | 0     | 1      | 2.7   | 0      | 0     |
| Loss of consciousness - not heat related | 1      | / 0             | 0     | 1      | 2.7   | 0      | 0     |
| Symptoms, signs & ill-defined cond, UNS  | 1      | 0               | 0     | 1      | 2.7   | 0      | 0     |
| Fractures                                | A IV   | 0               | 0     | 10     | 2.7   | 0      | 0     |
| Other disord of peripheral nerv sys NEC  | 1      | 0               | 0     | 1      | 2.7   | 0      | 0     |

NEC = Not Elsewhere Classifiable, not fitting available classifications. UNS = Unspecified, insufficient data for detailed classification.

Table A-4 2000 through 2002 Maine Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| Part of Body                             |        | Disabling Cases |       |        |       |        |       |  |
|--|--------|-----------------|-------|--------|-------|--------|-------|--|
|  | Total  | 2001            |       | 2002   |       | 200    | )     |  |
|  | Number | Number          | Pct   | Number | Pct   | Number | Pct   |  |
| Total                                    | 113    | 43              | 100.0 | 37     | 100.0 | 33     | 100.0 |  |
| *  |        |                 |       |        | 1000  |        |       |  |
| Multiple body parts                      | 18     | 11              | 25.6  | 5      | 13.5  | 2      | 6.1   |  |
| Back, including spine, spinal cord, UNS  | 13     | 4               | 9.3   | 3      | 8.1   | 6      | 18.2  |  |
| Lumbar region                            | 10     | 3               | 7.0   | 3      | 8.1   | 4      | 12.1  |  |
| Shoulder, including clavicle, scapula    | 10     | 2               | 4.7   | 3      | 8.1   | 5      | 15.2  |  |
| Multiple trunk locations                 | 5      | 2               | 4.7   | 1      | 2.7   | 2      | 6.1   |  |
| Knee(s)                                  | 5      | 1               | 2.3   | 3      | 8.1   | 1      | 3.0   |  |
| Wrist(s)                                 | 5      | 3               | 7.0   | 1      | 2.7   | 1      | 3.0   |  |
| Thoracic region                          | 4      | 1               | 2.3   | 2      | 5.4   | 1      | 3.0   |  |
| Hand(s), except finger(s)                | 4      | 0               | 0     | 3      | 8.1   | 1      | 3.0   |  |
| Foot(feet), except toe(s), UNS           | 4      | 1               | 2.3   | 2      | 5.4   | 1      | 3.0   |  |
| Hip(s)                                   | 3      | î               | 2.3   | 1      | 2.7   | 1      | 3.0   |  |
| Body Systems                             | 3      | 1               | 2.3   | 0      | 0     | 2      | 6.1   |  |
| Leg(s), UNS                              | 3      | 2               | 4.7   | 0      | 0     | 1      | 3.0   |  |
| Ankle(s)                                 | 3      | 1               | 2.3   | 2      | 5.4   | 0      | 0     |  |
| Groin                                    | 3      | 2               | 4.7   | 1      | 2.7   | 0      | 0     |  |
| Lower leg(s)                             | 2      | 1               | 2.3   | 0      | 0     | 1      | 3.0   |  |
| Arm(s), UNS                              | - 2    | _1              | 2.3   | - 0    | 0     | 1      | 3.0   |  |
| Multiple foot(feet) locations            | 2 2    | 1 / 1           | 2.3   | 1      | 2.7   | 0      | 0     |  |
| Multiple lower extremities locations NC  | 2      | 1               | 2.3   | 1      | 2.7   | 0      | 0     |  |
| Head, UNS                                | 2      | 2               | 4.7   | 0      | 0     | 0      | 0     |  |
| Foot(feet) and ankle(s)                  | 2      | -0              | 0     | 2      | 5.4   | 0      | 0     |  |
| Finger(s), fingernail(s)                 | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Stomach organ                            | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Multiple upper extremities locations, NC | 1      | 0               | 0     | 0      | 0     | 1      | 3.0   |  |
| Internal abdominal location, NEC         | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |  |
| Forehead                                 | 1      | 1               | 2.3   | 0      | 0     | 0      | 0     |  |
| Heart                                    | 1      | 0               | 0     | 1      | 2.7   | 0      | 0     |  |
| Brain                                    | 1      | 0               | 0     | 1      | 2.7   | 0      | 0     |  |
| Multiple leg(s) locations                | 1      | 0               | 0     | 1      | 2.7   | 0      | - 0   |  |

NEC = Not Elsewhere Classifiable, not fitting available classifications. UNS = Unspecified, insufficient data for detailed classification.

**Table A-5**2000 through 2002 Maine Reported Workers' Compensation Disabling Cases JANITORS AND CLEANERS IN SCHOOLS IN CUMBERLAND COUNTY

| AGE   | Frequency | Percent | Cumulative<br>Frequency | Cumulative<br>Percent |
|-------|-----------|---------|-------------------------|-----------------------|
| 19-24 | 2         | 1.8     | 2                       | 1.8                   |
| 25-29 | 3         | 2.7     | 5                       | 4.4                   |
| 30-34 | 6         | 5.3     | 11                      | 9.7                   |
| 35-39 | 16        | 14.2    | 27                      | 23.9                  |
| 40-44 | 14        | 12.4    | 41                      | 36.3                  |
| 45-49 | 16        | 14.2    | 57                      | 50.4                  |
| 50-54 | 16        | 14.2    | 73                      | 64.6                  |
| 55-59 | 21        | 18.6    | 94                      | 83.2                  |
| 60+   | 19        | 16.8    | 113                     | 100.0                 |

 ${\bf Table~A-6} \\ 2000~{\bf through~2002~Maine~Reported~Workers'~Compensation~Disabling~Cases} \\ {\bf JANITORS~AND~CLEANERS~IN~SCHOOLS~IN~CUMBERLAND~COUNTY} \\$ 

| Length of Service of<br>Injured Worker | paralle T | Disabling Cases |       |        |       |        |       |
|--|-----------|-----------------|-------|--------|-------|--------|-------|
|  | Total     | 2000            |       | 2001   |       | 2002   |       |
|  | Number    | Number          | Pct   | Number | Pct   | Number | Pct   |
| Total                                  | 113       | 33              | 100.0 | 43     | 100.0 | 37     | 100.0 |
| *                                      |           | 1.367           |       |        |       | 1      |       |
| Unknown                                | 12        | 0               | 0/    | 4      | 9.3   | 8      | 21.6  |
| Under 1 Year                           | 19        | 4               | 12.1  | 8      | 18.6  | 7      | 18.9  |
| 1 year up to 2 years                   | 6         | 0               | 0     | 4      | 9.3   | 2      | 5.4   |
| 2 years up to 3 years                  | 5         | 2               | 6.1   | 3      | 7.0   | 0      | 0     |
| 3-4 years                              | 13        | 5               | 15.2  | 4      | 9.3   | 4      | 10.8  |
| 5-9 years                              | 23        | 7               | 21.2  | 8      | 18.6  | 8      | 21.6  |
| 10-14 years                            | 23        | 10              | 30.3  | 9      | 20.9  | 4      | 10.8  |
| 15-19 years                            | 4         | 2               | 6.1   | 1      | 2.3   | 1      | 2.7   |
| 20 years and above                     | 8         | 3               | 9.1   | 2      | 4.7   | 3      | 8.1   |