

# MAINE STATE LEGISLATURE


The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied  
(searchable text may contain some errors and/or omissions)

STATE OF MAINE  
ONE HUNDRED AND TWELFTH LEGISLATURE  
SECOND REGULAR SESSION

JOINT STANDING COMMITTEE ON  
UTILITIES  
BILL SUMMARY



MAY 1986

PREPARED BY:

Haven Whiteside, Policy Analyst

OFFICE OF POLICY AND LEGAL ANALYSIS  
STATE HOUSE, STATION 13 AUGUSTA, MAINE 04333  
(207) 289-1670



HELEN T. GINDER, DIRECTOR  
HAVEN WHITESIDE, ASST. DIRECTOR  
GILBERT W. BREWER  
DAVID C. ELLIOTT  
MARTHA E. FREEMAN  
JERI B. GAUTSCHI  
CHRISTOS GIANOPOULOS  
WILLIAM T. GLIDDEN, JR.

STATE OF MAINE  
OFFICE OF POLICY AND LEGAL ANALYSIS  
ROOM 101/107  
STATE HOUSE STATION 13  
AUGUSTA, MAINE 04333  
TEL.: (207) 289-1670

JULIE S. JONES  
JOHN B. KNOX  
EDWARD POTTER  
MARGARET J. REINSCH  
LARS H. RYDELL  
JOHN R. SELSER  
ANDREA L. COLNES, Res. Asst.

ONE HUNDRED AND TWELFTH LEGISLATURE  
SECOND REGULAR SESSION

JOINT STANDING COMMITTEE  
BILL SUMMARIES  
MAY 1986

This document is a compilation of the bill summaries prepared by this office for the Joint Standing Committees and Joint Select Committees of the Maine Legislature, covering the Second Regular Session of the 112th Legislature. The summaries are arranged by LD number under each committee.

All Amendments are listed, by paper number (e.g., H-584 or S-222), together with the sponsor if it is a floor amendment or the designation "CA" if it is a committee amendment. If the amendment was adopted in the House, the letter H appears after the sponsor. If it was adopted in the Senate, the letter S appears.

Final action for each bill is listed to the right of the title. If final House action and Senate action differ, both are listed.

Key to Committee Reports and Floor Action:

OTP	Ought to Pass
OTP-ND	Ought to Pass in New Draft
OTP-ND-NT	Ought to Pass in New Draft, New Title
OTP-AM	Ought to Pass as Amended
ONTP	Ought Not to Pass
LVWD	Leave to Withdraw
INDEF PP	Indefinitely Postponed

SUMMARY: The bill authorizes municipal and quasi-municipal water utilities to require new customers to pay in advance the cost of system expansions or extensions. (See LD 1745)

**LD** AN ACT TO REVIEW THE NEW ENGLAND ELECTRIC LVWD  
**1788** POWER AGREEMENT

Sponsor: KANY, Andrews, Clark, H., Vose  
Committee Report: LVWD

SUMMARY: The bill requires the Public Advocate to review the New England Electric Power Pool (NEPOOL) agreement and allocates \$50,000 from the PUC Regulatory Fund for that purpose. The PUC would consider the findings of that review in future rate cases. The agreement as a whole has never been subject to regulatory review.

Central Maine Power and Bangor Hydro are members of that agreement which dispatches power centrally for most of New England. Members are paid by the pool for power and capacity which they supply and are paid for that which they receive. Recently, NEPOOL voted to increase the reserve margin requirement from 20% to 23%. This will cost Maine utilities money.

**LD** AN ACT TO AMEND THE WATERVILLE SEWERAGE P&SL 1985  
**1816** DISTRICT CHARTER c. 99

Sponsor: JOSEPH, Kany, Jacques, Lacroix  
Committee Report: OTP-AM

H-586 CA H S

SUMMARY: The bill places in the Waterville Sewer District Charter a number of provisions conforming to procedures that are required by the Public Laws 38 MRSA...These include eminent domain; extensions and expansions; connection policy; meetings; rates and public notice.

The Committee Amendment (H-586) adds the requirements of the Maine Revised Statutes, Title 38 to the District's Charter. It also makes technical changes to conform to the language of the Maine Revised Statutes, Title 38. In addition, the distance within which buildings are required to connect is increased from 100 to 200 feet to conform to the Sanitary District Enabling Act Title 38, section 1161. Buildings with satisfactory existing private systems at the time the sewer becomes available are not required to connect as long as the system operates satisfactorily.