

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from electronic originals
(may include minor formatting differences from printed original)

MAINE COMBINED SEWER OVERFLOW 2010 STATUS REPORT

Date: March 28, 2011
Document No.: DEPLW0972C-2011

Prepared by:
David P. Breau, P.E.
CSO Coordinator
Division of Water Quality Management
Bureau of Land and Water Quality Control
Department of Environmental Protection




TABLE OF CONTENTS

| | |
|--|---|
| INTRODUCTION | 1 |
| WHAT ARE CSOs?..... | 1 |
| WHAT ARE THE IMPACTS OF CSOs? | 2 |
| WHAT IS A CSO COMMUNITY? | 2 |
| WHERE DID WE START? | 3 |
| WHAT IS BEING DONE TO ABATE CSO DISCHARGES?..... | 3 |
| WHERE ARE WE NOW? – 2010 STATUS..... | 4 |

TABLES

| | |
|---|----|
| MAINE - CSO COMMUNITY LIST | 8 |
| MAINE - CSO COMMUNITY FLOW DATA | 9 |
| MAINE - CSO COMMUNITY ANNUAL NUMBER OF CSO DISCHARGE EVENTS | 10 |
| MAINE – CSO ANNUAL WATERSHED FLOWS | 19 |

CHARTS

| | |
|---|----|
| MAINE – STATEWIDE COMBINED SEWER OVERFLOW VOLUME DISCHARGED | 11 |
| MAINE – STATEWIDE COMBINED SEWER OVERFLOW ANNUAL NUMBER OF DISCHARGE EVENTS ... | 12 |
| MAINE – STATEWIDE NUMBER OF COMBINED SEWER OVERFLOW OUTFALLS | 13 |
| MAINE COMBINED SEWER OVERFLOWS | |
| ANNUAL VOLUME DISCHARGED PER INCH OF PRECIPITATION | 14 |
| MAINE YEARLY CSO VOLUMES AND PRECIPITATION | 15 |
| 2010 CSO FLOW COMPARISON - PIE CHART | 16 |
| 2010 CSO FLOW COMPARISON BY COMMUNITY - BAR CHART | 17 |
| 2010 CSO WATERSHED FLOWS - PIE CHART | 18 |

INTRODUCTION

The purpose of this report is to inform the Combined Sewer Overflow (CSO) Communities and the general public on the status of the CSO program in Maine.

This information is compiled from various documents and reports submitted to the Maine Department of Environmental Protection by the CSO Communities (City/Town/District) or their consultants on their behalf. A majority of the information comes from the CSO Master Plans (a.k.a. Long Term Control Plans), Sewer System Evaluation Studies, Infiltration/Inflow Reports, Annual CSO Progress Reports, and general correspondence.

At the start of any CSO Community's abatement program, initial flow data was collected to estimate the existing discharge volumes and frequencies, define the problems, and establish a corrective course of action. This often occurred over a relatively short period of time (a year or two) and may not have captured as many good wet weather events as desired. However, this data was the best available information at the time and established the overflow baselines that are used within this report. Since then, CSO flow monitoring plans have continued to improve and overall data reliability has increased, giving the program better data for specific yearly wet weather patterns.

WHAT ARE CSOs?

- Combined Sewer Overflows (CSOs) are discharges of untreated wastewater from municipal sewerage systems that carry mixtures of sanitary sewage, storm water, and sometimes industrial wastes.
- They occur mostly during and after rain events or snowmelt. Flows within the combined sewer system during these wet weather events can be as high as fifty (50) times the normal dry weather flows.
- Large volumes of water entering the combined sewer system (CSS) through catch basins, old and leaky pipes, roof drains, cellar drains, sump pumps, and other sources cause the capacity of the system to be exceeded.
- Hydraulic relief points within the CSS allow the excess flows to be discharged. These relief points are generally near pump stations and river crossings.
- Excess volumes of combined sewage can also cause treatment facility upsets, street flooding, and back-ups into basements.

WHAT ARE THE IMPACTS OF CSOs?

- Currently in Maine there are 32 communities (towns or cities) with CSO discharge points in their sewerage systems (down from an original 60). These communities collectively have 164 individual CSO discharge points (down from an original 340).
- The frequency of discharges varies greatly from community to community, ranging from seldom to occurring in response to all but the smallest rain storms.
- In large communities hundreds of millions of gallons per year of untreated combined sanitary sewage and storm water may be discharged. Statewide, approximately 1.5 to 2.5 billion gallons are discharged annually from CSOs (down from an estimated original volume of 6.2 billion gallons).
- CSOs discharge untreated combined sewage to receiving waters that vary in size from the ocean and large rivers to small streams and drainage creeks.
- Water quality is impaired by the addition of floatables, bacteria, and sometimes industrial pollutants.
- Shellfishing areas and beaches can be closed and drinking water supplies threatened.

WHAT IS A CSO COMMUNITY?

- CSO Communities are permitted dischargers of combined sanitary and storm waters. The Department of Environmental Protection issues CSO permittees a wastewater discharge license that requires them to implement EPA's Nine Minimum Control Best Management Practices (BMPs), develop a Long Term Control Plan (LTCP) (a.k.a. Master Plan) to eliminate or abate their overflows, and finally to implement the plan and bring them into compliance with EPA's April 8, 1994 Combined Sewer Overflow (CSO) Control Policy.
- Special Conditions in their Maine Pollutant Discharge Elimination System (MEPDES) permit requires all CSO permittees to submit an Annual CSO Progress Report to the Department for the previous year by March 1st.
- The Progress Report documents the Community's efforts to comply with the Nine Minimum Controls, and collects pertinent fiscal and logistical information about their CSO abatement program. This information is used to track their CSO abatement progress and gather state-wide information on the CSO program and fiscal needs.

WHERE DID WE START?

- The CSO movement started in 1989 with the clarification of the Clean Water Act through the publication of the National CSO Control Strategy by the Environmental Protection Agency (EPA).
- At that time the State had about 60 CSO Communities that discharged an estimated 6.2 billion gallons of combined wastewater and storm water during wet weather events.
- Statewide it was estimated that overflow events happened approximately 1,700 times a year through approximately 340 different CSO outfalls.
- On April 19, 1994 EPA issued a national policy statement entitled “Combined Sewer Overflow (CSO) Control Policy.” This policy provides guidance to permittees with CSOs, and State permit and water quality standards authorities on coordinating the planning, selection, and implementation of CSO controls that meet the requirements of the Clean Water Act (CWA).
- In February 2000, the Maine Department of Environmental Protection Chapter 570 Rules, entitled “Combined Sewer Overflow Abatement,” became effective. This chapter establishes procedures for CSO evaluation, preparation of an abatement plan, and sets forth minimum controls to reduce CSOs while long-range plans are being completed.
- In December 2000, as part of the Consolidated Appropriations Act for Fiscal Year 2001 (P.L. 106-554), Congress amended the Clean Water Act (CWA) by adding Section 402(q), commonly referred to as the Wet Weather Water Quality Act of 2000. Section 402(q) requires that each permit, order, or decree issued pursuant to the CWA for a discharge from a municipal combined sewer system shall conform to the CSO Control Policy.

WHAT IS BEING DONE TO ABATE CSO DISCHARGES?

- All of Maine’s CSO Communities have completed or are working on comprehensive CSO studies or facilities plans. These plans are often referred to as Master Plans (MPs) or Long Term Control Plans (LTCPs). These documents define the magnitude of the CSO discharges, their impacts on the environment, and evaluate a range of abatement control alternatives and their financial impact.
- Abatement projects have reduced untreated discharges in all of the CSO Communities. A number of communities have eliminated their CSO discharges and are no longer licensed to discharge untreated combined sewage during wet weather.

- Statewide, CSO Communities report that they have invested a total of \$375.6 million in CSO abatement (\$26.0 million in 2010) and anticipate the CSO needs for the next five years to be \$141.3 million. Beyond that, the expected need to bring them into compliance with the CSO Control Policy is an additional \$300+ million.

WHERE ARE WE NOW? – 2010 STATUS

- 1) Maine started 2010 with 33 CSO Communities and finished the year with 32. The City of Rockland, which is responsible for Rockland's sewer system, completed its CSO abatement program and will not be re-licensed as a CSO Community in 2011. A complete listing of Maine's CSO Communities, their number of CSO outfalls and the outfall receiving waters is listed on page 8.
- 2) The volume of combined sewage discharged statewide in 2010 was reported at 2.00 billion gallons. The table on page 9, Maine CSO Community Flow Data, contains a historic listing of the yearly overflows from each CSO Community. The 2010 CSO Flow Comparison pie chart on page 16 and the 2010 CSO Flow Comparison by Community bar chart on page 17 are graphical comparisons of the overflow volumes between the CSO Communities.
- 3) In 2010, the CSO Communities reported a total of 606 overflow events. This total is arrived at by summing the number of days that each CSO Community experienced an overflow event. An overflow event is any calendar day in which one or more CSOs within a community discharge. The table on page 10, Maine CSO Community Annual Number of CSO Discharge Events, contains a historic listing of the annual number of CSO discharge events for each CSO Community.
- 4) Twenty-eight (28) of the 32 CSO Communities reported experiencing at least one combined sewer overflow discharge in 2010, while five (5) reported no overflows.
- 5) In 2010, twelve (12) of the communities reported discharging less in 2010 than in 2009, fifteen (15) reported discharging more, while three (3) reported no change with a zero discharge. The maximum number of days that overflow events were reported from a single community was 79. The average (mean) number of discharge events for all of the communities was 18 and the median was 12. Additional information is given in the table on page 10.
- 6) The volume and frequency of CSO discharges varies from one wet weather event to another based on existing groundwater conditions, frozen or thawed ground, snowmelt, and rainfall volume, duration, and intensity. To evaluate abatement progress it is best to look for an overall trend in reduction, versus trends from year to year. The chart on page 11, Combined Sewer Overflow Volume Discharged, illustrates an overall downward trend in the CSO volumes being discharged annually. Since 1989, the volume of combined sewage discharged has decreased by approximately 60 - 70%. This is stated as a range

because of the correlation of overflow volumes to variations in annual weather patterns.

- 7) Similarly, the chart on page 12, Combined Sewer Overflow Annual Number of Discharge Events, shows a downward trend in the number of overflow days per year. Since 1989, the number of overflow days has decreased by approximately 55 - 65%, once again stated as a range.
- 8) In 2010 Maine CSO Communities reduced the total number of CSO discharge locations by seven (7), down from 171 to 164. Reductions were in the communities of: Augusta – Greater Augusta Utility District (1), Brewer (1), Lewiston (2), Portland (2), Saco (1), and the removal of Rockland (2) from the CSO Program. There were nine discharge points removed, however, two new CSO discharge locations were added this year – one in Lewiston and one in Winslow, which were previously unknown. The chart on page 13, Maine – Statewide Number of Combined Sewer Overflow Outfalls, shows a 50% reduction in the number of CSO outfalls since 1989.
- 9) Trying to compare CSO abatement progress from year to year is difficult because of the number of conditions that influence the volume and frequency of overflows, not the least of which is yearly precipitation patterns. To partially compensate for the fluctuation in yearly precipitation patterns, the total volume of combined sewage discharged has been unitized by taking into consideration the average annual precipitation amount for the CSO communities. The average annual precipitation amount for all of the communities was calculated by applying a weighted precipitation amount, based on their percentage of the total statewide overflow volume, to each community's annual precipitation amount and then summing the total. The chart on page 14, CSO Annual Volume Discharged Per Inch of Precipitation, illustrates this and shows a continual downward trend in the volume of combined sewage discharged per inch of annual precipitation. Since 1989, overflow volumes have decreased from approximately 149 million gallons per inch of precipitation to 35 - 40 million gallons per inch of precipitation, 40 million in 2010. Although this type of analysis is rough, it is a good indicator of the CSO abatement progress that is being made.
- 10) The average annual precipitation for all of Maine's CSO Communities is approximately 45 inches. In 2010, the annual precipitation for the CSO Communities varied significantly from 30 - 65 inches. CSO Communities in northern and central Maine experienced normal or slightly below normal precipitation (down as much as 30%) while areas of coastal Maine experienced higher than normal precipitation amounts (up as much as 45%). The Yearly CSO Volumes and Precipitation chart on page 15 shows a comparison between annual CSO volumes and yearly precipitation. The graph shows that CSO volumes tend to follow the yearly ups and downs in precipitation levels. The chart shows a widening gap between the yearly precipitation amount and the yearly volume of combined sewage discharged. This widening gap clearly

indicates that the CSO abatement is being accomplished and that overflow volumes are becoming less influenced by precipitation events.

- 11) 2010 was another above average precipitation year (50”), but was less than the previous year’s weighted average of 54”. As a result of ongoing CSO abatement work and lower precipitation amounts, the statewide volume of CSO discharges decreased by 54 million gallons or 2.6%, from 2.058 to 2.004 billion gallons in 2010.
- 12) The CSOs from the City of Portland and Portland Water District in Portland comprised approximately 39% of the State’s total overflow volume in 2010; see the CSO Flow Comparison Pie Chart on page 16. Given the large impact that Portland’s data has on the State’s total, it might be prudent to look at the rest of the state without utilizing Portland’s data. After removing Portland’s overflow data from the state total, the overflow volume for the remaining CSO Communities increased by 3.25% from 2009 to 2010, 1.18 to 1.22 billion gallons respectively.
- 13) In 2010, the top twelve (12) dischargers accounted for approximately 98% of the total volume of combined sewage discharged in the State, while the remaining sixteen (16) communities that discharged accounted for 2%. See the CSO Flow Comparison Pie Chart on page 16.
- 14) Abatement of CSOs is a costly endeavor. To date Maine CSO Communities have reported expending \$375.6 million implementing their CSO abatement projects. In the 2010 Annual CSO Progress Reports submitted to the State, these communities reported expending \$26.0 million on abatement work in 2010. It is estimated that the future needs of these communities to complete their CSO abatement plans totals \$300+ million, in 2010 dollars.
- 15) CSO abatement progress can not be measured solely by comparing the volumes discharged from one year to the next. The reason is that the volume discharged is influenced by variations in precipitation amount, intensity and timing, the rate of snow melt, frozen or thawed ground, and existing groundwater levels. Even given the same annual precipitation, no two years would result in the same volume of CSO discharges.
- 16) The relationship between the annual precipitation and the annual volume of combined sewage discharged is not linear. As a general rule, as precipitation levels increase, the volume of combined sewage discharged also increases per inch of precipitation. Simply put, once the capacity of the combined sewer system is reached, any additional rainfall or snowmelt overflows the already inundated system.
- 17) Different wet weather conditions and precipitation patterns also affect individual CSO Communities differently. This is due mostly to the make up of the sewer system, the number of catch basins connected, the area of impermeable surface, and the specific hydraulic restriction(s) causing the overflows, to name just a few. The overflows in some communities are more susceptible or responsive to intense summer storms, while in other communities it might be

high ground water. Direct comparisons between various communities should not be made.

- 18) It is well established that CSOs can and do have impacts on beach and shellfish closures. Stating that a specific CSO event or series of events is responsible for a specific closure is more difficult and will not be attempted in this report. In some areas there are a number of other factors that might enter into a beach or shellfishing area being closed. These are, but not necessarily limited to, urban storm water runoff, malfunctioning septic systems, domestic and non-domestic animal waste, agricultural runoff, and bathers, to name just a few. What is assessed in the Annual Reports is which beach and shellfishing areas may be impacted by the CSOs.

In 2010, five (5) CSO Communities listed ten (10) beach areas that could be impacted by their CSO discharges. They were: Bar Harbor (Town Beach off Town Pier & Hulls Cove); Biddeford (Hills Beach, Biddeford Pool & Camp Ellis); Cape Elizabeth (Cliff House Beach, Casino Beach & Fort Williams Park); Portland (East End Beach); and South Portland (Willard Beach). In 2010, the following beach closures or advisories were reported at several of the beaches, though not specifically identified as being caused by CSO activity (Bar Harbor – Town Beach, 1 advisory; Bar Harbor – Hulls Cove, 1 advisory; Portland – East End, 4 closures, 5 advisories; South Portland – Willard Beach, 7 advisories).

In 2010, five (5) CSO Communities listed shellfishing areas that were closed in their area (Bar Harbor, Calais, Machias, Portland & South Portland). Three (3) of these communities (Bar Harbor, Machias and Portland) reported that the closures were caused in whole or in part by CSO activity.

- 19) The chart on page 18 – 2010 CSO Watershed Flows, shows a graphical representation of the CSO volume discharged by watershed. In 2010, Casco Bay received approximately 42% of the statewide CSO volume discharged, followed by Penobscot River at 31%, the Androscoggin River at 15%, the Saco River at 6%, the Kennebec River at 4%, and the St. Croix River at 1.5%. Discharges to the St. John River, Frenchman Bay, the Machias River, and Penobscot Bay account for the remaining 0.5 - 1% of combined sewer overflow volume. The Table on page 19 – CSO Annual Watershed Flows, shows the actual CSO volumes by discharger associated with the individual watersheds for 2010 as well as for the previous four years.

**MAINE – COMBINED SEWER OVERFLOW (CSO)
COMMUNITY LIST
(As of December 31, 2010)**



| | COMMUNITY/PERMITTEE | CSOs | Number of CSOs & Receiving Water |
|-----|---|-------------|---|
| 1. | AUBURN SEWERAGE DISTRICT | 3 | 3-Androscoggin Rv. |
| 2. | BANGOR | 7 | 3-Kenduskeag Str., 4-Penobscot Rv. |
| 3. | BAR HARBOR (Hulls Cove) | 1 | 1-Frenchman Bay |
| 4. | BAR HARBOR (Main Plant) | 3 | 2-Frenchman Bay, 1-Eddie Brook |
| 5. | BATH | 4 | 4-Kennebec Rv. |
| 6. | BELFAST | 2 | 2-Passagassawakeag River/Belfast Harbor |
| 7. | BIDDEFORD | 10 | 9-Saco Rv., 1-Thatcher Bk. |
| 8. | BREWER | 5 | 4-Penobscot River, 1-Sedgeunkendunk Str. |
| 9. | BUCKSPORT | 1 | 1-Penobscot Rv. |
| 10. | CALAIS | 5 | 4-St. Croix Rv., 1-Landing Brook |
| 11. | CAPE ELIZABETH – Ottawa Road PS (Co-Permittees - So. Portland, PWD, & Cape Eliz.) | 1 | 1-Atlantic Ocean |
| 12. | FAIRFIELD | 2 | 2-Kennebec Rv. |
| 13. | GARDINER | 1 | 1-Kennebec Rv. |
| 14. | GREATER AUGUSTA UTILITY DISTRICT (GAUD) (Includes Hallowell Sanitary Sewers & CSO) ... | 22 | 4-Bond Bk., 1-Kennedy Bk., 16-Kennebec Rv., 1-Whitney Bk. |
| 15. | HAMPDEN | 1 | 1-Souadabscook Str. |
| 16. | KENNEBEC SANITARY TREATMENT District (KSTD) | 3 | 3-Kennebec Rv. |
| 17. | LEWISTON | 20 | 8-Androscoggin Rv., 1-Gully Bk., 1 -Hart Bk., 10-Jepson Bk. |
| 18. | LEWISTON-AUBURN Water Pollution Control Authority (LAWPCA) | 1 | 1-Androscoggin Rv. |
| 19. | MACHIAS | 2 | 2-Machias Rv. |
| 20. | MADAWASKA | 2 | 2-St. John Rv. |
| 21. | MECHANIC FALLS SANITARY DISTRICT | 3 | 3-Little Androscoggin Rv. |
| 22. | MILFORD | 1 | 1-Penobscot Rv. |
| 23. | OLD TOWN | 3 | 2-Penobscot Rv., 1-Stillwater Rv. |
| 24. | ORONO | 1 | 1-Penobscot Rv. |
| 25. | PARIS UD | 1 | 1-Little Androscoggin Rv. |
| 26. | PORTLAND – CITY | 11 | 6-Back Cove, 2-Capiscic Bk., 2-Portland Harbor., 1-Nason Bk. (marsh) |
| 27. | PORTLAND – PORTLAND WATER DISTRICT (PWD) | 21 | 9-Back Cove, 3-Casco Bay, 7-Fore Rv., 2- Portland Harbor |
| 28. | RANDOLPH | 1 | 1-Kennebec Rv. |
| 29. | SACO | 4 | 1-Bear Bk., 3-Saco Rv. |
| 30. | SANFORD SANITARY DISTRICT | 1 | 1-Mousam Rv. |
| 31. | SKOWHEGAN | 7 | 7-Kennebec Rv. |
| 32. | SOUTH PORTLAND | 6 | 1-Barberry Ck., 1-Fore Rv., 1-Calvery Pond., 2-Portland Hbr., 1-Long Creek |
| 33. | WESTBROOK | 5 | 5-Presumpscot Rv. |
| 34. | WINSLOW | 2 | 2-Sebasticook Rv. |
| 35. | WINTERPORT SEWERAGE DISTRICT | 1 | 1-Penobscot Rv. |
| | TOTAL CSOs | 164 | |

35 CSO Permits, permitting 32 CSO Towns/Cities

Two or more permits in one CSO Town/City

Two CSO Towns/Cities covered in one permit


Bold = 10 communities with sewer system only. Sewers discharge to a POTW controlled by another entity.

MAINE CSO COMMUNITY ANNUAL NUMBER OF CSO DISCHARGE EVENTS


| | | Annual Number of CSO Discharge Events | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|------------------|---------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|-------------|------------|------------|------------|-------------|------------|
| No longer a CSO Community | | | | | | | | | | | | | | | | | | | | | | | | | |
| Community | NPDES Permit No. | Year | | | | | | | | | | | | | | | | | | | | | | | |
| | | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 |
| Auburn S.D. | 99720000 | 80 | 80 | 80 | 80 | 80 | 80 | 21 | 21 | 10 | 7 | 7 | 7 | 7 | 44 | 67 | 62 | 24 | 58 | 37 | 42 | 59 | 61 | 37 | |
| Bangor | 63500000 | 53 | 53 | 53 | 53 | 52 | 37 | 46 | 49 | 41 | 38 | 44 | 33 | 37 | 20 | 40 | 49 | 42 | 46 | 58 | 25 | 65 | 78 | 73 | |
| Bar Harbor | 32000000 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 155 | 154 | 47 | 98 | 44 | 7 | 21 | 16 | 5 | 22 | 18 | 10 | 27 | 28 | 19 |
| Bath | 60000000 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 30 | 37 | 21 | 10 | 25 | 23 | 20 | 33 | 32 | 25 | 29 | 21 | 20 |
| Belfast | 736000 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 1 | 0 | 0 | 0 | 5 | 3 | 5 | 4 | 3 | 6 | |
| Biddeford | 40000000 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 94 | 147 | 162 | 184 | 140 | 150 | 93 | 61 | 104 | 82 | 70 | 53 | 46 | 28 |
| Brewer | 75000000 | 95 | 95 | 95 | 95 | 95 | 95 | 66 | 66 | 66 | 66 | 22 | 92 | 95 | 80 | 53 | 72 | 66 | 72 | 78 | 45 | 38 | 59 | 56 | 50 |
| Bucksport | 53000000 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 53 | 10 | 17 | 10 | 32 | 24 | 25 | 8 | 24 | 18 | 2 | 0 | 0 | 0 | 0 |
| Calais | 42000000 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 9 | 15 | 9 | 15 | 5 | 8 | 10 | 14 | 8 |
| Cape Elizabeth | ME0102806 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 2 | 3 | 5 | 3 | 0 | 2 | 5 | 20 | 20 | 5 | 11 | 17 | 12 | |
| Corinna S.D. | 40000000 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 15 | 16 | 26 | 19 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dover-Foxcroft | 16000 | 8 | 8 | 8 | 8 | 8 | 2 | 8 | 6 | 1 | 4 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| East Millinocket | 1200000 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fairfield | 300000 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fort Kent U.D. | 3000 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 0 | 2 | 0 | 0 | 0 | 2 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Gardiner | 44000000 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 5 | 19 | 11 | 13 | 9 | 13 | 24 | 11 | 41 | 14 | 2 | 8 | 2 | 12 |
| Greater Augusta U.D. | 72554000 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 39 | 79 | 59 | 73 | 25 | 58 | 70 | 58 | 73 | 50 | 29 | 34 | 35 | 32 |
| Hallowell W.D. - 2008 GAUD | 350000 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 3 | 4 | 6 | 3 | 0 | 0 | 2 | 0 | 14 | 3 | 3 | 0 | 0 | 0 |
| Hampden | 1201000 | 1 | 3 | 8 | 10 | 7 | 4 | 17 | 18 | 8 | 14 | 8 | 1 | 11 | 9 | 0 | 0 | 2 | 0 | 13 | 0 | 1 | 0 | 1 | 1 |
| Kennebec S.T.D. | 2500000 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 8 | 6 | 4 | 0 | 5 | 7 | 9 | 3 | 1 | 4 | 0 | 0 | 0 |
| Kittery | 350000 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lewiston | 20890000 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 46 | 71 | 62 | 70 | 43 | 57 | 55 | 65 | 69 | 70 | 38 | 71 | 58 | 68 |
| Lewiston-Auburn W.P.C.A. | 48000000 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 41 | 28 | 25 | 23 | 35 | 49 | 44 | 29 | 38 | 36 | 44 |
| Lincoln S.D. | 2400000 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 5 | 1 | 3 | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lisbon | 600000 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Livermore Falls | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Machias | 7000000 | 15 | 15 | 15 | 15 | 5 | 7 | 3 | 9 | 3 | 3 | 3 | 2 | 9 | 5 | 0 | 4 | 16 | 8 | 15 | 10 | 5 | 12 | 13 | 9 |
| Madawaska | 3200000 | 16 | 16 | 16 | 16 | 16 | 16 | 91 | 91 | 27 | 26 | 16 | 12 | 0 | 3 | 1 | 1 | 7 | 4 | 65 | 14 | 17 | 18 | 32 | 17 |
| Mechanic Falls S.D. | 18000000 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 24 | 25 | 18 | 10 | 15 | 20 | 12 | 29 | 23 | 9 | 42 | 42 | 18 | |
| Milford | 220000 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 0 | 8 | 0 | 4 | 1 | 3 | 3 |
| Milo W.D. | 10000 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 0 | 0 |
| Old Town | 6300000 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 3 | 5 | 4 | 0 | 5 | 7 | 1 | 13 | 1 | 4 | 0 | 1 | 1 |
| Orono | 31000000 | 30 | 30 | 28 | 29 | 19 | 12 | 25 | 27 | 18 | 37 | 3 | 7 | 12 | 4 | 0 | 1 | 2 | 0 | 12 | 3 | 6 | 7 | 3 | 3 |
| Paris U.D. | 1000000 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 2 | 2 | 0 | 4 | 4 |
| Portland & PWD | 180000000 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 61 | 102 | 81 | 83 | 58 | 141 | 71 | 86 | 88 | 93 | 58 | 87 | 104 | 79 |
| Presque Isle | 27500000 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 26 | 17 | 26 | 12 | 14 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Randolph | 10000000 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 19 | 3 | 2 | 0 | 8 | 3 | 1 | 9 | 7 | 3 | 3 |
| Rockland | 47000000 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 12 | 23 | 18 | 8 | 5 | 11 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Saco | 17600000 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 36 | 33 | 39 | 44 | 22 | 36 | 22 | 32 | 41 | 24 | 12 | 9 | 10 | 10 |
| Sanford S.D. | 4000000 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Skowhegan | 48000000 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 108 | 111 | 111 | 161 | 95 | 115 | 77 | 53 | 81 | 81 | 55 | 58 | 17 | 23 |
| South Portland | 50000000 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 21 | 23 | 23 | 15 | 12 | 11 | 10 | 20 | 20 | 5 | 10 | 10 | 12 | 12 |
| Westbrook (PWD) | 50000000 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 34 | 30 | 19 | 16 | 15 | 33 | 7 | 13 | 17 | 31 | 55 | 50 | 11 | 12 |
| Winslow | 1300000 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 10 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 3 | 3 | 2 |
| Winterport S.D. | 680000 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 3 | 3 | 8 | 1 | 2 | 0 | 1 | 1 | 1 | 1 | 0 |
| Yarmouth | 1000 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 0 | 4 | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | | 1748 | 1750 | 1753 | 1756 | 1732 | 1703 | 1727 | 1737 | 1632 | 1646 | 1113 | 1170 | 1150 | 1053 | 712 | 959 | 800 | 654 | 1074 | 816 | 568 | 792 | 709 | 606 |
| Median | | 23 | 23 | 23 | 23 | 20 | 20 | 23 | 23 | 20 | 23 | 12 | 10 | 11 | 8 | 4.5 | 4 | 7 | 5 | 15 | 12 | 5 | 10 | 10.5 | 12 |
| Mean | | 39 | 39 | 39 | 39 | 38 | 38 | 38 | 39 | 36 | 37 | 25 | 26 | 26 | 24 | 16 | 22 | 19 | 16 | 27 | 21 | 16 | 23 | 21 | 18 |

Numbers in blue are estimated from LTCP/MP or other source.


MAINE - STATEWIDE COMBINED SEWER OVERFLOW (CSO) VOLUME DISCHARGED



MAINE - STATEWIDE COMBINED SEWER OVERFLOW (CSO) ANNUAL NUMBER OF DISCHARGE EVENTS




MAINE - STATEWIDE NUMBER OF COMBINED SEWER OVERFLOW (CSO) OUTFALLS






MAINE COMBINED SEWER OVERFLOWS ANNUAL VOLUME DISCHARGED PER INCH OF PRECIPITATION




MAINE YEARLY CSO VOLUMES AND PRECIPITATION



15




**2010 CSO FLOW COMPARISON
32 CSO COMMUNITIES
28 DISCHARGERS - 2.00 BILLION GALLONS**




Discharger, Overflow in Million Gallons (MG), Percent of Total

2010 CSO FLOW COMPARISON BY COMMUNITY 2.00 Billion Gallons



2010 CSO Watershed Flows 2.00 Billion Gallons



Discharger, Overflow in Million Gallons (MG), Percent of Total

MAINE CSO ANNUAL WATERSHED FLOWS

| | Community | Annual CSO Flows (Gallons) | | | | |
|--------------------|--------------------------|----------------------------|----------------------|----------------------|----------------------|----------------------|
| | | 2006 | 2007 | 2008 | 2009 | 2010 |
| Androscoggin River | Auburn SD | 28,936,137 | 23,622,547 | 23,984,272 | 19,440,841 | 12,952,500 |
| | Lewiston-Auburn WPCA | 265,521,000 | 142,286,000 | 292,244,000 | 207,794,000 | 156,986,000 |
| | Lewiston | 159,807,018 | 90,983,189 | 152,039,341 | 116,557,656 | 113,285,042 |
| | Mechanic Falls SD | 9,419,000 | 11,853,000 | 11,223,600 | 6,231,000 | 9,250,000 |
| | Paris UD | 173,500 | 206,000 | 84,000 | 0 | 110,000 |
| | Sub Total | 463,856,655 | 268,950,736 | 479,575,213 | 350,023,497 | 292,583,542 |
| Casco Bay | Cape Elizabeth | 5,365,000 | 3,254,000 | 2,567,000 | 3,527,000 | 3,955,292 |
| | Portland-City & PWD | 1,816,525,856 | 589,203,712 | 883,105,087 | 872,751,281 | 780,188,153 |
| | South Portland | 26,118,706 | 15,727,553 | 12,883,433 | 12,183,196 | 42,095,393 |
| | Westbrook | 40,636,729 | 15,879,000 | 7,379,066 | 7,069,280 | 14,105,989 |
| | Sub Total | 1,888,646,291 | 624,064,265 | 905,934,586 | 895,530,757 | 840,344,827 |
| Frenchman Bay | Bar Harbor | 5,102,820 | 8,719,436 | 12,601,889 | 11,935,337 | 6,930,405 |
| | Sub Total | 5,102,820 | 8,719,436 | 12,601,889 | 11,935,337 | 6,930,405 |
| Kennebec River | Augusta SD | 14,539,424 | 10,000,000 | 48,965,215 | 15,723,000 | 49,670,000 |
| | Bath | 36,105,688 | 20,783,335 | 24,383,599 | 11,323,060 | 12,930,203 |
| | Fairfield | 0 | 0 | 0 | 0 | 0 |
| | Gardiner | 10,269,400 | 2,487,000 | 5,000,000 | 1,380,000 | 10,453,761 |
| | Hallowell WD | 150,000 | 150,000 | - | - | - |
| | Kennebec STD | 385,734 | 1,136,649 | 2,209,107 | 0 | 0 |
| | Randolph | 266,256 | 459,476 | 1,413,880 | 488,645 | 285,719 |
| | Skowhegan | 31,314,358 | 21,596,631 | 61,963,453 | 6,073,919 | 7,550,855 |
| | Winslow | 0 | 725,000 | 235,000 | 5,001 | 200,000 |
| Sub Total | 93,030,860 | 57,338,091 | 144,170,254 | 34,993,625 | 81,090,538 | |
| Machias River | Machias | 3,008,025 | 2,263,720 | 2,328,905 | 4,073,938 | 2,791,962 |
| | Sub Total | 3,008,025 | 2,263,720 | 2,328,905 | 4,073,938 | 2,791,962 |
| Mousam River | Sanford SD | 15,000 | 0 | 0 | 0 | 0 |
| | Sub Total | 15,000 | 0 | 0 | 0 | 0 |
| Penobscot Bay | Belfast | 485,451 | 1,035,392 | 198,370 | 198,370 | 198,370 |
| | Rockland | 0 | 0 | 0 | 0 | 0 |
| | Sub Total | 485,451 | 1,035,392 | 198,370 | 198,370 | 198,370 |
| Penobscot River | Bangor | 272,750,000 | 150,580,000 | 378,640,000 | 347,360,000 | 389,300,000 |
| | Brewer | 247,538,580 | 231,283,607 | 289,560,294 | 229,270,683 | 227,139,515 |
| | Bucksport | 5,546,501 | 20,000 | 0 | 0 | 0 |
| | Dover-Foxcroft | 0 | 0 | 0 | 0 | 0 |
| | East Millinocket | 0 | 0 | 0 | 0 | 0 |
| | Hampden | 0 | 85,000 | 0 | 500,000 | 500,000 |
| | Milford | 211,070 | 0 | 88,365 | 66,285 | 52,006 |
| | Milo WD | 0 | 501,000 | 750 | 0 | 0 |
| | Old Town | 321,105 | 770,699 | 254,967 | 0 | 125,000 |
| | Orono | 1,314,000 | 7,360,000 | 4,820,000 | 371,471 | 2,416,910 |
| | Winterport SD | 0 | 102,000 | 252,000 | 18,000 | 0 |
| Sub Total | 527,681,256 | 390,702,306 | 673,616,376 | 577,586,439 | 619,533,431 | |
| Saco River | Biddeford | 163,423,532 | 150,304,402 | 147,313,000 | 146,452,750 | 127,029,700 |
| | Saco | 38,451,182 | 1,950,000 | 100,000 | 27,015 | 924,014 |
| | Sub Total | 201,874,714 | 152,254,402 | 147,413,000 | 146,479,765 | 127,953,714 |
| St. Croix River | Calais | 20,409,850 | 22,060,520 | 18,989,779 | 21,263,750 | 31,134,915 |
| | Sub Total | 20,409,850 | 22,060,520 | 18,989,779 | 21,263,750 | 31,134,915 |
| St. John River | Madawaska | 3,700,002 | 2,667,765 | 24,194,225 | 15,800,000 | 1,107,610 |
| | Sub Total | 3,700,002 | 2,667,765 | 24,194,225 | 15,800,000 | 1,107,610 |
| | Total Annual Flow | 3,207,810,924 | 1,530,056,633 | 2,409,022,597 | 2,057,885,478 | 2,003,669,314 |